



**Definition 7** We define  $c\_Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_Esum\_2EABS$   
Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (6)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (7)$$

**Definition 8** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_ABS$   
Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (8)$$

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E21 2) (\lambda V0t \in 2. V0t))$ .

**Definition 10** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E3D\_3D\_3E V0t) c\_2Ebool\_2E21 2))$ .

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2EAPPEND A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (9)$$

**Definition 11** We define  $c\_2Emin\_2E40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge p x))$   
of type  $\iota \Rightarrow \iota$ .

**Definition 12** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E40$

**Definition 13** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap (c\_2Emin\_2E40$

**Definition 14** We define  $c\_2EDecode\_2Ewf\_decoder$  to be  $\lambda A\_27a : \iota. \lambda V0p \in (2^{A\_27a}). \lambda V1d \in ((ty\_2Eoption\_2Eoption$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (10)$$

**Definition 15** We define  $c\_2EDecode\_2Edec2enc$  to be  $\lambda A\_27a : \iota. \lambda V0d \in ((ty\_2Eoption\_2Eoption (ty\_2Eoption\_2Eoption$

**Definition 16** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone$

**Definition 17** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS$

**Definition 18** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c\_2Eoption\_2Eoption$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (11)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (12)$$

**Definition 19** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a})^{A\_27b})$

**Definition 20** We define  $c\_2EDecode\_2Enc2dec$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1e \in ((ty\_2Elist\_2Elist\ A\_27a)^{A\_27a})$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (13)$$

Let  $c\_2EEncode\_2Eencode\_blist : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2EEncode\_2Eencode\_blist \\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27b)})^{(ty\_2Elist\_2Elist\ A\_27a)^{A\_27b}})^{ty\_2Enum\_2Enum\ A\_27a} \end{aligned} \quad (14)$$

**Definition 21** We define  $c\_2EDecode\_2Edecode\_blist$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}).\lambda V1e \in ((ty\_2Elist\_2Elist\ A\_27a)^{A\_27a})$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (15)$$

Let  $c\_2Elist\_2EEVERY : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEVERY\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \quad (16)$$

**Definition 22** We define  $c\_2EEncode\_2Elift\_blist$  to be  $\lambda A\_27a : \iota.\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1p \in (2^{A\_27a})$

Let  $c\_2Elist\_2EisPREFIX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EisPREFIX\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (17)$$

**Definition 23** We define  $c\_2EEncode\_2Ewf\_encoder$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1e \in ((ty\_2Elist\_2Elist\ A\_27a)^{A\_27a})$

**Definition 24** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 25** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 26** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap\ (ap\ (c\_2Ecombin\_2ES\ A\_27a\ (A\_27a^{A\_27a}))\ A\_27a))$

Let  $c\_2Elist\_2EHD : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EHD\ A\_27a \in (A\_27a^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (18)$$

Let  $c\_2Elist\_2ETL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ETL\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (19)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (20)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (21)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (22)$$

**Definition 27** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (23)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (24)$$

**Definition 28** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 29** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0p \in (2^{A\_27a}).(\forall V1e \in \\ & ((ty\_2Elist\_2Elist\ 2)^{A\_27a}).(\forall V2l \in (ty\_2Elist\_2Elist \\ & 2).(\forall V3x \in A\_27a.(\forall V4t \in (ty\_2Elist\_2Elist\ 2). \\ & ((p\ (ap\ (ap\ (c\_2EEncode\_2Ewf\_encoder\ A\_27a)\ V0p)\ V1e)) \Rightarrow (((ap \\ (ap\ (ap\ (c\_2EDecode\_2Eenc2dec\ A\_27a)\ V0p)\ V1e)\ V2l) = (ap\ (c\_2Eoption\_2ESOME \\ (ty\_2Epair\_2Eprod\ A\_27a\ (ty\_2Elist\_2Elist\ 2)))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ A\_27a\ (ty\_2Elist\_2Elist\ 2))\ V3x)\ V4t))) \Leftrightarrow ((p\ (ap\ V0p\ V3x)) \wedge (V2l = \\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ 2)\ (ap\ V1e\ V3x))\ V4t)))))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0p \in (2^{A\_27a}). (\forall V1e \in \\ & ((ty\_2Elist\_2Elist\ 2)^{A\_27a}). ((p\ (ap\ (ap\ (c\_2EEncode\_2Ewf\_encoder \\ & A\_27a)\ V0p)\ V1e)) \Rightarrow (p\ (ap\ (ap\ (c\_2EDecode\_2Ewf\_decoder\ A\_27a) \\ & V0p)\ (ap\ (ap\ (c\_2EDecode\_2Eenc2dec\ A\_27a)\ V0p)\ V1e)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0p \in (2^{A\_27a}). (\forall V1d \in \\ & ((ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A\_27a\ (ty\_2Elist\_2Elist \\ & 2))\ (ty\_2Elist\_2Elist\ 2)). ((p\ (ap\ (ap\ (c\_2EDecode\_2Ewf\_decoder \\ & A\_27a)\ V0p)\ V1d)) \Rightarrow (p\ (ap\ (ap\ (c\_2EEncode\_2Ewf\_encoder\ A\_27a) \\ & V0p)\ (ap\ (c\_2EDecode\_2Edec2enc\ A\_27a)\ V1d)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0p \in (2^{A\_27a}). (\forall V1e \in \\ & ((ty\_2Elist\_2Elist\ 2)^{A\_27a}). (\forall V2x \in A\_27a. ((p\ (ap\ (ap \\ & (c\_2EEncode\_2Ewf\_encoder\ A\_27a)\ V0p)\ V1e)) \wedge (p\ (ap\ V0p\ V2x))) \Rightarrow \\ & ((ap\ (ap\ (c\_2EDecode\_2Edec2enc\ A\_27a)\ (ap\ (ap\ (c\_2EDecode\_2Eenc2dec \\ & A\_27a)\ V0p)\ V1e))\ V2x) = (ap\ V1e\ V2x)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & (\forall V0e \in ((ty\_2Elist\_2Elist\ A\_27a)^{A\_27b}). (\forall V1l \in \\ & (ty\_2Elist\_2Elist\ A\_27b). ((ap\ (ap\ (ap\ (c\_2EEncode\_2Eencode\_blist \\ & A\_27a\ A\_27b)\ c\_2Enum\_2E0)\ V0e)\ V1l) = (c\_2Elist\_2ENIL\ A\_27a)))) \wedge \\ & (\forall V2m \in ty\_2Enum\_2Enum. (\forall V3e \in ((ty\_2Elist\_2Elist \\ & A\_27a)^{A\_27b}). (\forall V4l \in (ty\_2Elist\_2Elist\ A\_27b). ((ap\ (ap \\ & (ap\ (c\_2EEncode\_2Eencode\_blist\ A\_27a\ A\_27b)\ (ap\ c\_2Enum\_2ESUC \\ & V2m))\ V3e)\ V4l) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ (ap\ V3e\ (ap\ (c\_2Elist\_2EHD \\ & A\_27b)\ V4l)))\ (ap\ (ap\ (ap\ (c\_2EEncode\_2Eencode\_blist\ A\_27a\ A\_27b) \\ & V2m)\ V3e)\ (ap\ (c\_2Elist\_2ETL\ A\_27b)\ V4l))))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0m \in ty\_2Enum\_2Enum. ( \\ & \forall V1p \in (2^{A\_27a}). (\forall V2e \in ((ty\_2Elist\_2Elist\ 2)^{A\_27a}). \\ & ((p\ (ap\ (ap\ (c\_2EEncode\_2Ewf\_encoder\ A\_27a)\ V1p)\ V2e)) \Rightarrow (p\ (ap \\ & (ap\ (c\_2EEncode\_2Ewf\_encoder\ (ty\_2Elist\_2Elist\ A\_27a))\ (ap \\ & (ap\ (c\_2EEncode\_2Elift\_blist\ A\_27a)\ V0m)\ V1p))\ (ap\ (ap\ (c\_2EEncode\_2Eencode\_blist \\ & 2\ A\_27a)\ V0m)\ V2e)))))) \end{aligned} \quad (30)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg (c\_2Enum\_2E0 = (ap\ c\_2Enum\_2ESUC\ V0n)))) \quad (31)$$

Assume the following.

$$True \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (39)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (40)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (41)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (44)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (45)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (46)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap\ (c_{.2}Ecombin_{.2}El\ A_{.27a})\ V0x) = V0x)) \quad (47)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0h \in A_{.27a}.(\forall V1t \in (ty_{.2}Elist_{.2}Elist\ A_{.27a}).((ap\ (c_{.2}Elist_{.2}EHD\ A_{.27a})\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ A_{.27a})\ V0h)\ V1t)) = V0h)))) \quad (48)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0h \in A_{.27a}.(\forall V1t \in (ty_{.2}Elist_{.2}Elist\ A_{.27a}).((ap\ (c_{.2}Elist_{.2}ETL\ A_{.27a})\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ A_{.27a})\ V0h)\ V1t)) = V1t)))) \quad (49)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (((ap\ (c_{.2}Elist_{.2}ELENGTH\ A_{.27a})\ (c_{.2}Elist_{.2}ENIL\ A_{.27a})) = c_{.2}Enum_{.2}E0) \wedge (\forall V0h \in A_{.27a}.(\forall V1t \in (ty_{.2}Elist_{.2}Elist\ A_{.27a}).((ap\ (c_{.2}Elist_{.2}ELENGTH\ A_{.27a})\ (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ A_{.27a})\ V0h)\ V1t)) = (ap\ c_{.2}Enum_{.2}ESUC\ (ap\ (c_{.2}Elist_{.2}ELENGTH\ A_{.27a})\ V1t))))))) \quad (50)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0P \in (2^{A.27a}).((p\ (ap \\
& (ap\ (c.2Elist\_2EVERY\ A.27a)\ V0P)\ (c.2Elist\_2ENIL\ A.27a))) \Leftrightarrow True)) \wedge \\
& (\forall V1P \in (2^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty\_2Elist\_2Elist \\
& A.27a).((p\ (ap\ (ap\ (c.2Elist\_2EVERY\ A.27a)\ V1P)\ (ap\ (ap\ (c.2Elist\_2ECONS \\
& A.27a)\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1P\ V2h)) \wedge (p\ (ap\ (ap\ (c.2Elist\_2EVERY \\
& A.27a)\ V1P)\ V3t)))))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\
& A.27a).((V0l = (c.2Elist\_2ENIL\ A.27a)) \vee (\exists V1h \in A.27a.( \\
& \exists V2t \in (ty\_2Elist\_2Elist\ A.27a).(V0l = (ap\ (ap\ (c.2Elist\_2ECONS \\
& A.27a)\ V1h)\ V2t))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0l1 \in (ty\_2Elist\_2Elist \\
& A.27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A.27a).(\forall V2l3 \in \\
& (ty\_2Elist\_2Elist\ A.27a).(((ap\ (ap\ (c.2Elist\_2EAPPEND\ A.27a) \\
& V0l1)\ V1l2) = (ap\ (ap\ (c.2Elist\_2EAPPEND\ A.27a)\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = \\
& V2l3)))))) \wedge (\forall V3l1 \in (ty\_2Elist\_2Elist\ A.27a).(\forall V4l2 \in \\
& (ty\_2Elist\_2Elist\ A.27a).(\forall V5l3 \in (ty\_2Elist\_2Elist\ A.27a). \\
& (((ap\ (ap\ (c.2Elist\_2EAPPEND\ A.27a)\ V4l2)\ V3l1) = (ap\ (ap\ (c.2Elist\_2EAPPEND \\
& A.27a)\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p\ (ap\ V0P\ c.2Enum\_2E0)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c.2Enum\_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p\ (ap\ V0P\ V2n))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\
& ((ap\ c.2Enum\_2ESUC\ V0m) = (ap\ c.2Enum\_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{55}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{56}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{58}$$



Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (59)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (63)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (64)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (65)$$

**Theorem 1**

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0m \in ty.2Enum.2Enum.(\forall V1p \in (2^{A.27a}).(\forall V2e \in ((ty.2Elist.2Elist 2)^{A.27a}).(\forall V3l \in (ty.2Elist.2Elist A.27a).(\forall V4t \in (ty.2Elist.2Elist 2).(((p (ap (ap (c.2EEncode.2Ewf\_encoder A.27a) V1p) V2e)) \wedge (p (ap (ap (ap (c.2EEncode.2Elift\_blist A.27a) V0m) V1p) V3l))) \Rightarrow ((ap (ap (ap (ap (c.2EDecode.2EDecode\_blist A.27a) (ap (ap (c.2EEncode.2Elift\_blist A.27a) V0m) V1p)) V0m) (ap (ap (c.2EDecode.2Enc2dec A.27a) V1p) V2e)) (ap (ap (c.2Elist.2EAPPEND 2) (ap (ap (ap (c.2EEncode.2Encode\_blist 2 A.27a) V0m) V2e) V3l)) V4t)) = (ap (c.2Eoption.2ESOME (ty.2Epair.2Eprod (ty.2Elist.2Elist A.27a) (ty.2Elist.2Elist 2))) (ap (ap (c.2Epair.2E.2C (ty.2Elist.2Elist A.27a) (ty.2Elist.2Elist 2)) V3l) V4t))))))))))$$