

# thm\_2Ealist\_2Ealist\_\_to\_\_fmap\_\_MAP (TMP6ULnBASadwPNzCTTgBorpJ6CEcikE44z)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_7E` to be  $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let `ty_2Eone_2Eone` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

**Definition 3** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  **then**  $(the (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define `c_2Eone_2Eone` to be  $(ap (c_2Emin_2E_40 ty\_2Eone\_2Eone)) (\lambda V0x \in ty\_2Eone\_2Eone)$

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))))$

**Definition 6** We define `c_2Ebool_2E_2F` to be  $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 7** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

**Definition 9** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V2t)))$

Let `ty_2Esum_2Esum` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let `c_2Esum_2EABS__sum` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A-27b})^{A-27a})^2}) \tag{3}$$

**Definition 10** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS$

Let  $ty\_2Efinite\_map\_2E fmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2E fmap A0 A1) \quad (4)$$

Let  $c\_2Efinite\_map\_2E fmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2E fmap\_ABS A\_27a A\_27b \in ((ty\_2Efinite\_map\_2E fmap A\_27a A\_27b)^{(ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a}}) \quad (5)$$

**Definition 11** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(ap (c\_2Efinite\_map\_2E$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (6)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (7)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2EFUPDATE A\_27a A\_27b \in (((ty\_2Efinite\_map\_2E fmap A\_27a A\_27b)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)})^{(ty\_2Efinite\_map\_2E$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)} \quad (9)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)} \quad (10)$$

**Definition 13** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (11)$$

Let  $c\_2Elist\_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EFOLDR \\ & A\_27a\ A\_27b \in (((A\_27b^{(ty\_2Elist\_2Elist\ A\_27a)})_{A\_27b})_{((A\_27b^{A\_27b})^{A\_27a})}) \end{aligned} \quad (12)$$

**Definition 14** We define  $c\_2Ealist\_2Ealist\_to\_fmap$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s \in (ty\_2Elist\_2Elist$

Let  $c\_2Efinite\_map\_2Eo\_f : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow c\_2Efinite\_map\_2Eo\_f\ A\_27a\ A\_27b\ A\_27c \in ((( \\ & ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27c)^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)})_{(A\_27c^{A\_27b})}) \end{aligned} \quad (13)$$

Let  $c\_2Efinite\_map\_2EMAP\_KEYS : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow c\_2Efinite\_map\_2EMAP\_KEYS\ A\_27a\ A\_27b\ A\_27c \in \\ & (((ty\_2Efinite\_map\_2Efmap\ A\_27b\ A\_27c)^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27c)})_{(A\_27b^{A\_27a})}) \end{aligned} \quad (14)$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP \\ & A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})_{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)}) \end{aligned} \quad (15)$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ & A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (16)$$

**Definition 15** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP \\ & A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})_{(A\_27b^{A\_27a})}) \end{aligned} \quad (17)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in \\ & ((2^{A\_27a})_{(ty\_2Elist\_2Elist\ A\_27a)}) \end{aligned} \quad (18)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist \\ & A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})_{A\_27a}) \end{aligned} \quad (19)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (20)$$

**Definition 16** We define  $c\_2Emarker\_2EAbbrev$  to be  $\lambda V0x \in 2.V0x$ .

**Definition 17** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 18** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a.c\_2Ebool\_2E2)$ .

**Definition 19** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a.c\_2Ebool\_2E2F)$ .

**Definition 20** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x))$

**Definition 21** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (21)$$

**Definition 22** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2E$

**Definition 23** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in (2^{A\_27a})$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0k \in A\_27c. \\ & (\forall V1v \in A\_27d. (\forall V2t \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27c\ A\_27d)). ((ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27a\ A\_27b) \\ & (c\_2Elist\_2ENIL\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)))) = (c\_2Efinite\_map\_2EFEMPTY \\ & A\_27a\ A\_27b)) \wedge ((ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27c\ A\_27d) \\ & (ap\ (ap\ (c\_2Elist\_2ECONS\ (ty\_2Epair\_2Eprod\ A\_27c\ A\_27d))\ (ap\ ( \\ & ap\ (c\_2Epair\_2E\_2C\ A\_27c\ A\_27d)\ V0k)\ V1v))\ V2t)) = (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE \\ & A\_27c\ A\_27d)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27c\ A\_27d)\ V2t)) \\ & (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27c\ A\_27d)\ V0k)\ V1v)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0al \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ & ((ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap \\ & A\_27a\ A\_27b)\ V0al)) = (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap \\ & (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)\ A\_27a)\ (c\_2Epair\_2EFST \\ & A\_27a\ A\_27b))\ V0al)))) \end{aligned} \quad (23)$$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (27) \end{aligned}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p\ V0t)))))) \quad (30) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (31) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \quad (32) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow (\forall V0f \in (A\_27c^{A\_27b}). (\forall V1g \in (ty\_2Efinite\_map\_2E fmap \\ & A\_27a\ A\_27b). ((ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27c)\ (ap\ (ap \\ & (c\_2Efinite\_map\_2Eo\_f\ A\_27a\ A\_27b\ A\_27c)\ V0f)\ V1g)) = (ap\ (c\_2Efinite\_map\_2EFDOM \\ & A\_27a\ A\_27b)\ V1g)))) \quad (33) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27c}).((ap\ (ap\ (c.2Efinite\_map\_2Eo\_f \\
& A.27a\ A.27c\ A.27b)\ V0f)\ (c.2Efinite\_map\_2EFEMPTY\ A.27a\ A.27c)) = \\
& (c.2Efinite\_map\_2EFEMPTY\ A.27a\ A.27b)))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27c}).(\forall V1fm \in (ty\_2Efinite\_map\_2Efm \\
& A.27a\ A.27c).(\forall V2k \in A.27a.(\forall V3v \in A.27c.((ap\ (ap \\
& (c.2Efinite\_map\_2Eo\_f\ A.27a\ A.27c\ A.27b)\ V0f)\ (ap\ (ap\ (c.2Efinite\_map\_2EFUPDATE \\
& A.27a\ A.27c)\ V1fm)\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27c)\ V2k)\ V3v)))) = \\
& (ap\ (ap\ (c.2Efinite\_map\_2EFUPDATE\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Efinite\_map\_2Eo\_f \\
& A.27a\ A.27c\ A.27b)\ V0f)\ V1fm))\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b) \\
& V2k)\ (ap\ V0f\ V3v))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c.2Efinite\_map\_2EMAP\_KEYS \\
& A.27a\ A.27b\ A.27c)\ V0f)\ (c.2Efinite\_map\_2EFEMPTY\ A.27a\ A.27c)) = \\
& (c.2Efinite\_map\_2EFEMPTY\ A.27b\ A.27c)))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}).(\forall V1fm \in (ty\_2Efinite\_map\_2Efm \\
& A.27a\ A.27c).(\forall V2k \in A.27a.(\forall V3v \in A.27c.((p\ (ap\ ( \\
& ap\ (ap\ (c.2Epred\_set\_2EINJ\ A.27a\ A.27b)\ V0f)\ (ap\ (ap\ (c.2Epred\_set\_2EINSERT \\
& A.27a)\ V2k)\ (ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27c)\ V1fm))))\ ( \\
& c.2Epred\_set\_2EUNIV\ A.27b)))) \Rightarrow ((ap\ (ap\ (c.2Efinite\_map\_2EMAP\_KEYS \\
& A.27a\ A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c.2Efinite\_map\_2EFUPDATE\ A.27a \\
& A.27c)\ V1fm)\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27c)\ V2k)\ V3v)))) = ( \\
& ap\ (ap\ (c.2Efinite\_map\_2EFUPDATE\ A.27b\ A.27c)\ (ap\ (ap\ (c.2Efinite\_map\_2EMAP\_KEYS \\
& A.27a\ A.27b\ A.27c)\ V0f)\ V1fm))\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27b\ A.27c) \\
& (ap\ V0f\ V2k)\ V3v))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c.2Elist\_2EMAP\ A.27a\ A.27b) \\
& V0f)\ (c.2Elist\_2ENIL\ A.27a)) = (c.2Elist\_2ENIL\ A.27b))) \wedge (\forall V1f \in \\
& (A.27b^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty\_2Elist\_2Elist \\
& A.27a).((ap\ (ap\ (c.2Elist\_2EMAP\ A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c.2Elist\_2ECONS \\
& A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (c.2Elist\_2ECONS\ A.27b)\ (ap\ V1f\ V2h)) \\
& (ap\ (ap\ (c.2Elist\_2EMAP\ A.27a\ A.27b)\ V1f)\ V3t))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0h \in A.27b. (\forall V1t \in (ty.2Elist.2Elist\ A.27b). ( \\ & \quad (ap\ (c.2Elist.2ELIST\_TO\_SET\ A.27a)\ (c.2Elist.2ENIL\ A.27a)) = \\ & \quad (c.2Epred\_set.2EEMPTY\ A.27a)) \wedge ((ap\ (c.2Elist.2ELIST\_TO\_SET \\ & A.27b)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c.2Epred\_set.2EINSERT \\ & A.27b)\ V0h)\ (ap\ (c.2Elist.2ELIST\_TO\_SET\ A.27b)\ V1t)))))) \\ & \hspace{15em} (39) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist\ A.27a)}). \\ & \quad (((p\ (ap\ V0P\ (c.2Elist.2ENIL\ A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\ & A.27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a. (p\ (ap\ V0P\ (ap\ (ap\ ( \\ & c.2Elist.2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\ & A.27a). (p\ (ap\ V0P\ V3l)))))) \\ & \hspace{15em} (40) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0x \in (ty.2Epair.2Eprod\ A.27a\ A.27b). (\exists V1q \in A.27a. \\ & (\exists V2r \in A.27b. (V0x = (ap\ (ap\ (c.2Epair.2E\_2C\ A.27a\ A.27b) \\ & V1q)\ V2r)))))) \\ & \hspace{15em} (41) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2E\_2C\ A.27a\ A.27b) \\ & V0x)\ V1y) = V0x))) \\ & \hspace{15em} (42) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}). (\forall V1x \in \\ & A.27a. (\forall V2y \in A.27b. ((ap\ (ap\ (c.2Epair.2EUNCURRY\ A.27a \\ & A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c.2Epair.2E\_2C\ A.27a\ A.27b)\ V1x)\ V2y)) = \\ & (ap\ (ap\ V0f\ V1x)\ V2y)))))) \\ & \hspace{15em} (43) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ & A.27a)\ V0x)\ (c.2Epred\_set.2EUNIV\ A.27a)))) \\ & \hspace{15em} (44) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0f \in (A.27b^{A.27a}). ((\forall V1s \in (2^{A.27b}). (p\ (ap\ (ap \\ & (ap\ (c.2Epred\_set.2EINJ\ A.27a\ A.27b)\ V0f)\ (c.2Epred\_set.2EEMPTY \\ & A.27a))\ V1s))) \wedge (\forall V2s \in (2^{A.27a}). ((p\ (ap\ (ap\ (ap\ (c.2Epred\_set.2EINJ \\ & A.27a\ A.27b)\ V0f)\ V2s)\ (c.2Epred\_set.2EEMPTY\ A.27b))) \Leftrightarrow (V2s = \\ & (c.2Epred\_set.2EEMPTY\ A.27a)))))) \\ & \hspace{15em} (45) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.(\forall V2s \in ( \\
& \quad 2^{A\_27a}).(\forall V3t \in (2^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ \\
& A\_27a\ A\_27b)\ V0f)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1x)\ V2s)) \\
& \quad V3t)) \Leftrightarrow ((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ\ A\_27a\ A\_27b)\ V0f)\ V2s) \\
& \quad V3t)) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ (ap\ V0f\ V1x))\ V3t)) \wedge (\forall V4y \in \\
& A\_27a.(((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V4y)\ V2s)) \wedge ((ap\ V0f\ V1x) = \\
& \quad (ap\ V0f\ V4y)))) \Rightarrow (V1x = V4y))))))))) \\
& \hspace{15em} (46)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0f1 \in ( \\
& \quad A\_27b^{A\_27a}).(\forall V1f2 \in (A\_27d^{A\_27c}).(\forall V2al \in (ty\_2Elist\_2Elist \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27c)).((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ \\
& \quad A\_27a\ A\_27b)\ V0f1)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap\ (ap \\
& \quad (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27c)\ A\_27a)\ (c\_2Epair\_2EFST \\
& \quad A\_27a\ A\_27c))\ V2al)))\ (c\_2Epred\_set\_2EUNIV\ A\_27b))) \Rightarrow ((ap\ (c\_2Elist\_2Elist\_to\_fmap \\
& \quad A\_27b\ A\_27d)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27c) \\
& \quad (ty\_2Epair\_2Eprod\ A\_27b\ A\_27d))\ (ap\ (c\_2Epair\_2EUNCURRY\ A\_27a \\
& \quad A\_27c\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27d))\ (\lambda V3x \in A\_27a.(\lambda V4y \in \\
& \quad A\_27c.(ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b\ A\_27d)\ (ap\ V0f1\ V3x))\ (ap\ V1f2 \\
& \quad V4y))))))\ V2al) = (ap\ (ap\ (c\_2Efinite\_map\_2EMAP\_KEYS\ A\_27a \\
& \quad A\_27b\ A\_27d)\ V0f1)\ (ap\ (ap\ (c\_2Efinite\_map\_2Eo\_f\ A\_27a\ A\_27c \\
& \quad A\_27d)\ V1f2)\ (ap\ (c\_2Elist\_2Elist\_to\_fmap\ A\_27a\ A\_27c)\ V2al)))))))))
\end{aligned}$$