

# thm\_2Ellist\_2ELTAKE\_IMP\_LDROP (TMHgY-WCw3rDrYo8tWTkQZ1zShQgAbWgQ3Sh)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$ .

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$ .

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. (\lambda V3t3 \in 2. inj\_o (t1 t2 = t3))))))$ .

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (2)$$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Ellist\_2Ellist A0) \quad (3)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Ellist\_2ELTAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ellist\_2ELTAKE A\_27a \in (((ty\_2Eoption\_2Eoption (ty\_2Ellist\_2Ellist A\_27a))^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $c\_2Ellist\_2ELAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Ellist\_2ELAPPEND A\_27a \in (((ty\_2Ellist\_2Ellist A\_27a)^{(ty\_2Ellist\_2Ellist A\_27a)})^{(ty\_2Ellist\_2Ellist A\_27a)}) \quad (6)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (7)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (8)$$

Let  $c\_2Ellist\_2EfromList : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Ellist\_2EfromList A\_27a \in ((ty\_2Ellist\_2Ellist A\_27a)^{(ty\_2Ellist\_2Ellist A\_27a)}) \quad (9)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 8** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (13)$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (m))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 10** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n)\ 0)$

**Definition 11** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (15)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep A\_27a \in \\ & (((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist A\_27a)}) \end{aligned} \quad (16)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \quad (17)$$

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum \\ & A0 A1) \end{aligned} \quad (18)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ & A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (19)$$

**Definition 13** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_2Esum\_2EABS$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in \\ & ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \end{aligned} \quad (20)$$

**Definition 14** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_$

**Definition 15** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p$

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs A\_27a \in \\ & ((ty\_2Ellist\_2Ellist A\_27a)^{(ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum}}) \end{aligned} \quad (21)$$

**Definition 17** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota. \lambda V0h \in A\_27a. \lambda V1t \in (ty\_2Ellist\_2Ellist A\_27a)^{ty\_2Enum\_2Enum}.$

**Definition 18** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone. ($

**Definition 19** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap (c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E$

**Definition 20** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS A\_27a) e) \Rightarrow c\_2Esum\_2EINR A\_27a$

**Definition 21** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c\_2Eoption\_2ENONE)) \Rightarrow c\_2Eoption\_2ENONE A\_27a$

**Definition 22** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota. (ap (c\_2Ellist\_2Ellist\_abs A\_27a) (\lambda V0n \in ty. (c\_2Ellist\_2ELDROP n))) \Rightarrow c\_2Ellist\_2ELNIL A\_27a$

Let  $c\_2Ellist\_2ELDROP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ellist\_2ELDROP A\_27a \in (((ty\_2Eoption\_2Eoption (ty\_2Ellist\_2Ellist A\_27a))^{ty\_2Enum\_2Enum})^{A\_27a}) \Rightarrow c\_2Ellist\_2ELDROP A\_27a \quad (22)$$

**Definition 23** We define  $c\_2Ebool\_2E_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E_40 (V0P)))) \Rightarrow c\_2Ebool\_2E_3F A\_27a)$

Let  $c\_2Eoption\_2EOPTION\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_MAP A\_27a A\_27b \in (((ty\_2Eoption\_2Eoption A\_27b)^{(ty\_2Eoption\_2Eoption A\_27a)})^{(A\_27b^{A\_27a})}) \Rightarrow c\_2Eoption\_2EOPTION\_MAP A\_27a A\_27b \quad (23)$$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \Rightarrow c\_2Ebool\_2E_3F \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \Rightarrow c\_2Ebool\_2E_3F \quad (26)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t) \Leftrightarrow (p V1x)) \Rightarrow c\_2Ebool\_2E_3F)) \Rightarrow c\_2Ebool\_2E_3F \quad (27)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \Rightarrow c\_2Ebool\_2E_3F \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. (((((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \Rightarrow c\_2Ebool\_2E_3F \quad (29)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \Rightarrow c\_2Ebool\_2E_3F \quad (30)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))))) \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (34)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{-27} \in 2.(\forall V2y \in 2.(\forall V3y_{-27} \in 2.(((p\ V0x) \Leftrightarrow (p\ V1x_{-27})) \wedge ((p\ V1x_{-27}) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_{-27})))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_{-27}) \Rightarrow (p\ V3y_{-27}))))))) \quad (35)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}).(\forall V1a \in A_{27a}.((\exists V2x \in A_{27a}.((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))))) \quad (36)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0f \in (2^{A_{27a}}).(\forall V1v \in A_{27a}.((\forall V2x \in A_{27a}.((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ (ap\ V0f\ V1v)))))) \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty\_2Ellist\_2Ellist A_{27a}).((V0l = (c\_2Ellist\_2ELNIL\ A_{27a})) \vee (\exists V1h \in A_{27a}. \\ & (\exists V2t \in (ty\_2Ellist\_2Ellist\ A_{27a}).(V0l = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{27a})\ V1h)\ V2t))))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0h1 \in A_{27a}.(\forall V1t1 \in (ty\_2Ellist\_2Ellist\ A_{27a}).(\forall V2h2 \in A_{27a}.(\forall V3t2 \in (ty\_2Ellist\_2Ellist\ A_{27a}).(((ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{27a})\ V0h1)\ V1t1) = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{27a})\ V2h2)\ V3t2)) \Leftrightarrow ((V0h1 = V2h2) \wedge (V1t1 = V3t2))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow \forall A_{27c}. \\
& nonempty A_{27c} \Rightarrow ((\forall V0l \in (ty\_2Elist\_2Elist A_{27a}).(( \\
& ap (ap (c\_2Elist\_2ELTAKE A_{27a}) c\_2Enum\_2E0) V0l) = (ap (c\_2Eoption\_2ESOME \\
& (ty\_2Elist\_2Elist A_{27a})) (c\_2Elist\_2ENIL A_{27a}))) \wedge ((\forall V1n \in \\
& ty\_2Enum\_2Enum.((ap (ap (c\_2Elist\_2ELTAKE A_{27b}) (ap c\_2Enum\_2ESUC \\
& V1n)) (c\_2Elist\_2ELNIL A_{27b})) = (c\_2Eoption\_2ENONE (ty\_2Elist\_2Elist \\
& A_{27b})))) \wedge (\forall V2n \in ty\_2Enum\_2Enum.(\forall V3h \in A_{27c}. \\
& (\forall V4t \in (ty\_2Elist\_2Elist A_{27c}).((ap (ap (c\_2Elist\_2ELTAKE \\
& A_{27c}) (ap c\_2Enum\_2ESUC V2n)) (ap (ap (c\_2Elist\_2ELCONS A_{27c} \\
& V3h) V4t)) = (ap (ap (c\_2Eoption\_2EOPTION\_MAP (ty\_2Elist\_2Elist \\
& A_{27c}) (ty\_2Elist\_2Elist A_{27c})) (ap (c\_2Elist\_2ECONS A_{27c} \\
& V3h)) (ap (ap (c\_2Elist\_2ELTAKE A_{27c}) V2n) V4t))))))) \\
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\
& A_{27a}).(\forall V1m \in ty\_2Enum\_2Enum.((ap (ap (c\_2Elist\_2ELTAKE \\
& A_{27a}) V1m) (c\_2Elist\_2ELNIL A_{27a})) = (ap (c\_2Eoption\_2ESOME \\
& (ty\_2Elist\_2Elist A_{27a})) V0l)) \Leftrightarrow ((V1m = c\_2Enum\_2E0) \wedge (V0l = \\
& (c\_2Elist\_2ENIL A_{27a})))))) \\
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow ((\forall V0x \in (ty\_2Elist\_2Elist \\
& A_{27a}).((ap (ap (c\_2Elist\_2ELAPPEND A_{27a}) (c\_2Elist\_2ELNIL \\
& A_{27a})) V0x) = V0x)) \wedge (\forall V1h \in A_{27a}.(\forall V2t \in (ty\_2Elist\_2Elist \\
& A_{27a}).(\forall V3x \in (ty\_2Elist\_2Elist A_{27a}).((ap (ap (c\_2Elist\_2ELAPPEND \\
& A_{27a}) (ap (ap (c\_2Elist\_2ELCONS A_{27a}) V1h) V2t)) V3x) = (ap (ap \\
& (c\_2Elist\_2ELCONS A_{27a}) V1h) (ap (ap (c\_2Elist\_2ELAPPEND A_{27a}) \\
& V2t) V3x))))))) \\
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (((ap (c\_2Elist\_2EfromList A_{27a}) \\
& (c\_2Elist\_2ENIL A_{27a})) = (c\_2Elist\_2ELNIL A_{27a})) \wedge (\forall V0h \in \\
& A_{27a}.(\forall V1t \in (ty\_2Elist\_2Elist A_{27a}).((ap (c\_2Elist\_2EfromList \\
& A_{27a}) (ap (ap (c\_2Elist\_2ECONS A_{27a}) V0h) V1t)) = (ap (ap (c\_2Elist\_2ELCONS \\
& A_{27a}) V0h) (ap (c\_2Elist\_2EfromList A_{27a}) V1t)))))) \\
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow \forall A_{27c}. \\
& \quad nonempty A_{27c} \Rightarrow ((\forall V0ll \in (ty\_2Ellist\_2Ellist A_{27a})).( \\
& \quad (ap (ap (c\_2Ellist\_2ELDROP A_{27a}) c\_2Enum\_2E0) V0ll) = (ap (c\_2Eoption\_2ESOME \\
& \quad (ty\_2Ellist\_2Ellist A_{27a})) V0ll))) \wedge ((\forall V1n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap (c\_2Ellist\_2ELDROP A_{27b}) (ap c\_2Enum\_2ESUC V1n)) (c\_2Ellist\_2ELNIL \\
& \quad A_{27b})) = (c\_2Eoption\_2ENONE (ty\_2Ellist\_2Ellist A_{27b})))) \wedge \\
& \quad (\forall V2n \in ty\_2Enum\_2Enum. (\forall V3h \in A_{27c}. (\forall V4t \in \\
& \quad (ty\_2Ellist\_2Ellist A_{27c}). ((ap (ap (c\_2Ellist\_2ELDROP A_{27c}) \\
& \quad (ap c\_2Enum\_2ESUC V2n)) (ap (ap (c\_2Ellist\_2ELCONS A_{27c}) V3h) \\
& \quad V4t)) = (ap (ap (c\_2Ellist\_2ELDROP A_{27c}) V2n) V4t))))))) \\
& \quad (44)
\end{aligned}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg((ap c\_2Enum\_2ESUC V0n) = c\_2Enum\_2E0))) \quad (45)$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p (ap V0P c\_2Enum\_2E0)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC \\
& V1n))))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p (ap V0P V2n)))))) \\
& \quad (46)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}. (\forall V1y \in \\
& A_{27a}. (((ap (c\_2Eoption\_2ESOME A_{27a}) V0x) = (ap (c\_2Eoption\_2ESOME \\
& A_{27a}) V1y)) \Leftrightarrow (V0x = V1y)))) \\
& \quad (47)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow ( \\
& \quad \forall V0f \in (A_{27b}^{A_{27a}}). (\forall V1x \in (ty\_2Eoption\_2Eoption \\
& A_{27a}). (\forall V2y \in A_{27b}. (((ap (ap (c\_2Eoption\_2EOPTION\_MAP \\
& A_{27a} A_{27b}) V0f) V1x) = (ap (c\_2Eoption\_2ESOME A_{27b}) V2y)) \Leftrightarrow (\exists V3z \in \\
& A_{27a}. ((V1x = (ap (c\_2Eoption\_2ESOME A_{27a}) V3z)) \wedge (V2y = (ap V0f \\
& V3z))))))) \\
& \quad (48)
\end{aligned}$$

### Theorem 1

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V1ll \in (ty\_2Ellist\_2Ellist A_{27a}). (\forall V2l1 \in (ty\_2Elist\_2Elist \\
& A_{27a}). (((ap (ap (c\_2Ellist\_2ELTAKE A_{27a}) V0n) V1ll) = (ap (c\_2Eoption\_2ESOME \\
& (ty\_2Elist\_2Elist A_{27a})) V2l1)) \Rightarrow (\exists V3l2 \in (ty\_2Ellist\_2Ellist \\
& A_{27a}). (((ap (ap (c\_2Ellist\_2ELDROP A_{27a}) V0n) V1ll) = (ap (c\_2Eoption\_2ESOME \\
& (ty\_2Ellist\_2Ellist A_{27a})) V3l2)) \wedge ((ap (ap (c\_2Ellist\_2ELAPPEND \\
& A_{27a}) (ap (c\_2Ellist\_2EfromList A_{27a}) V2l1)) V3l2) = V1ll)))))))
\end{aligned}$$