

thm\_2Ellist\_2Ellist\_ue\_Axiom  
 (TMXBQKg3MRe3pwMrtQi3k8HHF5pnFU8jZsD)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in (A\_27b^{A\_27c}). \lambda V1g$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^\omega) \quad (3)$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP).$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (4)$$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ellist\_2Ellist\ A0) \quad (5)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep\ A\_27a \in \\ & ((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist\ A\_27a)} \end{aligned} \quad (6)$$

**Definition 6** We define  $c\_2Ellist\_2ELHD$  to be  $\lambda A\_27a : \iota. \lambda V0l \in (ty\_2Ellist\_2Ellist\ A\_27a).(ap\ (ap\ (c\_2E$

**Definition 7** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (8)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E$

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs\ A\_27a \in ((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum}}) \quad (10)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (11)$$

**Definition 11** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (12)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (13)$$

**Definition 13** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap\ (c\_2Esum\_2EABS$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A_{27a} \in ((ty\_2Eoption\_2Eoption\ A_{27a})^{(ty\_2Esum\_2Esum\ A_{27a}\ ty\_2Eone\_2Eone)}) \quad (14)$$

**Definition 14** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A_{27a} : \iota. \lambda V0x \in A_{27a}. (ap (c\_2Eoption\_2Eoption\_ABS\ A_{27a}) (V0x))$

**Definition 15** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A) \text{ else } \iota$

**Definition 16** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone. (ap (c\_2Eoption\_2Eoption\_ABS\ A_{27a}) (V0x))))$

**Definition 17** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2. V0t))$ .

**Definition 18** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E\ V0t) c\_2Ebool\_2E))$

**Definition 19** We define  $c\_2Esum\_2EINR$  to be  $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0e \in A_{27b}. (ap (c\_2Esum\_2EABS\ A_{27a}) (V0e))$

**Definition 20** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A_{27a} : \iota. (ap (c\_2Eoption\_2Eoption\_ABS\ A_{27a}) (\iota))$

Let  $c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c\_2Eoption\_2Eoption\_CASE\ A_{27a}\ A_{27b} \in (((A_{27b}^{(A_{27b}^{A_{27a}})})^{A_{27b}})^{(ty\_2Eoption\_2Eoption\ A_{27a})}) \quad (15)$$

**Definition 21** We define  $c\_2Ellist\_2ELTL$  to be  $\lambda A_{27a} : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist\ A_{27a}). (ap (ap (ap (c\_2Eoption\_2Eoption\_CASE\ A_{27a}) (V0ll)))))$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (16)$$

**Definition 22** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A_{27a} : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_{27a}. (\lambda V2t2 \in A_{27a}. (ap (c\_2Eoption\_2Eoption\_CASE\ A_{27a}) (V0t)))))$

**Definition 23** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A_{27a} : \iota. \lambda V0h \in A_{27a}. \lambda V1t \in (ty\_2Ellist\_2Ellist\ A_{27a}). (ap (c\_2Eoption\_2Eoption\_CASE\ A_{27a}) (V0h)))$

**Definition 24** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A_{27a} : \iota. (ap (c\_2Ellist\_2Ellist\_abs\ A_{27a}) (\lambda V0n \in ty\_2Ellist\_2Ellist\ A_{27a}. (ap (c\_2Eoption\_2Eoption\_CASE\ A_{27a}) (V0n))))$

**Definition 25** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A_{27a} : \iota. (\lambda V0P \in (2^{A_{27a}}). (ap V0P (ap (c\_2Emin\_2E\_40\ A_{27a}) (V0P))))$

**Definition 26** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A_{27a} : \iota. (\lambda V0P \in (2^{A_{27a}}). (ap (ap c\_2Ebool\_2E\_3F\ A_{27a}) (V0P))))$

Let  $c\_2Eoption\_2EOPTION\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c\_2Eoption\_2EOPTION\_MAP\ A_{27a}\ A_{27b} \in (((ty\_2Eoption\_2Eoption\ A_{27b})^{(ty\_2Eoption\_2Eoption\ A_{27a})})^{(A_{27b}^{A_{27a}})}) \quad (17)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A_0.\text{nonempty } A_0 \Rightarrow & \forall A_1.\text{nonempty } A_1 \Rightarrow \text{nonempty } (ty\_2Epair\_2Eprod \\ & A_0 A_1) \end{aligned} \quad (18)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Epair\_2ESND \\ & A\_27a \ A\_27b \in (A\_27b(ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)) \end{aligned} \quad (19)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Epair\_2EFST \\ & A\_27a \ A\_27b \in (A\_27a(ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)) \end{aligned} \quad (20)$$

**Definition 27** We define  $c\_2Epair\_2Epair\_CASE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0p \in (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b) . . .$

**Definition 28** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. . .))) . . .)$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (23)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \end{aligned} \quad (24)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \quad (25)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1g \in (A_{27b}^{A_{27a}}).((V0f = \\ & V1g) \Leftrightarrow (\forall V2x \in A_{27a}.((ap\ V0f\ V2x) = (ap\ V1g\ V2x))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0P \in (2^{A_{27a}}).(\forall V1Q \in \\ (2^{A_{27a}}).((\forall V2x \in A_{27a}.((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow \\ ((\forall V3x \in A_{27a}.(p\ (ap\ V0P\ V3x))) \wedge (\forall V4x \in A_{27a}.(p\ ( \\ ap\ V1Q\ V4x))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \forall A_{27c}. \\ nonempty\ A_{27c} \Rightarrow & (\forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1g \in (A_{27a}^{A_{27c}}). \\ (\forall V2x \in A_{27c}.((ap\ (ap\ (ap\ (c_{2Ecombin\_2Eo}\ A_{27c}\ A_{27b}\ A_{27a}) \\ V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty\_2Ellist\_2Ellist\ A_{27a}).((V0l = (c_{2Ellist\_2ELNIL}\ A_{27a})) \vee \\ (\exists V1h \in A_{27a}. \\ (\exists V2t \in (ty\_2Ellist\_2Ellist\ A_{27a}).(V0l = (ap\ (ap\ (c_{2Ellist\_2ELCONS}\ A_{27a})\ V1h)\ V2t))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ ((ap\ (c_{2Ellist\_2ELHD}\ A_{27a})\ (c_{2Ellist\_2ELNIL}\ A_{27a})) = (c_{2Eoption\_2ENONE}\ A_{27a})) \wedge & (\forall V0h \in A_{27b}.(\forall V1t \in (ty\_2Ellist\_2Ellist\ A_{27b}). \\ ((ap\ (c_{2Ellist\_2ELHD}\ A_{27b})\ (ap\ (ap\ (c_{2Ellist\_2ELCONS}\ A_{27b})\ V0h)\ V1t)) = (ap\ (c_{2Eoption\_2ESOME}\ A_{27b})\ V0h)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ ((ap\ (c_{2Ellist\_2ELTL}\ A_{27a})\ (c_{2Ellist\_2ELNIL}\ A_{27a})) = (c_{2Eoption\_2ENONE}\ (ty\_2Ellist\_2Ellist\ A_{27a}))) \wedge & (\forall V0h \in A_{27b}.(\forall V1t \in (ty\_2Ellist\_2Ellist\ A_{27b}).((ap\ (c_{2Ellist\_2ELTL}\ A_{27b})\ (ap\ (ap\ (c_{2Ellist\_2ELCONS}\ A_{27b})\ V0h)\ V1t)) = (ap\ (c_{2Eoption\_2ESOME}\ (ty\_2Ellist\_2Ellist\ A_{27b}))\ V1t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0h \in A_{27a}.(\forall V1t \in \\ (ty\_2Ellist\_2Ellist\ A_{27a}).((\neg(ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{27a}) \\ V0h)\ V1t) = (c\_2Ellist\_2ELNIL\ A_{27a})) \wedge (\neg((c\_2Ellist\_2ELNIL \\ A_{27a}) = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{27a})\ V0h)\ V1t)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0h1 \in A_{27a}.(\forall V1t1 \in \\ (ty\_2Ellist\_2Ellist\ A_{27a}).(\forall V2h2 \in A_{27a}.(\forall V3t2 \in \\ (ty\_2Ellist\_2Ellist\ A_{27a}).(((ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{27a}) \\ V0h1)\ V1t1) = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{27a})\ V2h2)\ V3t2)) \Leftrightarrow (( \\ V0h1 = V2h2) \wedge (V1t1 = V3t2)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ \forall V0f \in ((ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A_{27a} \\ A_{27b}))^{A_{27a}}).(& p\ (ap\ (c\_2Ebool\_2E\_3F\_21\ ((ty\_2Ellist\_2Ellist \\ A_{27b})^{A_{27a}}))\ (\lambda V1g \in ((ty\_2Ellist\_2Ellist\ A_{27b})^{A_{27a}}). \\ (ap\ (c\_2Ebool\_2E\_21\ A_{27a})\ (\lambda V2x \in A_{27a}.(ap\ (ap\ (c\_2Emin\_2E\_3D \\ (ty\_2Ellist\_2Ellist\ A_{27b}))\ (ap\ V1g\ V2x)))\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE \\ (ty\_2Epair\_2Eprod\ A_{27a}\ A_{27b})\ (ty\_2Ellist\_2Ellist\ A_{27b}))\ ( \\ ap\ V0f\ V2x))\ (c\_2Ellist\_2ELNIL\ A_{27b}))\ (\lambda V3v \in (ty\_2Epair\_2Eprod \\ A_{27a}\ A_{27b}).(ap\ (ap\ (c\_2Epair\_2Epair\_CASE\ (ty\_2Ellist\_2Ellist \\ A_{27b})\ A_{27a}\ A_{27b})\ V3v)\ (\lambda V4a \in A_{27a}.(\lambda V5b \in A_{27b}.(ap\ ( \\ ap\ (c\_2Ellist\_2ELCONS\ A_{27b})\ V5b)\ (ap\ V1g\ V4a))))))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0opt \in (ty\_2Eoption\_2Eoption \\ A_{27a}).((V0opt = (c\_2Eoption\_2ENONE\ A_{27a})) \vee (\exists V1x \in A_{27a}. \\ (V0opt = (ap\ (c\_2Eoption\_2ESOME\ A_{27a})\ V1x)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ (\forall V0v \in A_{27b}.(\forall V1f \in (A_{27b})^{A_{27a}}).((ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE \\ A_{27a}\ A_{27b})\ (c\_2Eoption\_2ENONE\ A_{27a}))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\ A_{27a}.(\forall V3v \in A_{27b}.(\forall V4f \in (A_{27b})^{A_{27a}}).((ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE\ A_{27a}\ A_{27b})\ (ap\ (c\_2Eoption\_2ESOME \\ A_{27a})\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0x \in A_{27a}.(\forall V1y \in \\ A_{27a}.(((ap\ (c\_2Eoption\_2ESOME\ A_{27a})\ V0x) = (ap\ (c\_2Eoption\_2ESOME \\ A_{27a})\ V1y)) \Leftrightarrow (V0x = V1y)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\forall A_{\_27a}. nonempty A_{\_27a} \Rightarrow (\forall V0x \in A_{\_27a}. (\neg((c\_2Eoption\_2ENONE A_{\_27a}) = (ap (c\_2Eoption\_2ESOME A_{\_27a}) V0x)))) \quad (41)$$

Assume the following.

$$\begin{aligned} & \forall A_{\_27a}. nonempty A_{\_27a} \Rightarrow \forall A_{\_27b}. nonempty A_{\_27b} \Rightarrow \\ & (\forall V0f \in (A_{\_27b}^{A\_27a}). (\forall V1x \in A_{\_27a}. ((ap (ap (c\_2Eoption\_2EOPTION\_MAP A_{\_27a} A_{\_27b}) V0f) (ap (c\_2Eoption\_2ESOME A_{\_27a}) V1x)) = (ap (c\_2Eoption\_2ESOME A_{\_27b}) (ap V0f V1x)))) \wedge (\forall V2f \in (A_{\_27b}^{A\_27a}). ((ap (ap (c\_2Eoption\_2EOPTION\_MAP A_{\_27a} A_{\_27b}) V2f) (c\_2Eoption\_2ENONE A_{\_27a})) = (c\_2Eoption\_2ENONE A_{\_27b})))) \end{aligned} \quad (42)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (50)$$

### Theorem 1

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow ( \\
& \forall V0f \in ((ty\_2Eoption\_2Eoption (ty\_2Epair\_2Eprod A_{27a} \\
& A_{27b}))^{A_{27a}}). (p (ap (c\_2Ebool\_2E\_3F\_21 ((ty\_2Ellist\_2Ellist \\
& A_{27b})^{A_{27a}})) (\lambda V1g \in ((ty\_2Ellist\_2Ellist A_{27b})^{A_{27a}}). \\
& (ap (ap c\_2Ebool\_2E\_2F\_5C (ap (c\_2Ebool\_2E\_21 A_{27a}) (\lambda V2x \in \\
& A_{27a}. (ap (ap (c\_2Emin\_2E\_3D (ty\_2Eoption\_2Eoption A_{27b})) ( \\
& ap (c\_2Ellist\_2ELHD A_{27b}) (ap V1g V2x))) (ap (ap (c\_2Eoption\_2EOPTION\_MAP \\
& (ty\_2Epair\_2Eprod A_{27a} A_{27b}) A_{27b}) (c\_2Epair\_2ESND A_{27a} A_{27b})) \\
& (ap V0f V2x)))))) (ap (c\_2Ebool\_2E\_21 A_{27a}) (\lambda V3x \in A_{27a}. ( \\
& ap (ap (c\_2Emin\_2E\_3D (ty\_2Eoption\_2Eoption (ty\_2Ellist\_2Ellist \\
& A_{27b})) (ap (c\_2Ellist\_2ELTL A_{27b}) (ap V1g V3x))) (ap (ap (c\_2Eoption\_2EOPTION\_MAP \\
& (ty\_2Epair\_2Eprod A_{27a} A_{27b}) (ty\_2Ellist\_2Ellist A_{27b})) ( \\
& ap (ap (c\_2Ecombin\_2Eo (ty\_2Epair\_2Eprod A_{27a} A_{27b}) (ty\_2Ellist\_2Ellist \\
& A_{27b}) A_{27a}) V1g) (c\_2Epair\_2EFST A_{27a} A_{27b})) (ap V0f V3x)))))))))) \\
\end{aligned}$$