

thm_2Epath_2Eokpath__take

(TMVRh8yTG1jcbpXB7mQUMaUH51tZwFx7dnU)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (2)$$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p x) \text{ else } \iota$ of type $\iota \Rightarrow \iota$.

Definition 7 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (t1 = t2))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum \\ & \quad A0\ A1) \end{aligned} \quad (3)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ & \quad A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (4)$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS A_27a) (ty_2Eoption_2Eoption A_27b))$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (5)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (6)$$

Definition 11 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (ty_2Eoption_2Eoption A_27a))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (8)$$

Definition 12 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 13 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \quad (10)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 15 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B n) (ty_2Enum_2Enum))$

Definition 16 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod \\ A0 A1) \end{aligned} \quad (12)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \quad (13)$$

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_0.nonempty A_0 \Rightarrow & \forall A_1.nonempty A_1 \Rightarrow nonempty (ty_2Epath_2Epath \\ & A_0 A_1) \end{aligned} \quad (14)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow & \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2EfromPath \\ & A_27a A_27b \in ((ty_2Epair_2Eprod A_27a (ty_2Ellist_2Ellist (ty_2Epair_2Eprod \\ & A_27b A_27a)))^{(ty_2Epath_2Epath A_27a A_27b)}) \end{aligned} \quad (15)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow & \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ & A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (16)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_0.nonempty A_0 \Rightarrow nonempty (ty_2Ellist_2Ellist A_0) \quad (17)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (18)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow & c_2Ellist_2Ellist_rep A_27a \in \\ & (((ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist A_27a)}) \end{aligned} \quad (19)$$

Definition 17 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS$

Definition 18 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption$

Definition 19 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow & c_2Ellist_2Ellist_abs A_27a \in \\ & ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \end{aligned} \quad (20)$$

Definition 20 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist A_27a)^{ty_2Enum_2Enum}$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40$

Definition 22 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Enum_2Enum. (ap (c_2Ellist_2Ellist_rep A_27a) V0n)))$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 24 We define $c_2Ellist_2Ellength_rel$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist A_27a). (\lambda V1t \in$

Definition 25 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist A_27a). (ap (c_2Ellist_2ELFINITE A_27a) a0)))$

Definition 26 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (c_2Ellist_2ELLENGTH A_27a) ll))$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2ETHE A_27a \in (A_27a^{(ty_2Eoption_2Eoption A_27a)}) \quad (21)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2ELTAKE A_27a \in (((ty_2Eoption_2Eoption (ty_2Ellist_2Ellist A_27a))^{ty_2Enum_2Enum})) \quad (22)$$

Definition 27 We define $c_2Ellist_2EtoList$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (c_2Ellist_2EtoList A_27a) ll)))$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (23)$$

Definition 28 We define $c_2Epath_2Efinit$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0sigma \in (ty_2Epath_2Epath A_27a A_27b)$

Definition 29 We define $c_2Epath_2Elength$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath A_27a A_27b)$

Definition 30 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $c_2Epair_2EAABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EAABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (24)$$

Definition 31 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2E_2C A_27a A_27b) (V0x V1y)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{((ty_2Epred_set A_27a A_27b)^{2^{A_27b}})}) \quad (25)$$

Definition 32 We define c_2Epath_2EPL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath A_27a A_27b)$

Let $c_2Epath_2Etail : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epath_2Etail A_27a A_27b \in ((ty_2Epath_2Epath A_27a A_27b)^{(ty_2Epath_2Epath A_27a A_27b)}) \quad (26)$$

Let $c_2Epath_2Efirst_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epath_2Efirst_label A_27a A_27b \in (A_27b^{(ty_2Epath_2Epath A_27a A_27b)}) \quad (27)$$

Let $c_2Epath_2Etake : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Epath_2Etake \\ & A_27a \ A_27b \in (((ty_2Epath_2Epath A_27a \ A_27b)^{(ty_2Epath_2Epath A_27a \ A_27b)})^{ty_2Enum_2Enum}) \end{aligned} \quad (28)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Epair_2EFST \\ & A_27a \ A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a \ A_27b)}) \end{aligned} \quad (29)$$

Definition 33 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath A_27a \ A_27b)$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Epath_2EtoPath \\ & A_27a \ A_27b \in ((ty_2Epath_2Epath A_27a \ A_27b)^{(ty_2Epair_2Eprod A_27a \ (ty_2Ellist_2Ellist (ty_2Epair_2Eprod A_27b)))}) \end{aligned} \quad (30)$$

Definition 34 We define $c_2Epath_2Epcons$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1r \in A_27b. \lambda V2p \in (ty_2Epath_2Epath A_27a \ A_27b)$

Definition 35 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. (ap (c_2Epath_2Estop A_27a \ A_27b) V0x))$

Definition 36 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Definition 37 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c^{A_27a})^A \ . (ap V0f A_27c))$

Definition 38 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2ET)$.

Definition 39 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2Epred_set_2EUNION A_27a) (V0s \ V1t))$

Definition 40 We define $c_2Epath_2Eokpath_f$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in (((2^{A_27a})^{A_27b})^{A_27a})$

Definition 41 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2Epred_set_2ESUBSET A_27a) (V0s \ V1t))$

Definition 42 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap (c_2Epred_set_2EBIGUNION A_27a) V0P))$

Definition 43 We define $c_2EfixedPoint_2Egfp$ to be $\lambda A_27a : \iota. \lambda V0f \in ((2^{A_27a})^{(2^{A_27a})}). (ap (c_2Epred_set_2EfixedPoint A_27a) V0f))$

Definition 44 We define $c_2Epath_2Eokpath$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in (((2^{A_27a})^{A_27b})^{A_27a})$

Definition 45 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 46 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2Epred_set_2EINSERT A_27a) (V0x \ V1s))$

Definition 47 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in (2^{A_27b})$

Assume the following.

$$True \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (36)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (38)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (39)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0P \in (2^{A_{27a}}).(\forall V1a \in \\ A_{27a}.((\exists V2x \in A_{27a}.((V2x = V1a) \wedge (p (ap\ V0P\ V2x)))) \Leftrightarrow (p (\\ ap\ V0P\ V1a)))))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p (ap\ V0P\ c_2Enum_2E0)) \wedge \\ (\forall V1n \in ty_2Enum_2Enum.((p (ap\ V0P\ V1n)) \Rightarrow (p (ap\ V0P\ (ap\ c_2Enum_2ESUC \\ V1n))))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p (ap\ V0P\ V2n)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0P \in (2^{(ty_2Epath_2Epath\ A_{27a}\ A_{27b})}).((\forall V1p \in \\ (ty_2Epath_2Epath\ A_{27a}\ A_{27b}).(p (ap\ V0P\ V1p))) \Leftrightarrow ((\forall V2x \in \\ A_{27a}.(p (ap\ V0P\ (ap\ (c_2Epath_2Estopped_at\ A_{27a}\ A_{27b})\ V2x)))) \wedge \\ (\forall V3x \in A_{27a}.(\forall V4r \in A_{27b}.(\forall V5p \in (ty_2Epath_2Epath \\ A_{27a}\ A_{27b}).(p (ap\ V0P\ (ap\ (ap\ (c_2Epath_2Epcons\ A_{27a}\ A_{27b}) \\ V3x)\ V4r)\ V5p)))))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0x \in A_{27a}.((ap\ (c_2Epath_2Efirst\ A_{27a}\ A_{27b})\ (ap\ (c_2Epath_2Estopped_at \\ A_{27a}\ A_{27b})\ V0x)) = V0x)) \wedge (\forall V1x \in A_{27a}.(\forall V2r \in A_{27b}. \\ (\forall V3p \in (ty_2Epath_2Epath\ A_{27a}\ A_{27b}).((ap\ (c_2Epath_2Efirst \\ A_{27a}\ A_{27b})\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_{27a}\ A_{27b})\ V1x)\ V2r) \\ V3p)) = V1x)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0x \in A_{27a}.(\forall V1r \in A_{27b}.(\forall V2p \in (ty_2Epath_2Epath \\ A_{27a}\ A_{27b}).((ap\ (c_2Epath_2Etail\ A_{27a}\ A_{27b})\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons \\ A_{27a}\ A_{27b})\ V0x)\ V1r)\ V2p)) = V2p)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0x \in A_{27a}.(\forall V1r \in A_{27b}.(\forall V2p \in (ty_2Epath_2Epath \\ A_{27a}\ A_{27b}).((ap\ (c_2Epath_2Efirst_label\ A_{27a}\ A_{27b})\ (ap\ (\\ ap\ (ap\ (c_2Epath_2Epcons\ A_{27a}\ A_{27b})\ V0x)\ V1r)\ V2p)) = V1r)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& (\forall V0x \in A_{27a}.((ap(c_2Epath_2EPL A_{27a} A_{27b}) (ap(c_2Epath_2Estopped_at A_{27a} A_{27b}) V0x)) = (ap(ap(c_2Epred_set_2EINSERT ty_2Enum_2Enum c_2Enum_2E0) (c_2Epred_set_2EEMPTY ty_2Enum_2Enum)))) \wedge (\forall V1x \in A_{27a}.(\forall V2r \in A_{27b}.(\forall V3q \in (ty_2Epath_2Epath A_{27a} A_{27b}).((ap(c_2Epath_2EPL A_{27a} A_{27b}) (ap(ap(c_2Epath_2Epcons A_{27a} A_{27b}) V1x) V2r) V3q)) = (ap(ap(c_2Epred_set_2EINSERT ty_2Enum_2Enum c_2Enum_2E0) (ap(ap(c_2Epred_set_2EIMAGE ty_2Enum_2Enum ty_2Enum_2Enum c_2Enum_2ESUC) (ap(c_2Epath_2EPL A_{27a} A_{27b}) V3q))))))) \\
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \forall V0p \in (ty_2Epath_2Epath A_{27a} A_{27b}).(p(ap(ap(c_2Ebool_2EIN ty_2Enum_2Enum) c_2Enum_2E0) (ap(c_2Epath_2EPL A_{27a} A_{27b}) V0p))) \\
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& (\forall V0p \in (ty_2Epath_2Epath A_{27a} A_{27b}).((ap(ap(c_2Epath_2Etake A_{27a} A_{27b}) c_2Enum_2E0) V0p) = (ap(c_2Epath_2Estopped_at A_{27a} A_{27b}) (ap(c_2Epath_2Efirst A_{27a} A_{27b}) V0p)))) \wedge (\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in (ty_2Epath_2Epath A_{27a} A_{27b}).((ap(ap(c_2Epath_2Etake A_{27a} A_{27b}) (ap(c_2Enum_2ESUC V1n)) V2p) = (ap(ap(ap(c_2Epath_2Epcons A_{27a} A_{27b}) (ap(c_2Epath_2Efirst A_{27a} A_{27b}) V2p)) (ap(c_2Epath_2Efirst_label A_{27a} A_{27b}) V2p)) (ap(ap(c_2Epath_2Etake A_{27a} A_{27b}) V1n) (ap(c_2Epath_2Etail A_{27a} A_{27b}) V2p))))))) \\
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \forall V0p \in (ty_2Epath_2Epath A_{27a} A_{27b}).(\forall V1i \in ty_2Enum_2Enum.((ap(c_2Epath_2Efirst A_{27a} A_{27b}) (ap(ap(c_2Epath_2Etake A_{27a} A_{27b}) V1i) V0p)) = (ap(c_2Epath_2Efirst A_{27a} A_{27b}) V0p))) \\
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \forall V0R \in (((2^{A_{27a}})^{A_{27b}})^{A_{27a}}).((\forall V1x \in A_{27a}.(\\
& p (ap (ap (c_2Epath_2Eokpath A_{27a} A_{27b}) V0R) (ap (c_2Epath_2Estopped_at \\
& A_{27a} A_{27b}) V1x)))) \wedge (\forall V2x \in A_{27a}.(\forall V3r \in A_{27b}. \\
& (\forall V4p \in (ty_2Epath_2Epath A_{27a} A_{27b}).((p (ap (ap (c_2Epath_2Eokpath \\
& A_{27a} A_{27b}) V0R) (ap (ap (c_2Epath_2Epcons A_{27a} A_{27b}) V2x) \\
& V3r) V4p))) \Leftrightarrow ((p (ap (ap (ap V0R V2x) V3r) (ap (c_2Epath_2Efist A_{27a} \\
& A_{27b}) V4p))) \wedge (p (ap (ap (c_2Epath_2Eokpath A_{27a} A_{27b}) V0R) V4p))))))) \\
& (52)
\end{aligned}$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\neg(p (ap (ap \\
(c_2Ebool_2EIN A_{27a}) V0x) (c_2Epred_set_2EEMPTY A_{27a})))))) \quad (53)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in \\
& A_{27a}.(\forall V2s \in (2^{A_{27a}}).((p (ap (ap (c_2Ebool_2EIN A_{27a}) \\
& V0x) (ap (ap (c_2Epred_set_2EINSERT A_{27a}) V1y) V2s))) \Leftrightarrow ((V0x = \\
& V1y) \vee (p (ap (ap (c_2Ebool_2EIN A_{27a}) V0x) V2s))))))) \\
& (54)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \forall V0y \in A_{27b}.(\forall V1s \in (2^{A_{27a}}).(\forall V2f \in (A_{27b})^{A_{27a}}). \\
& ((p (ap (ap (c_2Ebool_2EIN A_{27b}) V0y) (ap (ap (c_2Epred_set_2EIMAGE \\
& A_{27a} A_{27b}) V2f) V1s))) \Leftrightarrow (\exists V3x \in A_{27a}.((V0y = (ap V2f V3x)) \wedge \\
& (p (ap (ap (c_2Ebool_2EIN A_{27a}) V3x) V1s))))))) \\
& (55)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\
& ((ap c_2Enum_2ESUC V0m) = (ap c_2Enum_2ESUC V1n)) \Leftrightarrow (V0m = V1n))) \\
& (56)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \forall V0R \in (((2^{A_{27a}})^{A_{27b}})^{A_{27a}}).(\forall V1p \in (ty_2Epath_2Epath \\
& A_{27a} A_{27b}).(\forall V2i \in ty_2Enum_2Enum.((p (ap (ap (c_2Ebool_2EIN \\
& ty_2Enum_2Enum) V2i) (ap (c_2Epath_2EPL A_{27a} A_{27b}) V1p))) \wedge \\
& (p (ap (ap (c_2Epath_2Eokpath A_{27a} A_{27b}) V0R) V1p))) \Rightarrow (p (ap (ap \\
& (c_2Epath_2Eokpath A_{27a} A_{27b}) V0R) (ap (ap (c_2Epath_2Etake \\
& A_{27a} A_{27b}) V2i) V1p)))))))
\end{aligned}$$