

thm_2Epath_2Epgenerate_onto (TMYHvf- BgjwArGr8buPsR8r6QPN4ERUheN8M)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in (2^{A_27a}).V1P)) (\lambda V2P \in (2^{A_27a}).V2P))$

Definition 4 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \tag{2}$$

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epath_2Epath A0 A1) \tag{3}$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2EfromPath A_27a A_27b \in ((ty_2Epair_2Eprod A_27a (ty_2Ellist_2Ellist (ty_2Epair_2Eprod A_27b A_27a)))^{(ty_2Epath_2Epath A_27a A_27b)}) \tag{4}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{5}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{6}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{7}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{8}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 6 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{9}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{10}$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Let $c_2Earithmic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{11}$$

Definition 8 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmic_2E_2B\ n$

Definition 9 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{12}$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \tag{13}$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \tag{14}$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{15}$$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (16)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (17)$$

Definition 12 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum A_27a A_27b) (ty_2Esum_2Esum A_27a A_27b))$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (18)$$

Definition 13 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS A_27a) (ty_2Eoption_2Eoption A_27a))$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) then (the (\lambda x.x \in A \wedge p x)) else (c_2Emin_2E_3D_3D_3E V0t)$ of type $\iota \Rightarrow \iota$.

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a ty_2Enum_2Enum)}) \quad (19)$$

Definition 16 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist A_27a) (ap (c_2Ellist_2Ellist_abs A_27a) (ty_2Ellist_2Ellist A_27a))$

Definition 17 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 V0t) (c_2Emin_2E_3D_3D_3E V0t))))$

Definition 18 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.))$

Definition 19 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_3F V0t))$

Definition 20 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum A_27a A_27b) (ty_2Esum_2Esum A_27a A_27b))$

Definition 21 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) (ty_2Eoption_2Eoption A_27a))$

Definition 22 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist_2Ellist A_27a.))$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.))$

Definition 24 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (c$

Definition 25 We define $c_2Epath_2Efinite$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0sigma \in (ty_2Epath_2Epath\ A_27a\ A_27b). (ap\ (c$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (20)$$

Definition 26 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b). (ap\ (c$

Let $c_2Epath_2Eel : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Eel \\ A_27a\ A_27b \in ((A_27a^{(ty_2Epath_2Epath\ A_27a\ A_27b)})^{ty_2Enum_2Enum}) \end{aligned} \quad (21)$$

Let $c_2Epath_2Etail : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Etail \\ A_27a\ A_27b \in ((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epath_2Epath\ A_27a\ A_27b)}) \end{aligned} \quad (22)$$

Let $c_2Epath_2Efirst_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Efirst_label \\ A_27a\ A_27b \in (A_27b^{(ty_2Epath_2Epath\ A_27a\ A_27b)}) \end{aligned} \quad (23)$$

Let $c_2Epath_2Eent_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Eent_label \\ A_27a\ A_27b \in ((A_27a^{(ty_2Epath_2Epath\ A_27b\ A_27a)})^{ty_2Enum_2Enum}) \end{aligned} \quad (24)$$

Definition 27 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1y \in A_27c. (ap\ (c$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b} A_27a)}) \end{aligned} \quad (25)$$

Definition 28 We define c_2Epair_2E2C to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EtoPath \\ A_27a\ A_27b \in ((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))})}) \end{aligned} \quad (26)$$

Definition 29 We define $c_2Epath_2Eacons$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1r \in A_27b. \lambda V2p \in A_27b. (ap\ (c$

Let $c_2Epath_2Epgenerate : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Epgenerate \\ & A_27a\ A_27b \in (((ty_2Epath_2Epath\ A_27a\ A_27b)^{(A_27b^{ty_2Enum_2Enum})})^{(A_27a^{ty_2Enum_2Enum})}) \end{aligned} \quad (27)$$

Definition 30 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. (ap\ (c_2Epath_2Epgenerate)\ V0x)$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (40)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (41)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (42)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1a \in A_27a.((\exists V2x \in A_27a.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (43)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0f \in (2^{A_27a}).(\forall V1v \in A_27a.((\forall V2x \in A_27a.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (44)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1r \in A_27b.(\forall V2p \in (ty_2Epath_2Epath A_27a A_27b).(\forall V3y \in A_27a.(\forall V4s \in A_27b.(\forall V5q \in (ty_2Epath_2Epath A_27a A_27b).(((ap (ap (ap (c_2Epath_2Epath A_27a A_27b) V0x) V1r) V2p) = (ap (ap (ap (c_2Epath_2Epath A_27a A_27b) V3y) V4s) V5q)) \Leftrightarrow ((V0x = V3y) \wedge ((V1r = V4s) \wedge (V2p = V5q)))))))))) \quad (45)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b).((\exists V1x \in A_27a. \\
& \quad (V0p = (ap\ (c_2Epath_2Estopped_at\ A_27a\ A_27b)\ V1x))) \vee (\exists V2x \in \\
& \quad A_27a.(\exists V3r \in A_27b.(\exists V4q \in (ty_2Epath_2Epath\ A_27a \\
& \quad A_27b).(V0p = (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V2x)\ V3r) \\
& \quad V4q))))))) \\
& \hspace{15em} (46)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad (\forall V0x \in A_27a.((ap\ (c_2Epath_2Efirst\ A_27a\ A_27b)\ (ap\ (c_2Epath_2Estopped_at \\
& \quad A_27a\ A_27b)\ V0x)) = V0x)) \wedge (\forall V1x \in A_27a.(\forall V2r \in A_27b. \\
& \quad (\forall V3p \in (ty_2Epath_2Epath\ A_27a\ A_27b).((ap\ (c_2Epath_2Efirst \\
& \quad A_27a\ A_27b)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V1x)\ V2r) \\
& \quad V3p)) = V1x)))))) \\
& \hspace{15em} (47)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad (\forall V0x \in A_27a.((p\ (ap\ (c_2Epath_2Efinite\ A_27a\ A_27b)\ (ap \\
& \quad (c_2Epath_2Estopped_at\ A_27a\ A_27b)\ V0x))) \Leftrightarrow True)) \wedge (\forall V1x \in \\
& \quad A_27a.(\forall V2r \in A_27b.(\forall V3p \in (ty_2Epath_2Epath\ A_27a \\
& \quad A_27b).((p\ (ap\ (c_2Epath_2Efinite\ A_27a\ A_27b)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons \\
& \quad A_27a\ A_27b)\ V1x)\ V2r)\ V3p))) \Leftrightarrow (p\ (ap\ (c_2Epath_2Efinite\ A_27a\ A_27b) \\
& \quad V3p)))))) \\
& \hspace{15em} (48)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0p1 \in (ty_2Epath_2Epath\ A_27a\ A_27b).(\forall V1p2 \in (\\
& \quad ty_2Epath_2Epath\ A_27a\ A_27b).((V0p1 = V1p2) \Leftrightarrow (\exists V2R \in ((\\
& \quad 2(ty_2Epath_2Epath\ A_27a\ A_27b)(ty_2Epath_2Epath\ A_27a\ A_27b)). \\
& \quad ((p\ (ap\ (ap\ V2R\ V0p1)\ V1p2)) \wedge (\forall V3q1 \in (ty_2Epath_2Epath\ A_27a \\
& \quad A_27b).(\forall V4q2 \in (ty_2Epath_2Epath\ A_27a\ A_27b).((p\ (ap \\
& \quad (ap\ V2R\ V3q1)\ V4q2)) \Rightarrow ((\exists V5x \in A_27a.((V3q1 = (ap\ (c_2Epath_2Estopped_at \\
& \quad A_27a\ A_27b)\ V5x)) \wedge (V4q2 = (ap\ (c_2Epath_2Estopped_at\ A_27a\ A_27b) \\
& \quad V5x)))))) \vee (\exists V6x \in A_27a.(\exists V7r \in A_27b.(\exists V8q1.27 \in \\
& \quad (ty_2Epath_2Epath\ A_27a\ A_27b).(\exists V9q2.27 \in (ty_2Epath_2Epath \\
& \quad A_27a\ A_27b).((V3q1 = (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b) \\
& \quad V6x)\ V7r)\ V8q1.27)) \wedge ((V4q2 = (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a \\
& \quad A_27b)\ V6x)\ V7r)\ V9q2.27)) \wedge (p\ (ap\ (ap\ V2R\ V8q1.27)\ V9q2.27)))))))))) \\
& \hspace{15em} (49)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a. (\forall V1r \in A_27b. (\forall V2p \in (ty_2Epath_2Epath \\ & A_27a\ A_27b). ((ap\ (c_2Epath_2Etail\ A_27a\ A_27b)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons \\ & A_27a\ A_27b)\ V0x)\ V1r)\ V2p)) = V2p)))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a. (\forall V1r \in A_27b. (\forall V2p \in (ty_2Epath_2Epath \\ & A_27a\ A_27b). ((ap\ (c_2Epath_2Efirst_label\ A_27a\ A_27b)\ (ap\ (\\ & ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V0x)\ V1r)\ V2p)) = V1r)))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b). ((ap\ (ap\ (c_2Epath_2Eel \\ & A_27a\ A_27b)\ c_2Enum_2E0)\ V0p) = (ap\ (c_2Epath_2Efirst\ A_27a\ A_27b)\ \\ & V0p))) \wedge (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in (ty_2Epath_2Epath \\ & A_27a\ A_27b). ((ap\ (ap\ (c_2Epath_2Eel\ A_27a\ A_27b)\ (ap\ c_2Enum_2ESUC \\ & V1n))\ V2p) = (ap\ (ap\ (c_2Epath_2Eel\ A_27a\ A_27b)\ V1n)\ (ap\ (c_2Epath_2Etail \\ & A_27a\ A_27b)\ V2p)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0p \in (ty_2Epath_2Epath\ A_27b\ A_27a). ((ap\ (ap\ (c_2Epath_2Eent_label \\ & A_27a\ A_27b)\ c_2Enum_2E0)\ V0p) = (ap\ (c_2Epath_2Efirst_label \\ & A_27b\ A_27a)\ V0p))) \wedge (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in \\ & (ty_2Epath_2Epath\ A_27b\ A_27a). ((ap\ (ap\ (c_2Epath_2Eent_label \\ & A_27a\ A_27b)\ (ap\ c_2Enum_2ESUC\ V1n))\ V2p) = (ap\ (ap\ (c_2Epath_2Eent_label \\ & A_27a\ A_27b)\ V1n)\ (ap\ (c_2Epath_2Etail\ A_27b\ A_27a)\ V2p)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (A_27a^{ty_2Enum_2Enum}). (\forall V1g \in (A_27b^{ty_2Enum_2Enum}). \\ & ((ap\ (ap\ (c_2Epath_2Epgenerate\ A_27a\ A_27b)\ V0f)\ V1g) = (ap\ (ap\ (\\ & ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ (ap\ V0f\ c_2Enum_2E0))\ (ap\ V1g \\ & c_2Enum_2E0))\ (ap\ (ap\ (c_2Epath_2Epgenerate\ A_27a\ A_27b)\ (ap\ (\\ & ap\ (c_2Ecombin_2Eo\ ty_2Enum_2Enum\ A_27a\ ty_2Enum_2Enum)\ V0f)\ \\ & c_2Enum_2ESUC))\ (ap\ (ap\ (c_2Ecombin_2Eo\ ty_2Enum_2Enum\ A_27b \\ & ty_2Enum_2Enum)\ V1g)\ c_2Enum_2ESUC)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in (A_27a^{ty-2Enum-2Enum}).(\forall V1g \in (A_27b^{ty-2Enum-2Enum}). \\
& (\forall V2x \in A_27a.(\neg((ap\ (c_2Epath_2Estopped_at\ A_27a\ A_27b) \\
& V2x) = (ap\ (ap\ (c_2Epath_2Epgenerate\ A_27a\ A_27b)\ V0f)\ V1g))))))
\end{aligned} \tag{55}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b).((\neg(p\ (ap\ (c_2Epath_2Efinite \\
& A_27a\ A_27b)\ V0p))) \Rightarrow (\exists V1f \in (A_27a^{ty-2Enum-2Enum}).(\exists V2g \in \\
& (A_27b^{ty-2Enum-2Enum}).(V0p = (ap\ (ap\ (c_2Epath_2Epgenerate\ A_27a \\
& A_27b)\ V1f)\ V2g))))))
\end{aligned}$$