

# thm\_2Erich\_list\_2EREVERSE\_ZIP (TM-MvkALZRZbg5yKX3GY8AQ8BqjW4GVcZfd9)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E\_40 A$

**Definition 4** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 5** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})$

**Definition 7** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (2)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (3)$$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2EREVERSE A\_27a \in ((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)}) \quad (4)$$

**Definition 8** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (5)$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (7)$$

**Definition 10** We define  $c\_2Ebool\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.(\lambda V3t3 \in 2.(ap (c\_2Ebool\_2E\_7E V2t) c\_2Ebool\_2F\_5C) V3t3))))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num m)$

**Definition 12** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2ESUC V0m V1n)$

**Definition 13** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap c\_2Eprim\_rec\_2E\_3C V0m V1n)$

**Definition 14** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap c\_2Earithmetic\_2E\_3E V0m V1n)$

**Definition 15** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap c\_2Earithmetic\_2E\_3E\_3D V0m V1n)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (11)$$

**Definition 16** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (ap c\_2Enum\_2E0 V0t V1t1) c\_2Ebool\_2ECOND) V2t2)))$

**Definition 18** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap (ap (ap c\_2Ebool\_2E0 m)))$

**Definition 19** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 20** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B n))$

**Definition 21** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B n))$

Let  $c\_2Earithmetic\_2EEEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (15)$$

**Definition 22** We define  $c\_2Eenumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 23** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty \ A0 \Rightarrow & \forall A1.nonempty \ A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod \\ & A0 \ A1) \end{aligned} \quad (16)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow & \forall A\_27b.nonempty \ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ & A\_27a \ A\_27b \in ((ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (17)$$

**Definition 24** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Epair\_2Eprod \ A\_27a \ A\_27b) (c\_2Epair\_2EiZ \ V0x \ V1y)))$

Let  $c\_2Elist\_2EZIP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow & \forall A\_27b.nonempty \ A\_27b \Rightarrow c\_2Elist\_2EZIP \\ & A\_27a \ A\_27b \in ((ty\_2Elist\_2Elist \ (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b))^{(ty\_2Epair\_2Eprod \ (ty\_2Elist\_2Elist \ A\_27a) \ A\_27b)}) \end{aligned} \quad (18)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow & c\_2Elist\_2EAPPEND \ A\_27a \in (((ty\_2Elist\_2Elist \ A\_27a)^{(ty\_2Elist\_2Elist \ A\_27a)})^{(ty\_2Elist\_2Elist \ A\_27a)}) \end{aligned} \quad (19)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ELENGTH A\_27a \in (\text{ty\_2Enum\_2Enum}^{(ty\_2Elist\_2Elist A\_27a)}) \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (29)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))) \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0l \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ (c\_2Elist\_2ENIL\ A_{27a})) \\ & V0l) = V0l)) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist\ A_{27a}).(\forall V2l2 \in \\ & (ty\_2Elist\_2Elist\ A_{27a}).(\forall V3h \in A_{27a}.((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V3h)\ V1l1))\ V2l2) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V3h)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V1l1)\ V2l2))))))) \\ & ) \\ (31) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ (c\_2Elist\_2ENIL\ A_{27a})) = c\_2Enum\_2E0) \wedge (\forall V0h \in A_{27a}.( \\ & \forall V1t \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V0h)\ V1t)) = (ap\ c\_2Enum\_2ESUC \\ & (ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ V1t))))))) \\ (32) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A_{27a})}). \\ & (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A_{27a}))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist\ A_{27a}).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_{27a}.(p\ (ap\ V0P\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist\ A_{27a}).(p\ (ap\ V0P\ V3l))))))) \\ (33) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty\_2Elist\_2Elist\ A_{27a}).((V0l = (c\_2Elist\_2ENIL\ A_{27a})) \vee (\exists V1h \in A_{27a}.( \\ & \exists V2t \in (ty\_2Elist\_2Elist\ A_{27a}).(V0l = (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V1h)\ V2t))))))) \\ (34) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0a0 \in A_{27a}.(\forall V1a1 \in \\ & (ty\_2Elist\_2Elist\ A_{27a}).(\forall V2a0\_27 \in A_{27a}.(\forall V3a1\_27 \in \\ & (ty\_2Elist\_2Elist\ A_{27a}).(((ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V0a0) \\ & V1a1) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V2a0\_27)\ V3a1\_27)) \Leftrightarrow ((V0a0 = \\ & V2a0\_27) \wedge (V1a1 = V3a1\_27))))))) \\ (35) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V0l)\ (c\_2Elist\_2ENIL\ A_{27a})) = V0l)) \\ (36) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l1 \in (ty\_2Elist\_2Elist \\ A_{27a}).(\forall V1l2 \in (ty\_2Elist\_2Elist A_{27a}).(\forall V2l3 \in \\ (ty\_2Elist\_2Elist A_{27a}).((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a}) \\ V0l1)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V1l2)\ V2l3)) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ \\ A_{27a})\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V0l1)\ V1l2))\ V2l3)))))) \\ (37) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty\_2Elist\_2Elist \\ A_{27a}).((c\_2Enum\_2E0 = (ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ V0l)) \Leftrightarrow \\ V0l = (c\_2Elist\_2ENIL\ A_{27a}))) \\ (38) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0l1 \in (ty\_2Elist\_2Elist \\ A_{27a}).(\forall V1l2 \in (ty\_2Elist\_2Elist A_{27a}).(\forall V2l3 \in \\ (ty\_2Elist\_2Elist A_{27a}).(((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a}) \\ V0l1)\ V1l2) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = \\ V2l3))) \wedge (\forall V3l1 \in (ty\_2Elist\_2Elist A_{27a}).(\forall V4l2 \in \\ (ty\_2Elist\_2Elist A_{27a}).(\forall V5l3 \in (ty\_2Elist\_2Elist A_{27a}. \\ (((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V4l2)\ V3l1) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ \\ A_{27a})\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3))))))) \\ (39) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \forall A_{27c}. \\ nonempty\ A_{27c} \Rightarrow & \forall A_{27d}.nonempty\ A_{27d} \Rightarrow (((ap\ (c\_2Elist\_2EZIP\ \\ A_{27c}\ A_{27d})\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (ty\_2Elist\_2Elist\ A_{27c}) \\ (ty\_2Elist\_2Elist\ A_{27d}))\ (c\_2Elist\_2ENIL\ A_{27c}))\ (c\_2Elist\_2ENIL\ \\ A_{27d}))) = (c\_2Elist\_2ENIL\ (ty\_2Epair\_2Eprod\ A_{27c}\ A_{27d}))) \wedge \\ & (\forall V0x1 \in A_{27a}.(\forall V1l1 \in (ty\_2Elist\_2Elist\ A_{27a}). \\ & (\forall V2x2 \in A_{27b}.(\forall V3l2 \in (ty\_2Elist\_2Elist\ A_{27b}). \\ & ((ap\ (c\_2Elist\_2EZIP\ A_{27a}\ A_{27b})\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (ty\_2Elist\_2Elist\ \\ A_{27a})\ (ty\_2Elist\_2Elist\ A_{27b}))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ \\ V0x1)\ V1l1))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27b})\ V2x2)\ V3l2)) = (ap\ \\ (ap\ (c\_2Elist\_2ECONS\ (ty\_2Epair\_2Eprod\ A_{27a}\ A_{27b}))\ (ap\ (ap\ (\\ c\_2Epair\_2E\_2C\ A_{27a}\ A_{27b})\ V0x1)\ V2x2))\ (ap\ (c\_2Elist\_2EZIP\ A_{27a}\ \\ A_{27b})\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (ty\_2Elist\_2Elist\ A_{27a})\ (ty\_2Elist\_2Elist\ \\ A_{27b}))\ V1l1)\ V3l2))))))) \\ (40) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c\_2Elist\_2EREVERSE\ A_{27a}) \\ & (c\_2Elist\_2ENIL\ A_{27a})) = (c\_2Elist\_2ENIL\ A_{27a})) \wedge (\forall V0h \in \\ & A_{27a}.(\forall V1t \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (c\_2Elist\_2EREVERSE \\ & A_{27a})\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V0h)\ V1t)) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\ & A_{27a})\ (ap\ (c\_2Elist\_2EREVERSE\ A_{27a})\ V1t))\ (ap\ (ap\ (c\_2Elist\_2ECONS \\ & A_{27a})\ V0h)\ (c\_2Elist\_2ENIL\ A_{27a}))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l1 \in (ty\_2Elist\_2Elist\ A_{27a}).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (c\_2Elist\_2EREVERSE\ A_{27a})\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V0l1)\ V1l2)) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ (ap\ (c\_2Elist\_2EREVERSE\ A_{27a})\ V1l2)) \\ & (ap\ (c\_2Elist\_2EREVERSE\ A_{27a})\ V0l1))))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ (ap\ (c\_2Elist\_2EREVERSE\ A_{27a})\ V0l)) = (ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ V0l))) \end{aligned} \quad (43)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\neg((ap\ c\_2Enum\_2ESUC\ V0n) = c\_2Enum\_2E0))) \quad (44)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2EiZ (ap \\
& (ap c\_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& ((\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
(ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge (((ap c\_2Enum\_2ESUC \\
c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
c\_2Earithmetic\_2EZERO)))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. \\
& (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Enum\_2ESUC V17n)))) \wedge (((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
(ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Eprim\_rec\_2EPRE V18n)))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL \\
V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& ((\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
V24n)))))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
V28n)))))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL \\
V32n)) (ap c\_2Earithmetic\_2ENUMERAL V32n)))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ & \forall V0x \in A_{27a}.(\forall V1y \in A_{27b}.(\forall V2a \in A_{27a}.(\forall V3b \in \\ & A_{27b}.((ap\ (ap\ (c_{2Epair\_2E\_2C}\ A_{27a}\ A_{27b})\ V0x)\ V1y) = (ap\ (ap\ \\ & (c_{2Epair\_2E\_2C}\ A_{27a}\ A_{27b})\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \\ (46) \end{aligned}$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(& \\ & ((ap\ c_{2Enum\_2ESUC}\ V0m) = (ap\ c_{2Enum\_2ESUC}\ V1n)) \Leftrightarrow (V0m = V1n)))) \\ (47) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ & \forall V0a \in (ty\_2Elist\_2Elist\ A_{27a}).(\forall V1b \in (ty\_2Elist\_2Elist\ \\ & A_{27b}).(\forall V2c \in (ty\_2Elist\_2Elist\ A_{27a}).(\forall V3d \in \\ & (ty\_2Elist\_2Elist\ A_{27b}).(((ap\ (c_{2Elist\_2ELENGTH}\ A_{27a})\ V0a) = \\ & (ap\ (c_{2Elist\_2ELENGTH}\ A_{27b})\ V1b)) \wedge ((ap\ (c_{2Elist\_2ELENGTH}\ \\ & A_{27a})\ V2c) = (ap\ (c_{2Elist\_2ELENGTH}\ A_{27b})\ V3d))) \Rightarrow ((ap\ (ap\ (c_{2Elist\_2EAAPPEND}\ \\ & (ty\_2Epair\_2Eprod\ A_{27a}\ A_{27b}))\ (ap\ (c_{2Elist\_2EZIP}\ A_{27a}\ A_{27b})\\ & (ap\ (ap\ (c_{2Epair\_2E\_2C}\ (ty\_2Elist\_2Elist\ A_{27a})\ (ty\_2Elist\_2Elist\ \\ & A_{27b}))\ V0a)\ V1b))\ (ap\ (c_{2Elist\_2EZIP}\ A_{27a}\ A_{27b})\ (ap\ (ap\ (c_{2Epair\_2E\_2C}\ \\ & (ty\_2Elist\_2Elist\ A_{27a})\ (ty\_2Elist\_2Elist\ A_{27b}))\ V2c)\ V3d))) = \\ & (ap\ (c_{2Elist\_2EZIP}\ A_{27a}\ A_{27b})\ (ap\ (ap\ (c_{2Epair\_2E\_2C}\ (ty\_2Elist\_2Elist\ \\ & A_{27a})\ (ty\_2Elist\_2Elist\ A_{27b}))\ (ap\ (ap\ (c_{2Elist\_2EAAPPEND}\ A_{27a})\\ & V0a)\ V2c))\ (ap\ (ap\ (c_{2Elist\_2EAAPPEND}\ A_{27b})\ V1b)\ V3d))))))) \\ (48) \end{aligned}$$

### Theorem 1

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ & \forall V0l1 \in (ty\_2Elist\_2Elist\ A_{27a}).(\forall V1l2 \in (ty\_2Elist\_2Elist\ \\ & A_{27b}).(((ap\ (c_{2Elist\_2ELENGTH}\ A_{27a})\ V0l1) = (ap\ (c_{2Elist\_2ELENGTH}\ \\ & A_{27b})\ V1l2)) \Rightarrow ((ap\ (c_{2Elist\_2EREVERSE}\ (ty\_2Epair\_2Eprod\ A_{27a}\ \\ & A_{27b}))\ (ap\ (c_{2Elist\_2EZIP}\ A_{27a}\ A_{27b})\ (ap\ (ap\ (c_{2Epair\_2E\_2C}\ \\ & (ty\_2Elist\_2Elist\ A_{27a})\ (ty\_2Elist\_2Elist\ A_{27b}))\ V0l1)\ V1l2))) = \\ & (ap\ (c_{2Elist\_2EZIP}\ A_{27a}\ A_{27b})\ (ap\ (ap\ (c_{2Epair\_2E\_2C}\ (ty\_2Elist\_2Elist\ \\ & A_{27a})\ (ty\_2Elist\_2Elist\ A_{27b}))\ (ap\ (c_{2Elist\_2EREVERSE}\ A_{27a})\\ & V0l1))\ (ap\ (c_{2Elist\_2EREVERSE}\ A_{27b})\ V1l2))))))) \end{aligned}$$