

thm_2EASCIInumbers_2EHEX__ind
(TMc2Qzafsw9obgnX4bkXd9tzm2rvoBWvPch)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ P))\ a))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 6 We define `c.Earithmic.EBIT2` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c.Earithmic_2E0$

Definition 7 We define `c.Earithmic.EZERO` to be `c.2Enum.E0`.

Definition 8 We define `c.Earithmic.EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c.Earithmic_2E0$

Definition 9 We define `c.Earithmic.ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 10 We define `c.Emin.E40` to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 11 We define `c.Ebool.E3F` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c.Emin.E40$

Definition 12 We define `c.Ebool.EF` to be $(ap (c.Ebool.E21 2) (\lambda V0t \in 2.V0t))$.

Definition 13 We define `c.Erelation.EEMPTY_REL` to be $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27a.c.2E$

Definition 14 We define `c.Emin.E3D.3D.3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 15 We define `c.Ebool.E7E` to be $(\lambda V0t \in 2.(ap (ap c.Emin.E3D.3D.3E V0t) c.Ebool.E21$

Definition 16 We define `c.Ebool.E2F.5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c.Ebool.E21 2) (\lambda V2t \in$

Definition 17 We define `c.Erelation.EWF` to be $\lambda A.27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).(ap (c.Ebool.E21$

Definition 18 We define `c.Ebool.E5C.2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c.Ebool.E21 2) (\lambda V2t \in$

Assume the following.

$$True \tag{7}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{8}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \tag{9}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{10}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \tag{11}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(V0x = V0x)) \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x))))) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).(((p V0P) \wedge (\forall V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p (ap V1Q V3x))))) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).(((p V0P) \vee (\exists V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A.27a.((p V0P) \vee (p (ap V1Q V3x))))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in 2.((\exists V2x \in A.27a.((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A.27a.(p (ap V0P V3x))) \wedge (p V1Q)))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}).((p (ap (c.2Erelation.2EWF A.27a) V0R)) \Rightarrow (\forall V1P \in (2^{A.27a}).((\forall V2x \in A.27a.((\forall V3y \in A.27a.((p (ap (ap V0R V3y) V2x)) \Rightarrow (p (ap V1P V3y)))) \Rightarrow (p (ap V1P V2x)))) \Rightarrow (\forall V4x \in A.27a.(p (ap V1P V4x)))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (c_2Erelation_2EWF\ A_27a)\ (c_2Erelation_2EEMPTY_REL\ A_27a))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (26)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \Leftrightarrow (p\ V2r)) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (27)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \wedge (p\ V2r)) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \vee (p\ V2r)) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (29)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \Rightarrow (p\ V2r)) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((\neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (33)$$

Theorem 1

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}). (((p (ap V0P c_2Enum_2E0)) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 \\ & c_2Earithmic_2EZERO)))) \wedge ((p (ap V0P (ap c_2Earithmic_2ENUMERAL \\ & (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))) \wedge ((p (ap \\ & V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 (\\ & ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))) \wedge ((p (ap \\ & V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT2 (\\ & ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))) \wedge ((p (ap \\ & V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 (\\ & ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))) \wedge ((p (ap \\ & V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT2 (\\ & ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))) \wedge ((p (ap \\ & V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 (\\ & ap c_2Earithmic_2EBIT1 (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT2 \\ & (ap c_2Earithmic_2EBIT1 (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 \\ & (ap c_2Earithmic_2EBIT2 (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT2 \\ & (ap c_2Earithmic_2EBIT1 (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 \\ & (ap c_2Earithmic_2EBIT2 (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT2 \\ & (ap c_2Earithmic_2EBIT1 (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 \\ & (ap c_2Earithmic_2EBIT2 (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT2 \\ & (ap c_2Earithmic_2EBIT2 (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) \wedge \\ & ((p (ap V0P (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 \\ & (ap c_2Earithmic_2EBIT1 (ap c_2Earithmic_2EBIT1 \\ & c_2Earithmic_2EZERO)))))) \wedge (\forall V1v18 \in ty_2Enum_2Enum. \\ & (p (ap V0P V1v18)))))) \Rightarrow (\forall V2v \in ty_2Enum_2Enum. \\ & (p (ap V0P V2v)))) \end{aligned}$$