

Let $c_2ECoder_2Eencoder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2ECoder_2Eencoder\ (ty_2Elist_2Elist\ 2)^{A_27a} (ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A_27a})\ ((ty_2Eoption_2Eoption\ 2)^{A_27a}))) \quad (6)$$

Let $c_2ECoder_2Edecoder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2ECoder_2Edecoder\ A_27a \in ((A_27a^{(ty_2Elist_2Elist\ 2)^{A_27a}})^{(ty_2Epair_2Eprod\ (2^{A_27a})})) \quad (7)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (8)$$

Definition 7 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone))$

Definition 8 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2))$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (9)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (10)$$

Definition 12 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (11)$$

Definition 13 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (ty_2Eone_2Eone))$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (12)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (13)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (14)$$

Definition 14 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A-27a})$

Definition 15 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS$

Definition 16 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_2$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\lambda V3t3 \in$

Definition 18 We define $c_2EDecode_2Eenc2dec$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A-27a}).\lambda V1e \in ((ty_2Elist_2Elist_2$

Definition 19 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0p \in (ty_2Epair_2Epair_2$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE \\ A_27a\ A_27b \in (((A_27b^{(A_27b^{A-27a})})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)}) \end{aligned} \quad (15)$$

Definition 20 We define $c_2ECoder_2Edecode$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A-27a}).\lambda V1d \in ((ty_2Eoption_2Eoption_2$

Let $c_2Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EisPREFIX\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (16)$$

Definition 21 We define $c_2EEncode_2Ewf_encoder$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A-27a}).\lambda V1e \in ((ty_2Elist_2Elist_2$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \end{aligned} \quad (17)$$

Definition 22 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2Epair_2$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0p \in (2^{A.27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A.27a}). (\forall V2d \in ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)})). \\
& ((p\ (ap\ (c_2ECoder_2Ewf_coder\ A.27a)\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (2^{A.27a})\ (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A.27a})\ ((\\
& ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist \\
& 2))))^{(ty_2Elist_2Elist\ 2)}))\ V0p)\ (ap\ (ap\ (c_2Epair_2E_2C\ ((ty_2Elist_2Elist \\
& 2)^{A.27a})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist \\
& 2))))^{(ty_2Elist_2Elist\ 2)}))\ V1e)\ V2d))) \Leftrightarrow ((p\ (ap\ (c_2EEncode_2Ewf_pred \\
& A.27a)\ V0p)) \wedge ((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A.27a)\ V0p) \\
& V1e)) \wedge (V2d = (ap\ (ap\ (c_2EDecode_2Eenc2dec\ A.27a)\ V0p)\ V1e))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0p \in (2^{A.27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A.27a}). (\forall V2d \in ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)})). \\
& ((ap\ (c_2ECoder_2Edomain\ A.27a)\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{A.27a}) \\
& (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A.27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2))))^{(ty_2Elist_2Elist\ 2)})) \\
& V0p)\ (ap\ (ap\ (c_2Epair_2E_2C\ ((ty_2Elist_2Elist\ 2)^{A.27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2))))^{(ty_2Elist_2Elist\ 2)})) \\
& V1e)\ V2d))) = V0p)))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0p \in (2^{A.27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A.27a}). (\forall V2d \in ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)})). \\
& ((ap\ (c_2ECoder_2Eencoder\ A.27a)\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{A.27a}) \\
& (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A.27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2))))^{(ty_2Elist_2Elist\ 2)})) \\
& V0p)\ (ap\ (ap\ (c_2Epair_2E_2C\ ((ty_2Elist_2Elist\ 2)^{A.27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2))))^{(ty_2Elist_2Elist\ 2)})) \\
& V1e)\ V2d))) = V1e)))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A_27a}). (\forall V2d \in ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)}). \\
& ((ap\ (c_2ECoder_2Edecoder\ A_27a)\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{A_27a}) \\
& (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A_27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)}))) \\
V0p)\ (ap\ (ap\ (c_2Epair_2E_2C\ ((ty_2Elist_2Elist\ 2)^{A_27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)})) \\
& V1e)\ V2d))) = (ap\ (ap\ (c_2ECoder_2Edecoder\ A_27a)\ V0p)\ V2d)))) \\
& \hspace{15em} (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A_27a}). (\forall V2x \in A_27a. (((p\ (ap\ (ap \\
& (c_2EEncode_2Ewf_encoder\ A_27a)\ V0p)\ V1e)) \wedge (p\ (ap\ V0p\ V2x))) \Rightarrow \\
& ((ap\ (ap\ (ap\ (c_2ECoder_2Edecoder\ A_27a)\ V0p)\ (ap\ (ap\ (c_2EDecode_2Eenc2dec \\
& A_27a)\ V0p)\ V1e))\ (ap\ V1e\ V2x)) = V2x)))) \\
& \hspace{15em} (22)
\end{aligned}$$

Assume the following.

$$True \hspace{15em} (23)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\
& (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\
& (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \\
& \hspace{15em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow \\
& True)) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\\
& \forall V0x \in (ty_2Epair_2Eprod A_{27a} A_{27b}).(\exists V1q \in A_{27a}. \\
& (\exists V2r \in A_{27b}.(V0x = (ap (ap (c_2ECoder_2E_2C A_{27a} A_{27b}) \\
& V1q) V2r))))))
\end{aligned} \tag{32}$$

Theorem 1

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0c \in (ty_2Epair_2Eprod \\
& (2^{A_{27a}}) (ty_2Epair_2Eprod ((ty_2Elist_2Elist 2)^{A_{27a}}) ((\\
& ty_2Eoption_2Eoption (ty_2Epair_2Eprod A_{27a} (ty_2Elist_2Elist \\
& 2))^{(ty_2Elist_2Elist 2)})))).((p (ap (c_2ECoder_2Ewf_coder \\
& A_{27a}) V0c)) \Rightarrow (\forall V1x \in A_{27a}.((p (ap (ap (c_2ECoder_2Edomain \\
& A_{27a}) V0c) V1x)) \Rightarrow ((ap (ap (c_2ECoder_2Edecoder A_{27a}) V0c) (ap \\
& (ap (c_2ECoder_2Eencoder A_{27a}) V0c) V1x)) = V1x))))))
\end{aligned}$$