

thm_2ECoder_2Ewf_coder_blist
(TMaa8LYyx9vGm3e65VtgcX74BigTBPEECed)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (3)$$

Let $c_2ECoder_2Ewf_coder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2ECoder_2Ewf_coder\ A.27a \in (2^{(ty_2Epair_2Eprod\ (2^{A-27a})\ (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A-27a})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27a\ A.27a)))))) \quad (4)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (5)$$

Let $c_2ECoder_2Eblast_coder : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2ECoder_2Eblast_coder\ ((ty_2Epair_2Eprod\ (2^{(ty_2Elist_2Elist\ A.27a)}\ ((ty_2Elist_2Elist\ A.27c)^{(ty_2Elist_2Elist\ A.27b)}\ (ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A.27a)\ (ty_2Elist_2Elist\ A.27b)))))) \in (2^{(ty_2Elist_2Elist\ 2)})) \quad (6)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ENIL\ A.27a \in (ty_2Elist_2Elist\ A.27a) \quad (7)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (8)$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS_prod$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (9)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum \\ A0 A1) \end{aligned} \quad (10)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum \\ A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (11)$$

Definition 7 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in \\ ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \end{aligned} \quad (12)$$

Definition 8 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2EDecode_2Edec2enc$ to be $\lambda A_27a : \iota.\lambda V0d \in ((ty_2Eoption_2Eoption (ty_2Epair_2EABS_prod$

Definition 11 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone)) (\lambda V0x \in ty_2Eone_2Eone.V0x)$

Definition 12 We define c_Ebool_2EF to be $(ap (c_Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_2E_3D_3D_3E\ V0t) c_Ebool_2E))$

Definition 14 We define c_Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_Esum_2EABS$

Definition 15 We define $c_Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_Eoption_2Eoption_ABS\ A_27a) (c_Eoption_2Eoption_NONE))$

Let $c_Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)} \quad (13)$$

Let $c_Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (14)$$

Let $c_Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (15)$$

Definition 16 We define $c_Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})^{A_27b}$

Definition 17 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap (c_Emin_2E_40$

Definition 18 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap$

Definition 19 We define $c_EDecode_2Eenc2dec$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1e \in ((ty_2Elist_2Elist$

Let $c_EEncode_2Eencode_blist : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_EEncode_2Eencode_blist\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27b)})^{(ty_2Elist_2Elist\ A_27a)^{A_27b}})^{ty_2Enum_2Eenum} \quad (16)$$

Definition 20 We define $c_EDecode_2Edecode_blist$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{(ty_2Elist_2Elist\ A_27a)}).\lambda V1e \in$

Definition 21 We define $c_EEncode_2Ewf_pred$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).(ap (c_Ebool_2E_3F\ A_27a)$

Let $c_Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Eenum)^{(ty_2Elist_2Elist\ A_27a)} \quad (17)$$

Let $c_Elist_2EEVERY : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Elist_2EEVERY\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \quad (18)$$

Definition 22 We define $c_2EEncode_2Elift_blist$ to be $\lambda A_27a : \iota.\lambda V0m \in ty_2Enum_2Enum.\lambda V1p \in (2^{A_27a})$.
Let $c_2Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EisPREFIX\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (19)$$

Definition 23 We define $c_2EEncode_2Ewf_encoder$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1e \in ((ty_2Elist_2Elist\ A_27a))$.
Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a^{(ty_2Elist_2Elist\ A_27a)}) \quad (20)$$

Let $c_2Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ETL\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)}) \quad (21)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (22)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (23)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (24)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (25)$$

Definition 24 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (26)$$

Definition 25 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 26 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t2))\ t1)$.

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A_27a}). (\forall V2d \in ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2))^{(ty_2Elist_2Elist\ 2)}). \\
& ((p\ (ap\ (c_2ECoder_2Ewf_coder\ A_27a)\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (2^{A_27a})\ (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A_27a})\ ((\\
& ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist \\
& 2))^{(ty_2Elist_2Elist\ 2)})))\ V0p)\ (ap\ (ap\ (c_2Epair_2E_2C\ ((ty_2Elist_2Elist \\
& 2)^{A_27a})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist \\
& 2))^{(ty_2Elist_2Elist\ 2)}))\ V1e)\ V2d)))) \Leftrightarrow ((p\ (ap\ (c_2EEncode_2Ewf_pred \\
& A_27a)\ V0p)) \wedge ((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27a)\ V0p) \\
& V1e)) \wedge (V2d = (ap\ (ap\ (c_2EDecode_2Eenc2dec\ A_27a)\ V0p)\ V1e))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A_27a}). (\forall V2f \in ((ty_2Elist_2Elist \\
& 2)^{A_27a}). (((\exists V3x \in A_27a. (p\ (ap\ V0p\ V3x))) \wedge ((p\ (ap\ (ap\ (\\
& c_2EEncode_2Ewf_encoder\ A_27a)\ V0p)\ V1e)) \wedge (\forall V4x \in A_27a. \\
& ((p\ (ap\ V0p\ V4x)) \Rightarrow ((ap\ V1e\ V4x) = (ap\ V2f\ V4x)))))) \Rightarrow (p\ (ap\ (c_2ECoder_2Ewf_coder \\
& A_27a)\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{A_27a})\ (ty_2Epair_2Eprod\ ((\\
& ty_2Elist_2Elist\ 2)^{A_27a})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod \\
& A_27a\ (ty_2Elist_2Elist\ 2))^{(ty_2Elist_2Elist\ 2)})))\ V0p)\ (ap \\
& (ap\ (c_2Epair_2E_2C\ ((ty_2Elist_2Elist\ 2)^{A_27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2))^{(ty_2Elist_2Elist\ 2)}))) \\
& V1e)\ (ap\ (ap\ (c_2EDecode_2Eenc2dec\ A_27a)\ V0p)\ V2f))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0m \in ty_2Enum_2Enum. (\forall V1p \in (2^{A_27a}). \\
& (\forall V2e \in ((ty_2Elist_2Elist\ A_27c)^{A_27b}). (\forall V3d \in \\
& ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist \\
& 2))))^{(ty_2Elist_2Elist\ 2)}). ((ap\ (ap\ (c_2ECoder_2Eblis_coder \\
& A_27a\ A_27b\ A_27c)\ V0m)\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{A_27a})\ (ty_2Epair_2Eprod \\
& ((ty_2Elist_2Elist\ A_27c)^{A_27b})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod \\
& A_27a\ (ty_2Elist_2Elist\ 2))))^{(ty_2Elist_2Elist\ 2)})))\ V1p)\ (ap \\
& (ap\ (c_2Epair_2E_2C\ ((ty_2Elist_2Elist\ A_27c)^{A_27b})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2))))^{(ty_2Elist_2Elist\ 2)})) \\
& V2e)\ V3d))) = (ap\ (ap\ (c_2Epair_2E_2C\ (2^{(ty_2Elist_2Elist\ A_27a)}) \\
& (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ A_27c)^{(ty_2Elist_2Elist\ A_27b)}) \\
& ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ (ty_2Elist_2Elist \\
& A_27a)\ (ty_2Elist_2Elist\ 2))))^{(ty_2Elist_2Elist\ 2)})))\ (ap\ (ap \\
& (c_2EEncode_2Elift_blis\ A_27a)\ V0m)\ V1p))\ (ap\ (ap\ (c_2Epair_2E_2C \\
& ((ty_2Elist_2Elist\ A_27c)^{(ty_2Elist_2Elist\ A_27b)})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27a)\ (ty_2Elist_2Elist \\
& 2))))^{(ty_2Elist_2Elist\ 2)}))\ (ap\ (ap\ (c_2EEncode_2Eencode_blis \\
& A_27c\ A_27b)\ V0m)\ V2e))\ (ap\ (ap\ (ap\ (c_2EDecode_2Edecod_blis \\
& A_27a)\ (ap\ (ap\ (c_2EEncode_2Elift_blis\ A_27a)\ V0m)\ V1p))\ V0m) \\
& V3d)))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap \\
& (c_2EEncode_2Ewf_encoder\ A_27a)\ V0p)\ V1e)) \wedge (p\ (ap\ V0p\ V2x))) \Rightarrow \\
& ((ap\ (ap\ (c_2EDecode_2Edec2enc\ A_27a)\ (ap\ (ap\ (c_2EDecode_2Eenc2dec \\
& A_27a)\ V0p)\ V1e))\ V2x) = (ap\ V1e\ V2x))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0e \in ((ty_2Elist_2Elist\ A_27a)^{A_27b}). (\forall V1l \in \\
& (ty_2Elist_2Elist\ A_27b). ((ap\ (ap\ (ap\ (c_2EEncode_2Eencode_blis \\
& A_27a\ A_27b)\ c_2Enum_2E0)\ V0e)\ V1l) = (c_2Elist_2ENIL\ A_27a)))))) \wedge \\
& (\forall V2m \in ty_2Enum_2Enum. (\forall V3e \in ((ty_2Elist_2Elist \\
& A_27a)^{A_27b}). (\forall V4l \in (ty_2Elist_2Elist\ A_27b). ((ap\ (ap \\
& (ap\ (c_2EEncode_2Eencode_blis\ A_27a\ A_27b)\ (ap\ c_2Enum_2ESUC \\
& V2m))\ V3e)\ V4l) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (ap\ V3e\ (ap\ (c_2Elist_2EHD \\
& A_27b)\ V4l)))\ (ap\ (ap\ (ap\ (c_2EEncode_2Eencode_blis\ A_27a\ A_27b) \\
& V2m)\ V3e)\ (ap\ (c_2Elist_2ETL\ A_27b)\ V4l)))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\\ & \quad \forall V1p \in (2^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist \\ & \quad A_27a).((p\ (ap\ (ap\ (ap\ (ap\ (c_2EEncode_2Elift_blist\ A_27a)\ (ap\ c_2Enum_2ESUC \\ & \quad V0n))\ V1p)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1p \\ & \quad V2h)) \wedge (p\ (ap\ (ap\ (ap\ (c_2EEncode_2Elift_blist\ A_27a)\ V0n)\ V1p) \\ & \quad V3t))))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0m \in ty_2Enum_2Enum.(\\ & \quad \forall V1p \in (2^{A_27a}).(\forall V2e \in ((ty_2Elist_2Elist\ 2)^{A_27a}). \\ & \quad ((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27a)\ V1p)\ V2e)) \Rightarrow (p\ (ap \\ & \quad (ap\ (c_2EEncode_2Ewf_encoder\ (ty_2Elist_2Elist\ A_27a))\ (ap \\ & \quad (ap\ (c_2EEncode_2Elift_blist\ A_27a)\ V0m)\ V1p))\ (ap\ (ap\ (c_2EEncode_2Eencode_blist \\ & \quad 2\ A_27a)\ V0m)\ V2e))))))))) \end{aligned} \quad (33)$$

Assume the following.

$$True \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (42)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (43)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (44)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (45)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (46)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (47)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (p \ V1B) \vee (p \ V2C)) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C)))))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee (p \ V0A)))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \vee (\neg(p \ V1B)))) \wedge ((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B)))))) \quad (50)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (51)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \\ 2.(((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)))) \quad (52)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\ \forall V0P \in ((2^{A_27b})^{A_27a}).((\forall V1x \in A_27a.(\exists V2y \in \\ A_27b.(p \ (ap \ (ap \ V0P \ V1x) \ V2y)))) \Leftrightarrow (\exists V3f \in (A_27b^{A_27a}).(\\ \forall V4x \in A_27a.(p \ (ap \ (ap \ V0P \ V4x) \ (ap \ V3f \ V4x))))))) \quad (53)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0h \in A_27a.(\forall V1t \in \\ (ty_2Elist_2Elist \ A_27a).((ap \ (c_2Elist_2EHD \ A_27a) \ (ap \ (ap \ (\\ c_2Elist_2ECONS \ A_27a) \ V0h) \ V1t)) = V0h))) \quad (54)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0h \in A_27a.(\forall V1t \in \\ (ty_2Elist_2Elist \ A_27a).((ap \ (c_2Elist_2ETL \ A_27a) \ (ap \ (ap \ (\\ c_2Elist_2ECONS \ A_27a) \ V0h) \ V1t)) = V1t))) \quad (55)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (((ap \ (c_2Elist_2ELENGTH \ A_27a) \\ (c_2Elist_2ENIL \ A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a.(\\ \forall V1t \in (ty_2Elist_2Elist \ A_27a).((ap \ (c_2Elist_2ELENGTH \\ A_27a) \ (ap \ (ap \ (c_2Elist_2ECONS \ A_27a) \ V0h) \ V1t)) = (ap \ c_2Enum_2ESUC \\ (ap \ (c_2Elist_2ELENGTH \ A_27a) \ V1t))))))) \quad (56)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow ((\forall V0P \in (2^{A_27a}).((p \ (ap \\ (ap \ (c_2Elist_2EVERY \ A_27a) \ V0P) \ (c_2Elist_2ENIL \ A_27a))) \Leftrightarrow True)) \wedge \\ (\forall V1P \in (2^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist \\ A_27a).((p \ (ap \ (ap \ (c_2Elist_2EVERY \ A_27a) \ V1P) \ (ap \ (ap \ (c_2Elist_2ECONS \\ A_27a) \ V2h) \ V3t))) \Leftrightarrow ((p \ (ap \ V1P \ V2h)) \wedge (p \ (ap \ (ap \ (c_2Elist_2EVERY \\ A_27a) \ V1P) \ V3t)))))))))) \quad (57)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ A_27a).((V0l = (c_2Elist_2ENIL \ A_27a)) \vee (\exists V1h \in A_27a.(\\ \exists V2t \in (ty_2Elist_2Elist \ A_27a).(V0l = (ap \ (ap \ (c_2Elist_2ECONS \\ A_27a) \ V1h) \ V2t)))))) \quad (58)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \quad (59)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC\ V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p\ (ap\ V0P\ V2n)))))) \quad (60)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b). (\exists V1q \in A_27a. (\exists V2r \in A_27b. (V0x = (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1q)\ V2r)))))) \quad (61)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (62)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (63)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (64)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (65)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (66)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (67)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (68)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (69)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q)) \vee \neg(p V0p)))))) \quad (70)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0m \in \text{ty_2Enum_2Enum}. (\\
& \forall V1c \in (\text{ty_2Epair_2Eprod } (2^{A_{.27a}}) (\text{ty_2Epair_2Eprod } (\\
& (\text{ty_2Elist_2Elist } 2)^{A_{.27a}}) ((\text{ty_2Eoption_2Eoption } (\text{ty_2Epair_2Eprod } \\
& A_{.27a} (\text{ty_2Elist_2Elist } 2)))^{(\text{ty_2Elist_2Elist } 2)})))). ((p (\text{ap} \\
& (\text{c_2ECoder_2Ewf_coder } A_{.27a}) V1c)) \Rightarrow (p (\text{ap } (\text{c_2ECoder_2Ewf_coder} \\
& (\text{ty_2Elist_2Elist } A_{.27a})) (\text{ap } (\text{ap } (\text{c_2ECoder_2Eblst_coder} \\
& A_{.27a} A_{.27a} 2) V0m) V1c))))))
\end{aligned}$$