

thm_2EDecode_2Edec2enc__enc2dec
(TMVGqkXiP7iJVgUwK7AqGSY88X2FJAciWi1)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E27 to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (3)$$

Definition 3 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))\ P))$

Definition 6 We define c_2Ebool_2E2F to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 8 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E2F))$

Definition 9 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.V2t))\ t1))$

Definition 17 We define $c_2EDecode_2Eenc2dec$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1e \in ((ty_2Elist_2Elist$

Let $c_2Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EisPREFIX\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (11)$$

Definition 18 We define $c_2EEncode_2Ewf_encoder$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1e \in ((ty_2Elist_2Elist$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (12)$$

Definition 19 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (13)$$

Definition 20 We define $c_2EDecode_2Edec2enc$ to be $\lambda A_27a : \iota.\lambda V0d \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod$

Definition 21 We define $c_2EDecode_2Ewf_decoder$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1d \in ((ty_2Eoption_2Eoption$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1e \in \\ & ((ty_2Elist_2Elist\ 2)^{A_27a}).(\forall V2l \in (ty_2Elist_2Elist\ 2)).(\forall V3x \in A_27a.(\forall V4t \in (ty_2Elist_2Elist\ 2)). \\ & ((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27a)\ V0p)\ V1e)) \Rightarrow (((ap \\ & (ap\ (ap\ (c_2EDecode_2Eenc2dec\ A_27a)\ V0p)\ V1e)\ V2l) = (ap\ (c_2Eoption_2ESOME \\ & (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2)))\ (ap\ (ap\ (c_2Epair_2E_2C \\ & A_27a\ (ty_2Elist_2Elist\ 2))\ V3x)\ V4t))) \Leftrightarrow ((p\ (ap\ V0p\ V3x)) \wedge (V2l = \\ & (ap\ (ap\ (c_2Elist_2EAPPEND\ 2)\ (ap\ V1e\ V3x))\ V4t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1e \in ((ty_2Elist_2Elist\ 2)^{A_27a}).((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27a)\ V0p)\ V1e)) \Rightarrow (p\ (ap\ (ap\ (c_2EDecode_2Ewf_decoder\ A_27a)\ V0p)\ (ap\ (ap\ (c_2EDecode_2Eenc2dec\ A_27a)\ V0p)\ V1e)))))) \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}). (\forall V1d \in \\ & ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist \\ & 2)))^{(ty_2Elist_2Elist\ 2)}). (\forall V2x \in A_27a. (\forall V3l \in \\ & (ty_2Elist_2Elist\ 2). ((p\ (ap\ (ap\ (c_2EDecode_2Ewf_decoder \\ & A_27a)\ V0p)\ V1d)) \Rightarrow (((ap\ (ap\ (c_2EDecode_2Edec2enc\ A_27a)\ V1d) \\ & V2x) = V3l) \wedge (p\ (ap\ V0p\ V2x))) \Leftrightarrow ((ap\ V1d\ V3l) = (ap\ (c_2Eoption_2ESOME \\ & (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2)))\ (ap\ (ap\ (c_2Epair_2E_2C \\ & A_27a\ (ty_2Elist_2Elist\ 2))\ V2x)\ (c_2Elist_2ENIL\ 2)))))))))) \end{aligned} \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0l \in (ty_2Elist_2Elist\ A_27a).((ap\ (ap\ (c_2Elist_2EAPPEND \\
& A_27a)\ V0l)\ (c_2Elist_2ENIL\ A_27a)) = V0l)) \wedge (\forall V1l \in (ty_2Elist_2Elist \\
& A_27b).((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27b)\ (c_2Elist_2ENIL\ A_27b)) \\
& \quad V1l) = V1l))) \\
& \hspace{15em} (25)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A_27a}).(\forall V2x \in A_27a.(((p\ (ap\ (ap \\
& (c_2EEncode_2Ewf_encoder\ A_27a)\ V0p)\ V1e)) \wedge (p\ (ap\ V0p\ V2x))) \Rightarrow \\
& ((ap\ (ap\ (c_2EDecode_2Edec2enc\ A_27a)\ (ap\ (ap\ (c_2EDecode_2Eenc2dec \\
& \quad A_27a)\ V0p)\ V1e))\ V2x) = (ap\ V1e\ V2x))))))
\end{aligned}$$