

thm_2EDecode_2Eencode__then__decode__sum
(TMK-
FwTZm6N6gKGQN7B3eG.JrqpEfVPMi3QUk)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow Q)$ of type ι .

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \tag{3}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \tag{4}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (5)$$

Definition 7 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (6)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (7)$$

Definition 8 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ V0x)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (8)$$

Definition 9 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 10 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E7E))$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (9)$$

Definition 11 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A)\ P)$ of type $\iota \Rightarrow \iota$.

Definition 12 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40\ A_27a)\ V0P)))$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (c_2Emin_2E40\ A_27a)\ V2t2)\ V1t1)\ V0t))$

Definition 14 We define $c_2EDecode_2Ewf_decoder$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1d \in ((ty_2Eoption_2Eoption\ (ty_2Eoption_2Eoption\ A_27a)\ V1d))$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (10)$$

Definition 15 We define $c_2EDecode_2Edec2enc$ to be $\lambda A_27a : \iota.\lambda V0d \in ((ty_2Eoption_2Eoption\ (ty_2Eoption_2Eoption\ A_27a)\ V0d))$

Definition 16 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 17 We define c_Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_Esum_2EABS$

Definition 18 We define $c_Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_Eoption_2Eoption_ABS A_27a) (c$

Let $c_Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (11)$$

Let $c_Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (12)$$

Definition 19 We define $c_Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c^{A_27a}$

Definition 20 We define $c_EDecode_2Eenc2dec$ to be $\lambda A_27a : \iota. \lambda V0p \in (2^{A_27a}). \lambda V1e \in ((ty_2Elist_2Elist$

Let $c_EEEncode_2Eencode_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_EEEncode_2Eencode_sum \\ A_27a A_27b \in (((ty_2Elist_2Elist 2)^{(ty_2Esum_2Esum A_27a A_27b)})^{(ty_2Elist_2Elist 2)^{A_27b}})^{(ty_2Elist_2Elist} \end{aligned} \quad (13)$$

Definition 21 We define $c_EDecode_2Edecode_sum$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (2^{(ty_2Esum_2Esum$

Let $c_Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (14)$$

Let $c_Esum_2Esum_CASE : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow \forall A_27c. \\ nonempty A_27c \Rightarrow c_Esum_2Esum_CASE A_27a A_27b A_27c \in (((A_27c^{(A_27c^{A_27b})})^{(A_27c^{A_27a})})^{(ty_2E} \end{aligned} \quad (15)$$

Definition 22 We define $c_EEEncode_2Elift_sum$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p1 \in (2^{A_27a}). \lambda V1p2 \in (2$

Let $c_Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Elist_2EisPREFIX A_27a \in ((2^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (16)$$

Definition 23 We define $c_EEEncode_2Ewf_encoder$ to be $\lambda A_27a : \iota. \lambda V0p \in (2^{A_27a}). \lambda V1e \in ((ty_2Elist_2Elist$

Definition 24 We define $c_Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x)$

Definition 25 We define $c_Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 26 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A$

Definition 27 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1e \in \\ & ((ty_2Elist_2Elist 2)^{A_27a}).(\forall V2l \in (ty_2Elist_2Elist \\ & 2).(\forall V3x \in A_27a.(\forall V4t \in (ty_2Elist_2Elist 2). \\ & ((p (ap (ap (c_2EEncode_2Ewf_encoder A_27a) V0p) V1e)) \Rightarrow (((ap \\ & (ap (ap (c_2EDecode_2Enc2dec A_27a) V0p) V1e) V2l) = (ap (c_2Eoption_2ESOME \\ & (ty_2Epair_2Eprod A_27a (ty_2Elist_2Elist 2))) (ap (ap (c_2Epair_2E_2C \\ & A_27a (ty_2Elist_2Elist 2)) V3x) V4t))) \Leftrightarrow ((p (ap V0p V3x)) \wedge (V2l = \\ & (ap (ap (c_2Elist_2EAPPEND 2) (ap V1e V3x)) V4t))))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1e \in \\ & ((ty_2Elist_2Elist 2)^{A_27a}).((p (ap (ap (c_2EEncode_2Ewf_encoder \\ & A_27a) V0p) V1e)) \Rightarrow (p (ap (ap (c_2EDecode_2Ewf_decoder A_27a) \\ & V0p) (ap (ap (c_2EDecode_2Enc2dec A_27a) V0p) V1e)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1d \in \\ & ((ty_2Eoption_2Eoption (ty_2Epair_2Eprod A_27a (ty_2Elist_2Elist \\ & 2)))^{(ty_2Elist_2Elist 2)}).((p (ap (ap (c_2EDecode_2Ewf_decoder \\ & A_27a) V0p) V1d)) \Rightarrow (p (ap (ap (c_2EEncode_2Ewf_encoder A_27a) \\ & V0p) (ap (c_2EDecode_2Edec2enc A_27a) V1d)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1e \in \\ & ((ty_2Elist_2Elist 2)^{A_27a}).(\forall V2x \in A_27a.(((p (ap (ap \\ & (c_2EEncode_2Ewf_encoder A_27a) V0p) V1e)) \wedge (p (ap V0p V2x))) \Rightarrow \\ & ((ap (ap (c_2EDecode_2Edec2enc A_27a) (ap (ap (c_2EDecode_2Enc2dec \\ & A_27a) V0p) V1e)) V2x) = (ap V1e V2x)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & (\forall V0xb \in ((ty_2Elist_2Elist 2)^{A_27a}).(\forall V1yb \in (\\ & (ty_2Elist_2Elist 2)^{A_27b}).(\forall V2x \in A_27a.(((ap (ap (ap \\ & (c_2EEncode_2Eencode_sum A_27a A_27b) V0xb) V1yb) (ap (c_2Esum_2EINL \\ & A_27a A_27b) V2x)) = (ap (ap (c_2Elist_2ECONS 2) c_2Ebool_2ET) \\ & (ap V0xb V2x)))))) \wedge (\forall V3xb \in ((ty_2Elist_2Elist 2)^{A_27a}). \\ & (\forall V4yb \in ((ty_2Elist_2Elist 2)^{A_27b}).(\forall V5y \in A_27b. \\ & ((ap (ap (ap (c_2EEncode_2Eencode_sum A_27a A_27b) V3xb) V4yb) \\ & (ap (c_2Esum_2EINR A_27a A_27b) V5y)) = (ap (ap (c_2Elist_2ECONS \\ & 2) c_2Ebool_2EF) (ap V4yb V5y)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0p1 \in (2^{A_27a}). (\forall V1p2 \in (2^{A_27b}). (\forall V2e1 \in \\
& \quad ((ty_2Elist_2Elist\ 2)^{A_27a}). (\forall V3e2 \in ((ty_2Elist_2Elist \\
& \quad 2)^{A_27b}). (((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27a)\ V0p1) \\
& \quad V2e1)) \wedge (p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27b)\ V1p2)\ V3e2))) \Rightarrow \\
& \quad (p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ (ty_2Esum_2Esum\ A_27a\ A_27b)) \\
& \quad (ap\ (ap\ (c_2EEncode_2Elift_sum\ A_27a\ A_27b)\ V0p1)\ V1p2))\ (ap\ (\\
& \quad ap\ (c_2EEncode_2Eencode_sum\ A_27a\ A_27b)\ V2e1)\ V3e2))))))))) \\
& \hspace{15em} (22)
\end{aligned}$$

Assume the following.

$$True \hspace{15em} (23)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\
& \quad V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \hspace{15em} (25)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \hspace{15em} (26)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& \quad A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Rightarrow \neg(p\ V0t))) \hspace{15em} (28)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \hspace{15em} (29)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\
& \quad (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& \quad (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\
& \quad (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\
& \quad (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))) \quad (39)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (40)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in 2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c.2Ecombin_2El\ A_27a)\ V0x) = V0x)) \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l3 \in \\ & (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c.2Elist_2EAPPEND\ A_27a)\ V0l1)\ V1l2) = (ap\ (ap\ (c.2Elist_2EAPPEND\ A_27a)\ V0l1)\ V2l3))) \Leftrightarrow (V1l2 = \\ & V2l3)))) \wedge (\forall V3l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V4l2 \in \\ & (ty_2Elist_2Elist\ A_27a). (\forall V5l3 \in (ty_2Elist_2Elist\ A_27a). \\ & (((ap\ (ap\ (c.2Elist_2EAPPEND\ A_27a)\ V4l2)\ V3l1) = (ap\ (ap\ (c.2Elist_2EAPPEND\ A_27a)\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3)))))) \end{aligned} \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (47)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge ((\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\
& \forall V0ss \in (ty_2Esum_2Esum \ A_27a \ A_27b). ((\exists V1x \in A_27a. \\
& (V0ss = (ap \ (c_2Esum_2EINL \ A_27a \ A_27b) \ V1x))) \vee (\exists V2y \in A_27b. \\
& (V0ss = (ap \ (c_2Esum_2EINR \ A_27a \ A_27b) \ V2y))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow \forall A_27c. \\
& nonempty \ A_27c \Rightarrow ((\forall V0x \in A_27a. (\forall V1f \in (A_27c^{A_27a}). \\
& (\forall V2f1 \in (A_27c^{A_27b}). ((ap \ (ap \ (ap \ (c_2Esum_2Esum_CASE \\
& A_27a \ A_27b \ A_27c) \ (ap \ (c_2Esum_2EINL \ A_27a \ A_27b) \ V0x)) \ V1f) \ V2f1) = \\
& (ap \ V1f \ V0x)))))) \wedge (\forall V3y \in A_27b. (\forall V4f \in (A_27c^{A_27a}). \\
& (\forall V5f1 \in (A_27c^{A_27b}). ((ap \ (ap \ (ap \ (c_2Esum_2Esum_CASE \\
& A_27a \ A_27b \ A_27c) \ (ap \ (c_2Esum_2EINR \ A_27a \ A_27b) \ V3y)) \ V4f) \ V5f1) = \\
& (ap \ V5f1 \ V3y))))))
\end{aligned} \tag{55}$$

Theorem 1

$$\begin{aligned}
& \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\\
& \quad \forall V0p1 \in (2^{A_{27a}}).(\forall V1p2 \in (2^{A_{27b}}).(\forall V2e1 \in \\
& \quad ((ty_2Elist_2Elist\ 2)^{A_{27a}}).(\forall V3e2 \in ((ty_2Elist_2Elist \\
& \quad 2)^{A_{27b}}).(\forall V4l \in (ty_2Esum_2Esum\ A_{27a}\ A_{27b}).(\forall V5t \in \\
& \quad (ty_2Elist_2Elist\ 2).((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder \\
& \quad A_{27a}\ V0p1)\ V2e1)) \wedge ((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_{27b}) \\
& \quad V1p2)\ V3e2)) \wedge (p\ (ap\ (ap\ (ap\ (c_2EEncode_2Elift_sum\ A_{27a}\ A_{27b}) \\
& \quad V0p1)\ V1p2)\ V4l)))))) \Rightarrow ((ap\ (ap\ (ap\ (ap\ (c_2EDeCode_2EdeCode_sum \\
& \quad A_{27a}\ A_{27b})\ (ap\ (ap\ (c_2EEncode_2Elift_sum\ A_{27a}\ A_{27b})\ V0p1) \\
& \quad V1p2))\ (ap\ (ap\ (c_2EDeCode_2Eenc2dec\ A_{27a})\ V0p1)\ V2e1))\ (ap\ (ap \\
& \quad (c_2EDeCode_2Eenc2dec\ A_{27b})\ V1p2)\ V3e2))\ (ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad 2)\ (ap\ (ap\ (ap\ (c_2EEncode_2Eencode_sum\ A_{27a}\ A_{27b})\ V2e1)\ V3e2) \\
& \quad V4l))\ V5t)) = (ap\ (c_2Eoption_2ESOME\ (ty_2Epair_2Eprod\ (ty_2Esum_2Esum \\
& \quad A_{27a}\ A_{27b})\ (ty_2Elist_2Elist\ 2)))\ (ap\ (ap\ (c_2Epair_2E_2C\ (\\
& \quad ty_2Esum_2Esum\ A_{27a}\ A_{27b})\ (ty_2Elist_2Elist\ 2))\ V4l)\ V5t)))))))))
\end{aligned}$$