

thm_2EDeCode_2Ewf__decode__prod
 (TMQA_wAX-
 eYmu7CTHZTfcUsbNofLLEHbpdLby)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (P \Rightarrow Q)$ of type ι .

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a})))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (3)$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ (V0x\ V1y))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (4)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (5)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (6)$$

Definition 7 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (7)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (8)$$

Definition 8 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ V0x)$

Definition 9 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 10 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E21)\ V0t))$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (9)$$

Definition 11 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ (ap\ P\ x))\ of\ type\ \iota \Rightarrow \iota)$

Definition 12 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E40\ A_27a)\ V0P)))$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap\ (c_2Emin_2E40\ A_27a)\ V2t2)\ V1t1)\ V0t))$

Definition 14 We define $c_2EDecode_2Ewf_decoder$ to be $\lambda A_27a : \iota. \lambda V0p \in (2^{A_27a}). \lambda V1d \in ((ty_2Eoption_2Eoption\ A_27a)\ V0p)$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (10)$$

Definition 15 We define $c_2EDecode_2Edec2enc$ to be $\lambda A_27a : \iota. \lambda V0d \in ((ty_2Eoption_2Eoption\ A_27a)\ V0d)$

Definition 16 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40\ ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 17 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Definition 18 We define $c_2Eoption_2EONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) (ap$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (11)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (12)$$

Definition 19 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a}$

Definition 20 We define $c_2EDecode_2Enc2dec$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1e \in ((ty_2Elist_2Elist$

Let $c_2EEncode_2Encode_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2EEncode_2Encode_prod \\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ 2)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Elist_2Elist\ 2)^{A_27b}})^{(ty_2Elist_2Elist\ 2)} \end{aligned} \quad (13)$$

Definition 21 We define $c_2EDecode_2Edec_prod$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (2^{(ty_2Epair_2Eprod$

Definition 22 We define $c_2EEncode_2Elift_prod$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p1 \in (2^{A_27a}).\lambda V1p2 \in (2^{A_27b})$

Let $c_2Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EisPREFIX\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (14)$$

Definition 23 We define $c_2EEncode_2Ewf_encoder$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1e \in ((ty_2Elist_2Elist$

Definition 24 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1e \in \\ ((ty_2Elist_2Elist\ 2)^{A_27a}).((p (ap (ap (c_2EEncode_2Ewf_encoder \\ A_27a\ V0p)\ V1e)) \Rightarrow (p (ap (ap (c_2EDecode_2Ewf_decoder\ A_27a) \\ V0p) (ap (ap (c_2EDecode_2Enc2dec\ A_27a)\ V0p)\ V1e)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}). (\forall V1d \in \\ & ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist \\ & 2)))^{(ty_2Elist_2Elist\ 2)}). ((p\ (ap\ (ap\ (c_2EDecode_2Ewf_decoder \\ & A_27a)\ V0p)\ V1d)) \Rightarrow (p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27a) \\ & V0p)\ (ap\ (c_2EDecode_2Edec2enc\ A_27a)\ V1d)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0p1 \in (2^{A_27a}). (\forall V1p2 \in (2^{A_27b}). (\forall V2e1 \in \\ & ((ty_2Elist_2Elist\ 2)^{A_27a}). (\forall V3e2 \in ((ty_2Elist_2Elist \\ & 2)^{A_27b}). (((p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27a)\ V0p1) \\ & V2e1)) \wedge (p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ A_27b)\ V1p2)\ V3e2))) \Rightarrow \\ & (p\ (ap\ (ap\ (c_2EEncode_2Ewf_encoder\ (ty_2Epair_2Eprod\ A_27a \\ & A_27b))\ (ap\ (ap\ (c_2EEncode_2Elift_prod\ A_27a\ A_27b)\ V0p1)\ V1p2)) \\ & (ap\ (ap\ (c_2EEncode_2Eencode_prod\ A_27a\ A_27b)\ V2e1)\ V3e2)))))) \end{aligned} \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (p \ V1B) \vee (p \ V2C)) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C)))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee (p \ V0A)))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \vee (\neg(p \ V1B)))) \wedge (((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B)))))) \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (29)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p \ V0x) \Leftrightarrow (p \ V1x_{.27})) \wedge ((p \ V1x_{.27}) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_{.27})))) \Rightarrow (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_{.27}) \Rightarrow (p \ V3y_{.27})))))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow False))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow (((p \ V0A) \Rightarrow False) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\ & p V2r)) \vee (\neg(p V1q)))))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (40)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ & \forall V0p1 \in (2^{A_27a}).(\forall V1p2 \in (2^{A_27b}).(\forall V2d1 \in \\ & ((ty_2Eoption_2Eoption \ (ty_2Epair_2Eprod \ A_27a \ (ty_2Elist_2Elist \\ & 2)))^{(ty_2Elist_2Elist \ 2)}).(\forall V3d2 \in ((ty_2Eoption_2Eoption \\ & (ty_2Epair_2Eprod \ A_27b \ (ty_2Elist_2Elist \ 2)))^{(ty_2Elist_2Elist \ 2)}). \\ & (((p \ (ap \ (ap \ (c_2EDeCode_2Ewf_decoder \ A_27a) \ V0p1) \ V2d1)) \wedge (p \\ & (ap \ (ap \ (c_2EDeCode_2Ewf_decoder \ A_27b) \ V1p2) \ V3d2))) \Rightarrow (p \ (ap \\ & (ap \ (c_2EDeCode_2Ewf_decoder \ (ty_2Epair_2Eprod \ A_27a \ A_27b)) \\ & (ap \ (ap \ (c_2EEncode_2Elift_prod \ A_27a \ A_27b) \ V0p1) \ V1p2)) \ (ap \\ & (ap \ (ap \ (c_2EDeCode_2EdeCode_prod \ A_27a \ A_27b) \ (ap \ (ap \ (c_2EEncode_2Elift_prod \\ & A_27a \ A_27b) \ V0p1) \ V1p2)) \ V2d1) \ V3d2)))))) \end{aligned}$$