



Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (6)$$

**Definition 7** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$ .

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (7)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (8)$$

**Definition 8** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$ .

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 10** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E21\ 2))$ .

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (9)$$

**Definition 11** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A)\ P)$  of type  $\iota \Rightarrow \iota$ .

**Definition 12** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ A\_27a)\ V0P)))$ .

**Definition 13** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap\ (c\_2Emin\_2E40\ A\_27a)\ V2t2)\ V1t1))))$ .

**Definition 14** We define  $c\_2EDecode\_2Ewf\_decoder$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1d \in ((ty\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0p)$ .

**Definition 15** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone.V0x))$ .

**Definition 16** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$ .

**Definition 17** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a))$ .

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (10)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (11)$$

**Definition 18** We define `c_2Epair_2EUNCURRY` to be  $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. \lambda A_{.27c} : \iota. \lambda V0f \in ((A_{.27c})^{A_{.27a}})$

**Definition 19** We define `c_2EDecode_2Eenc2dec` to be  $\lambda A_{.27a} : \iota. \lambda V0p \in (2^{A_{.27a}}). \lambda V1e \in ((ty\_2Elist\_2Elist$

Let `c_2Elist_2ENIL` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{.27a}. nonempty\ A_{.27a} \Rightarrow c\_2Elist\_2ENIL\ A_{.27a} \in (ty\_2Elist\_2Elist\ A_{.27a}) \quad (12)$$

**Definition 20** We define `c_2EEncode_2Eencode__unit` to be  $\lambda V0v0 \in ty\_2Eone\_2Eone.(c\_2Elist\_2ENIL\ 2)$

**Definition 21** We define `c_2EDecode_2Edecode__unit` to be  $\lambda V0p \in (2^{ty\_2Eone\_2Eone}). (ap\ (ap\ (c\_2EDecode\_2Edecode\_2Eunit\ V0p)))$

Let `c_2Elist_2EisPREFIX` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{.27a}. nonempty\ A_{.27a} \Rightarrow c\_2Elist\_2EisPREFIX\ A_{.27a} \in ((2^{(ty\_2Elist\_2Elist\ A_{.27a})})^{(ty\_2Elist\_2Elist\ A_{.27a})}) \quad (13)$$

**Definition 22** We define `c_2EEncode_2Ewf__encoder` to be  $\lambda A_{.27a} : \iota. \lambda V0p \in (2^{A_{.27a}}). \lambda V1e \in ((ty\_2Elist\_2Elist$

Assume the following.

$$\forall A_{.27a}. nonempty\ A_{.27a} \Rightarrow (\forall V0p \in (2^{A_{.27a}}). (\forall V1e \in ((ty\_2Elist\_2Elist\ 2)^{A_{.27a}}). ((p\ (ap\ (ap\ (c\_2EEncode\_2Ewf\_encoder\ A_{.27a}\ V0p)\ V1e)) \Rightarrow (p\ (ap\ (ap\ (c\_2EDecode\_2Ewf\_decoder\ A_{.27a}\ V0p)\ (ap\ (ap\ (c\_2EDecode\_2Eenc2dec\ A_{.27a}\ V0p)\ V1e))))))) \quad (14)$$

Assume the following.

$$(\forall V0p \in (2^{ty\_2Eone\_2Eone}). (p\ (ap\ (ap\ (c\_2EEncode\_2Ewf\_encoder\ ty\_2Eone\_2Eone\ V0p)\ c\_2EEncode\_2Eencode\_unit)))) \quad (15)$$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (17)$$

**Theorem 1**

$$(\forall V0p \in (2^{ty\_2Eone\_2Eone}). (p\ (ap\ (ap\ (c\_2EDecode\_2Ewf\_decoder\ ty\_2Eone\_2Eone\ V0p)\ (ap\ c\_2EDecode\_2Edecode\_unit\ V0p))))))$$