

thm_2EEncodeVar_2Efixed__width__sum (TMXUhBa9YHahJpfchvMFffJds8gJhquhg1H)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (2)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a})))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (3)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (4)$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Ebool_2E_2F_5C\ 2))\ (ty_2Epair_2Eprod\ A_27a\ A_27b)$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (5)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (6)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (7)$$

Definition 7 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (8)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (9)$$

Definition 8 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ V0x)$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P\ x) \text{ then } (the\ (\lambda x. x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 10 We define $c_2EDecode_2Edec2enc$ to be $\lambda A_27a : \iota. \lambda V0d \in ((ty_2Eoption_2Eoption\ (ty_2Eoption_2Eoption_ABS\ A_27a)))$

Let $c_2EEncode_2Eencode_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2EEncode_2Eencode_sum\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ 2)^{(ty_2Esum_2Esum\ A_27a\ A_27b)})^{(ty_2Elist_2Elist\ 2)^{A_27b}})^{(ty_2Elist_2Elist\ 2)^{A_27a}} \quad (10)$$

Definition 11 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone. V0x))$

Definition 12 We define $c_2Ebool_2E_21$ to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2. V0t))$.

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21)\ V0t))$

Definition 14 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Definition 15 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (\lambda V0x \in ty_2Eoption_2Eoption\ A_27a. V0x))$

Let $c_2ECoder_2Edomain : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2ECoder_2Edomain\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ A_27a))})^{(ty_2Elist_2Elist\ A_27a)} \quad (17)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (18)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum)^{(ty_2Elist_2Elist\ A_27a)} \quad (19)$$

Definition 22 We define $c_2EEncodeVar_2Efixed_width$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.\lambda V1c$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (20)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (21)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (22)$$

Definition 23 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega)^{ty_2Enum_2Enum} \quad (23)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega)^{\omega} \quad (24)$$

Definition 24 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 25 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t2))\ (\lambda V2t \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t2)))$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (2^{A_27a}).(\forall V1e \in \\ & ((ty_2Elist_2Elist\ 2)^{A_27a}).(\forall V2d \in ((ty_2Eoption_2Eoption \\ & (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2))^{(ty_2Elist_2Elist\ 2)}). \\ & ((ap\ (c_2ECoder_2Edomain\ A_27a)\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{A_27a}) \\ & (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A_27a})\ ((ty_2Eoption_2Eoption \\ & (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2))^{(ty_2Elist_2Elist\ 2)}))) \\ & V0p)\ (ap\ (ap\ (c_2Epair_2E_2C\ ((ty_2Elist_2Elist\ 2)^{A_27a})\ ((ty_2Eoption_2Eoption \\ & (ty_2Epair_2Eprod\ A_27a\ (ty_2Elist_2Elist\ 2))^{(ty_2Elist_2Elist\ 2)})) \\ & V1e)\ V2d))) = V0p)))) \quad (25) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0p \in (2^{A.27a}). (\forall V1e \in \\
& ((ty_2Elist_2Elist\ 2)^{A.27a}). (\forall V2d \in ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)}). \\
& ((ap\ (c.2ECoder_2Eencoder\ A.27a)\ (ap\ (ap\ (c.2Epair_2E.2C\ (2^{A.27a}) \\
& (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist\ 2)^{A.27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)}))) \\
V0p)\ (ap\ (ap\ (c.2Epair_2E.2C\ ((ty_2Elist_2Elist\ 2)^{A.27a})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)})) \\
& V1e)\ V2d))) = V1e))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow (\forall V0p1 \in (\\
& 2^{A.27a}). (\forall V1e1 \in ((ty_2Elist_2Elist\ 2)^{A.27c}). (\forall V2d1 \in \\
& ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist \\
& 2)))^{(ty_2Elist_2Elist\ 2)}). (\forall V3p2 \in (2^{A.27b}). (\forall V4e2 \in \\
& ((ty_2Elist_2Elist\ 2)^{A.27d}). (\forall V5d2 \in ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ A.27b\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)}). \\
& ((ap\ (ap\ (c.2ECoder_2Esum_coder\ A.27a\ A.27b\ A.27c\ A.27d)\ (ap\ (\\
& ap\ (c.2Epair_2E.2C\ (2^{A.27a})\ (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist \\
& 2)^{A.27c})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27a\ (ty_2Elist_2Elist \\
& 2)))^{(ty_2Elist_2Elist\ 2)})))\ V0p1)\ (ap\ (ap\ (c.2Epair_2E.2C\ ((\\
& ty_2Elist_2Elist\ 2)^{A.27c})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod \\
& A.27a\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)}))\ V1e1)\ V2d1))) \\
& (ap\ (ap\ (c.2Epair_2E.2C\ (2^{A.27b})\ (ty_2Epair_2Eprod\ ((ty_2Elist_2Elist \\
& 2)^{A.27d})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27b\ (ty_2Elist_2Elist \\
& 2)))^{(ty_2Elist_2Elist\ 2)})))\ V3p2)\ (ap\ (ap\ (c.2Epair_2E.2C\ ((\\
& ty_2Elist_2Elist\ 2)^{A.27d})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod \\
& A.27b\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)}))\ V4e2)\ V5d2))) = \\
& (ap\ (ap\ (c.2Epair_2E.2C\ (2^{(ty_2Esum_2Esum\ A.27a\ A.27b)})\ (ty_2Epair_2Eprod \\
& ((ty_2Elist_2Elist\ 2)^{(ty_2Esum_2Esum\ A.27c\ A.27d)})\ ((ty_2Eoption_2Eoption \\
& (ty_2Epair_2Eprod\ (ty_2Esum_2Esum\ A.27a\ A.27b)\ (ty_2Elist_2Elist \\
& 2)))^{(ty_2Elist_2Elist\ 2)})))\ (ap\ (ap\ (c.2EEncode_2Elift_sum \\
& A.27a\ A.27b)\ V0p1)\ V3p2))\ (ap\ (ap\ (c.2Epair_2E.2C\ ((ty_2Elist_2Elist \\
& 2)^{(ty_2Esum_2Esum\ A.27c\ A.27d)})\ ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod \\
& (ty_2Esum_2Esum\ A.27a\ A.27b)\ (ty_2Elist_2Elist\ 2)))^{(ty_2Elist_2Elist\ 2)})) \\
& (ap\ (ap\ (c.2EEncode_2Eencode_sum\ A.27c\ A.27d)\ V1e1)\ V4e2))\ (ap \\
& (ap\ (ap\ (c.2EDeCode_2Edecode_sum\ A.27a\ A.27b)\ (ap\ (ap\ (c.2EEncode_2Elift_sum \\
& A.27a\ A.27b)\ V0p1)\ V3p2))\ V2d1)\ V5d2)))))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\
& \quad (\forall V0xb \in ((ty_2Elist_2Elist\ 2)^{A_27a}).(\forall V1yb \in (\\
& \quad (ty_2Elist_2Elist\ 2)^{A_27b}).(\forall V2x \in A_27a.((ap\ (ap\ (ap \\
& (c_2EEncode_2Eencode_sum\ A_27a\ A_27b)\ V0xb)\ V1yb)\ (ap\ (c_2Esum_2EINL \\
& \quad A_27a\ A_27b)\ V2x)) = (ap\ (ap\ (c_2Elist_2ECONS\ 2)\ c_2Ebool_2ET) \\
& \quad (ap\ V0xb\ V2x)))))) \wedge (\forall V3xb \in ((ty_2Elist_2Elist\ 2)^{A_27a}). \\
& \quad (\forall V4yb \in ((ty_2Elist_2Elist\ 2)^{A_27b}).(\forall V5y \in A_27b. \\
& \quad ((ap\ (ap\ (ap\ (c_2EEncode_2Eencode_sum\ A_27a\ A_27b)\ V3xb)\ V4yb) \\
& \quad (ap\ (c_2Esum_2EINR\ A_27a\ A_27b)\ V5y)) = (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad 2)\ c_2Ebool_2EF)\ (ap\ V4yb\ V5y))))))))) \\
\end{aligned} \tag{28}$$

Assume the following.

$$True \tag{29}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{30}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \tag{31}$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \tag{32}$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow \neg(p\ V0t))) \tag{33}$$

Assume the following.

$$(\forall V0t \in 2.(\neg(p\ V0t) \Rightarrow ((p\ V0t) \Rightarrow False))) \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\
& (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& \quad (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \tag{35}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\
& \quad (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \tag{36}
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (37)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge (\neg False) \Leftrightarrow True)) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p (ap V0P V2x)))))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (45)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (46)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \\ ((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)) \quad (47)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ \forall V0P \in ((2^{A_27b})^{A_27a}).((\forall V1x \in A_27a.(\exists V2y \in \\ A_27b.(p \ (ap \ (ap \ V0P \ V1x) \ V2y)))) \Leftrightarrow (\exists V3f \in (A_27b^{A_27a}).(\\ \forall V4x \in A_27a.(p \ (ap \ (ap \ V0P \ V4x) \ (ap \ V3f \ V4x)))))) \quad (48)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (((ap \ (c_2Elist_2ELENGTH \ A_27a) \\ (c_2Elist_2ENIL \ A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a.(\\ \forall V1t \in (ty_2Elist_2Elist \ A_27a).((ap \ (c_2Elist_2ELENGTH \\ A_27a) \ (ap \ (ap \ (c_2Elist_2ECONS \ A_27a) \ V0h) \ V1t)) = (ap \ c_2Enum_2ESUC \\ (ap \ (c_2Elist_2ELENGTH \ A_27a) \ V1t)))))) \quad (49)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ \forall V0x \in (ty_2Epair_2Eprod \ A_27a \ A_27b).(\exists V1q \in A_27a. \\ (\exists V2r \in A_27b.(V0x = (ap \ (ap \ (c_2Epair_2E_2C \ A_27a \ A_27b) \\ V1q) \ V2r)))) \quad (50)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ ((ap \ c_2Enum_2ESUC \ V0m) = (ap \ c_2Enum_2ESUC \ V1n)) \Leftrightarrow (V0m = V1n)))) \quad (51)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow False))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow \\ (((p \ V0A) \Rightarrow False) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \ V0A)) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (56)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (58)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (59)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\ & \forall V0ss \in (ty.2Esum.2Esum A.27a A.27b).((\exists V1x \in A.27a. \\ & (V0ss = (ap (c.2Esum.2EINL A.27a A.27b) V1x))) \vee (\exists V2y \in A.27b. \\ & (V0ss = (ap (c.2Esum.2EINR A.27a A.27b) V2y)))))) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow \forall A.27c. \\ & nonempty A.27c \Rightarrow ((\forall V0x \in A.27a.(\forall V1f \in (A.27c^{A.27a}). \\ & (\forall V2f1 \in (A.27c^{A.27b}).((ap (ap (ap (c.2Esum.2Esum_CASE \\ & A.27a A.27b A.27c) (ap (c.2Esum.2EINL A.27a A.27b) V0x)) V1f) V2f1) = \\ & (ap V1f V0x)))))) \wedge (\forall V3y \in A.27b.(\forall V4f \in (A.27c^{A.27a}). \\ & (\forall V5f1 \in (A.27c^{A.27b}).((ap (ap (ap (c.2Esum.2Esum_CASE \\ & A.27a A.27b A.27c) (ap (c.2Esum.2EINR A.27a A.27b) V3y)) V4f) V5f1) = \\ & (ap V5f1 V3y)))))) \end{aligned} \quad (62)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow (\\ & \quad \forall V0c1 \in (ty_2Epair_2Eprod (2^{A_{27a}}) (ty_2Epair_2Eprod \\ & \quad ((ty_2Elist_2Elist 2)^{A_{27a}}) ((ty_2Eoption_2Eoption (ty_2Epair_2Eprod \\ & \quad A_{27a} (ty_2Elist_2Elist 2)))^{(ty_2Elist_2Elist 2)})))). (\forall V1c2 \in \\ & \quad (ty_2Epair_2Eprod (2^{A_{27b}}) (ty_2Epair_2Eprod ((ty_2Elist_2Elist \\ & \quad 2)^{A_{27b}}) ((ty_2Eoption_2Eoption (ty_2Epair_2Eprod A_{27b} (ty_2Elist_2Elist \\ & \quad 2)))^{(ty_2Elist_2Elist 2)})))). (\forall V2n \in ty_2Enum_2Enum. \\ & \quad (((p (ap (ap (c_2EEncodeVar_2Efixed_width A_{27a}) V2n) V0c1)) \wedge \\ & \quad (p (ap (ap (c_2EEncodeVar_2Efixed_width A_{27b}) V2n) V1c2))) \Rightarrow \\ & \quad (p (ap (ap (c_2EEncodeVar_2Efixed_width (ty_2Esum_2Esum A_{27a} \\ & \quad A_{27b})) (ap c_2Enum_2ESUC V2n)) (ap (ap (c_2ECoder_2Esum_coder \\ & \quad A_{27a} A_{27b} A_{27a} A_{27b}) V0c1) V1c2)))))) \end{aligned}$$