

thm_2EEncode_2Eencode__bnum__length
(TMbpMXiaYrGvxrgcY5FarpJ5gb99i6oQpAj)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E3D\ (2^{2^m}))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT2 V0n))$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (7)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (8)$$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (9)$$

Let $c_2EEncode_2Eencode_bnum : \iota$ be given. Assume the following.

$$c_2EEncode_2Eencode_bnum \in (((ty_2Elist_2Elist 2)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (10)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ECONS A.27a \in (((ty_2Elist_2Elist A.27a)^{(ty_2Elist_2Elist A.27a)})^{A.27a}) \quad (11)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ENIL A.27a \in (ty_2Elist_2Elist A.27a) \quad (12)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ELENGTH A.27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A.27a)}) \quad (13)$$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$
Assume the following.

$$\begin{aligned} & ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2EEncode_2Eencode_bnum c_2Enum_2E0) V0n) = (c_2Elist_2ENIL 2))) \wedge (\forall V1m \in ty_2Enum_2Enum. \\ & (\forall V2n \in ty_2Enum_2Enum.((ap (ap c_2EEncode_2Eencode_bnum (ap c_2Enum_2ESUC V1m)) V2n) = (ap (ap (c_2Elist_2ECONS 2) (ap c_2Ebool_2E_7E \\ & (ap c_2Earithmetic_2EEVEN V2n))) (ap (ap c_2EEncode_2Eencode_bnum V1m) (ap (ap c_2Earithmetic_2EDIV V2n) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))))))))) \end{aligned} \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow & (((ap \ (c.2Elist.2ELENGTH \ A.27a) \\ & (c.2Elist.2ENIL \ A.27a)) = c.2Enum.2E0) \wedge (\forall V0h \in A.27a. (\\ & \forall V1t \in (ty.2Elist.2Elist \ A.27a). ((ap \ (c.2Elist.2ELENGTH \\ & A.27a) \ (ap \ (ap \ (c.2Elist.2ECONS \ A.27a) \ V0h) \ V1t)) = (ap \ c.2Enum.2ESUC \\ & (ap \ (c.2Elist.2ELENGTH \ A.27a) \ V1t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty.2Enum.2Enum}). (((p \ (ap \ V0P \ c.2Enum.2E0)) \wedge \\ & (\forall V1n \in ty.2Enum.2Enum. ((p \ (ap \ V0P \ V1n)) \Rightarrow (p \ (ap \ V0P \ (ap \ c.2Enum.2ESUC \\ & V1n)))))) \Rightarrow (\forall V2n \in ty.2Enum.2Enum. (p \ (ap \ V0P \ V2n)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty.2Enum.2Enum. (\forall V1n \in ty.2Enum.2Enum. (\\ & ((ap \ c.2Enum.2ESUC \ V0m) = (ap \ c.2Enum.2ESUC \ V1n)) \Leftrightarrow (V0m = V1n)))) \end{aligned} \quad (19)$$

Theorem 1

$$\begin{aligned} & (\forall V0m \in ty.2Enum.2Enum. (\forall V1n \in ty.2Enum.2Enum. (\\ & (ap \ (c.2Elist.2ELENGTH \ 2) \ (ap \ (ap \ c.2EEncode.2Eencode_bnum \\ & V0m) \ V1n)) = V0m))) \end{aligned}$$