

thm_2EEncode_2Eencode__list__cong (TMMCP- KoyZmL2QneNL1jCdNUG2ARod6T1Ldq)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $c_2EEncode_2Eencode_list : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2EEncode_2Eencode_list\ A.27a \in \left((ty_2Elist_2Elist\ 2)^{(ty_2Elist_2Elist\ A.27a)} \right) \left((ty_2Elist_2Elist\ 2)^{A.27a} \right) \quad (2)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2T to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A.27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A.27a}))\ P))\ V0t))$

Definition 4 We define c_2Ebool_2E2F to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p \Rightarrow q)$ of type ι .

Definition 6 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E2F))$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2EAPPEND\ A.27a \in \left((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)} \right) \left((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)} \right) \quad (3)$$

Definition 7 We define $c_2Ebool_2E5C_2E2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.V2t))\ V0t1\ V1t2))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ECONS\ A.27a \in \left((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)} \right) A.27a \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (5)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in ((2^{A_27a})(ty_2Elist_2Elist\ A_27a)) \quad (6)$$

Definition 8 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0xb \in ((ty_2Elist_2Elist\ 2)^{A_27a}). ((ap\ (ap\ (c_2EEncode_2Eencode_list\ A_27a)\ V0xb)\ (c_2Elist_2ENIL\ A_27a)) = (ap\ (ap\ (c_2Elist_2ECONS\ 2)\ c_2Ebool_2EF)\ (c_2Elist_2ENIL\ 2)))) \wedge (\forall V1xb \in ((ty_2Elist_2Elist\ 2)^{A_27a}). \\ & (\forall V2x \in A_27a. (\forall V3xs \in (ty_2Elist_2Elist\ A_27a). \\ & ((ap\ (ap\ (c_2EEncode_2Eencode_list\ A_27a)\ V1xb)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2x)\ V3xs)) = (ap\ (ap\ (c_2Elist_2ECONS\ 2)\ c_2Ebool_2ET)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ 2)\ (ap\ V1xb\ V2x))\ (ap\ (ap\ (c_2EEncode_2Eencode_list\ A_27a)\ V1xb)\ V3xs)))))))) \end{aligned} \quad (7)$$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (13)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (14)$$

Assume the following.

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (19)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (20)$$

Assume the following.

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow (\forall V0f \in (2^{A_{27a}}).(\forall V1v \in A_{27a}.((\forall V2x \in A_{27a}.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (21)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}), \\
& ((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& \quad A_27a).(p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& \quad c_2Elist_2ECONS\ A_27a\ V2h\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad A_27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a.(\forall V1a1 \in \\
& \quad (ty_2Elist_2Elist\ A_27a).(\forall V2a0_27 \in A_27a.(\forall V3a1_27 \in \\
& \quad (ty_2Elist_2Elist\ A_27a).(((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\
& \quad V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27)) \Leftrightarrow ((V0a0 = \\
& \quad V2a0_27) \wedge (V1a1 = V3a1_27))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l1 \in (ty_2Elist_2Elist \\
& \quad A_27a).(\forall V1l2 \in (ty_2Elist_2Elist\ A_27a).(\forall V2l3 \in \\
& \quad (ty_2Elist_2Elist\ A_27a).(((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\
& \quad V0l1)\ V1l2) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = \\
& \quad V2l3)))) \wedge (\forall V3l1 \in (ty_2Elist_2Elist\ A_27a).(\forall V4l2 \in \\
& \quad (ty_2Elist_2Elist\ A_27a).(\forall V5l3 \in (ty_2Elist_2Elist\ A_27a). \\
& \quad (((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V4l2)\ V3l1) = (ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad A_27a)\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0x \in A_27a.((p\ (ap\ (ap \\
& \quad (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a) \\
& \quad (c_2Elist_2ENIL\ A_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A_27a.(\forall V2h \in \\
& \quad A_27a.(\forall V3t \in (ty_2Elist_2Elist\ A_27a).((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V1x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A_27a)\ V2h)\ V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& \quad V1x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ V3t))))))
\end{aligned} \tag{25}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\
& \quad A_27a).(\forall V1l2 \in (ty_2Elist_2Elist\ A_27a).(\forall V2f1 \in \\
& \quad (ty_2Elist_2Elist\ 2)^{A_27a}).(\forall V3f2 \in ((ty_2Elist_2Elist \\
& \quad 2)^{A_27a}).(((V0l1 = V1l2) \wedge (\forall V4x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V4x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ V1l2))) \Rightarrow ((ap \\
& \quad V2f1\ V4x) = (ap\ V3f2\ V4x)))))) \Rightarrow ((ap\ (ap\ (c_2EEncode_2Eencode_list \\
& \quad A_27a)\ V2f1)\ V0l1) = (ap\ (ap\ (c_2EEncode_2Eencode_list\ A_27a) \\
& \quad V3f2)\ V1l2))))))
\end{aligned}$$