

# thm\_2EEncode\_2Eencode\_\_prod\_\_alt (TMa4wtGycFbdAUnisT6nSKuqzQrNZUQk8iq)

October 26, 2020

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (1)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (2)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (3)$$

Let  $c\_2EEncode\_2Eencode\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2EEncode\_2Eencode\_prod\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ 2)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})^{(ty\_2Elist\_2Elist\ 2)^{A\_27b}})^{(ty\_2Elist\_2Elist\ 2)^{A\_27b}} \quad (4)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2)))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a\ V0P))))$

Let  $c\_2Epair\_2E\_EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2E\_EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2E\_EFST\ A\_27a\ A\_27b)}) \quad (5)$$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (6)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0xb \in ((ty\_2Elist\_2Elist 2)^{A\_27a}).(\forall V1yb \in ( \\ ty\_2Elist\_2Elist 2)^{A\_27b}).(\forall V2x \in A\_27a.(\forall V3y \in \\ A\_27b.((ap (ap (ap (c\_2Eencode\_2Eencode\_prod A\_27a A\_27b) V0xb) \\ V1yb) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V2x) V3y)) = (ap (ap (c\_2Elist\_2EAPPEND \\ 2) (ap V0xb V2x)) (ap V1yb V3y)))))) \end{aligned} \quad (8)$$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in (ty\_2Epair\_2Eprod A\_27a A\_27b).(\exists V1q \in A\_27a. \\ (\exists V2r \in A\_27b.(V0x = (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) \\ V1q) V2r)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a.(\forall V1y \in A\_27b.((ap (c\_2Epair\_2EFST A\_27a \\ A\_27b) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y)) = V0x))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2ESND\ A.27a \\ & A.27b)\ (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (13)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0xb \in ((ty\_2Elist\_2Elist\ 2)^{A.27a}). (\forall V1yb \in (( \\ & ty\_2Elist\_2Elist\ 2)^{A.27b}). (\forall V2p \in (ty\_2Epair\_2Eprod \\ & A.27a\ A.27b). ((ap\ (ap\ (ap\ (c.2EEncode\_2Encode\_prod\ A.27a\ A.27b) \\ & V0xb)\ V1yb)\ V2p) = (ap\ (ap\ (c.2Elist\_2EAPPEND\ 2)\ (ap\ V0xb)\ (ap\ (c.2Epair\_2EFST \\ & A.27a\ A.27b)\ V2p)))) (ap\ V1yb\ (ap\ (c.2Epair\_2ESND\ A.27a\ A.27b)\ V2p)))))) \end{aligned}$$