

thm_2EEncode_2Elift__blist__suc
(TMTh3wR6uUu2ezmn8zYA3pJNjhLsoBiWgoa)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Let $c_2Elist_2EEVERY : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEVERY\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \tag{4}$$

Definition 2 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p \Rightarrow q)$ of type ι .

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ (\lambda V1Q \in 2.V1Q))\ (\lambda V2t \in 2.V2t)))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 6 We define $c_2EEncode_2Elift_blist$ to be $\lambda A_27a : \iota.\lambda V0m \in ty_2Enum_2Enum.\lambda V1p \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ (\lambda V2q \in 2.V2q))\ (\lambda V3r \in 2.V3r))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (7)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (8)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \wedge ((p\ V1t2) \wedge (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (((ap\ (c_2Elist_2ELENGTH\ A_27a) \\ & (c_2Elist_2ENIL\ A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. \\ & \forall V1t \in (ty_2Elist_2Elist\ A_27a).((ap\ (c_2Elist_2ELENGTH \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC \\ & (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V1t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & ((\forall V0P \in (2^{A_27a}).((p\ (ap \\ & (ap\ (c_2Elist_2EVERY\ A_27a)\ V0P)\ (c_2Elist_2ENIL\ A_27a))) \Leftrightarrow True)) \wedge \\ & (\forall V1P \in (2^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist \\ & A_27a).((p\ (ap\ (ap\ (c_2Elist_2EVERY\ A_27a)\ V1P)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1P\ V2h)) \wedge (p\ (ap\ (ap\ (c_2Elist_2EVERY \\ & A_27a)\ V1P)\ V3t)))))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n)))) \\
& \hspace{15em} (16)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\\
& \forall V1p \in (2^{A_27a}). (\forall V2h \in A_27a. (\forall V3t \in (ty_2Elist_2Elist \\
& A_27a). ((p\ (ap\ (ap\ (ap\ (c_2EEncode_2Elift_blist\ A_27a)\ (ap\ c_2Enum_2ESUC \\
& V0n))\ V1p)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1p \\
& V2h)) \wedge (p\ (ap\ (ap\ (ap\ (c_2EEncode_2Elift_blist\ A_27a)\ V0n)\ V1p) \\
& \hspace{10em} V3t))))))))))
\end{aligned}$$