

# thm\_2EHolSmt\_2Er072 (TMXaPUGcJy- vAGC3usrqnW1JCU1RtGhivJsw)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P \ x) \text{ then } (\lambda x. x \in A \wedge P \ x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A. 2^A. (\lambda VOP \in (2^{A \rightarrow 2^A}). (\text{ap } VOP \ (\text{ap } (c_2Emin_2E_40 \ A))))$

Let `c_2Enum_2EZERO_REP` :  $\iota$  be given. Assume the following.

$$c_2Enum_2EZERO\_REP \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \tag{2}$$

Let `c_2Enum_2EABS_num` :  $\iota$  be given. Assume the following.

$$c_2Enum_2EABS\_num \in (ty\_2Enum\_2Enum^{\text{omega}}) \tag{3}$$

**Definition 4** We define `c_2Enum_2E0` to be  $(\text{ap } c_2Enum_2EABS\_num \ c_2Enum_2EZERO\_REP)$ .

**Definition 5** We define `c_2Earithmic_2EZERO` to be `c_2Enum_2E0`.

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (ty\_2Epair\_2Eprod \ A0 \ A1) \tag{4}$$

Let `ty_2Einteger_2Eint` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Einteger\_2Eint \tag{5}$$

Let `c_2Einteger_2Eint_REP_CLASS` :  $\iota$  be given. Assume the following.

$$c_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum)}) \ ty\_2Einteger\_2Eint) \tag{6}$$

**Definition 6** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 8** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E\_40 (ty\_2Eint\_2Eint$

Let  $c\_2Einteger\_2Eint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}))_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (7)$$

Let  $c\_2Einteger\_2Eint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}))_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (8)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}))_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (9)$$

**Definition 9** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$

**Definition 10** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Eint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}))_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (10)$$

**Definition 11** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})_{ty\_2Enum\_2Enum} \quad (11)$$

**Definition 12** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Ebool\_2E\_21 2) (\lambda V3t3 \in 2.V3t3))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})_{ty\_2Enum\_2Enum} \quad (12)$$

**Definition 16** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .



Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \wedge (p V1t2)) \Leftrightarrow ((p V1t2) \wedge (p V0t1)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (32)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.((p (ap (ap c\_2Einteger\_2Eint\_lt V0x) V1y)) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le (ap (ap c\_2Einteger\_2Eint\_add V0x) (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmic\_2ENUMERAL (ap c\_2Earithmic\_2EBIT1 c\_2Earithmic\_2EZERO)))))) V1y)))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.((p (ap (ap c\_2Einteger\_2Eint\_le V0x) V1y)) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add V1y) (ap c\_2Einteger\_2Eint\_neg V0x)))))) \quad (34)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.((V0x = V1y) \Leftrightarrow ((ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0) = (ap (ap c\_2Einteger\_2Eint\_add V1y) (ap c\_2Einteger\_2Eint\_neg V0x)))))) \quad (35)$$

Assume the following.

$$(\forall V0c \in ty\_2Einteger\_2Eint.(\forall V1x \in ty\_2Einteger\_2Eint.(\forall V2y \in ty\_2Einteger\_2Eint.(((ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0) = (ap (ap c\_2Einteger\_2Eint\_add V0c) V1x)) \Rightarrow ((p (ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add V0c) V2y))) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le V1x) V2y)))))) \quad (36)$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. \\
& (\forall V2y \in ty\_2Einteger\_2Eint. (((ap\ c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0) = (ap\ (ap\ c\_2Einteger\_2Eint\_add\ V0c)\ V1x)) \Rightarrow ((p\ ( \\
& ap\ (ap\ c\_2Einteger\_2Eint\_le\ (ap\ c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0))\ (ap\ (ap\ c\_2Einteger\_2Eint\_add\ (ap\ c\_2Einteger\_2Eint\_neg \\
& V0c))\ V2y))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ (ap\ c\_2Einteger\_2Eint\_neg \\
& V1x))\ V2y))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. \\
& ((ap\ (ap\ c\_2Einteger\_2Eint\_add\ V1x)\ V0y) = (ap\ (ap\ c\_2Einteger\_2Eint\_add \\
& V0y)\ V1x))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (\forall V2x \in ty\_2Einteger\_2Eint. ((ap\ (ap\ c\_2Einteger\_2Eint\_add \\
& V2x)\ (ap\ (ap\ c\_2Einteger\_2Eint\_add\ V1y)\ V0z)) = (ap\ (ap\ c\_2Einteger\_2Eint\_add \\
& (ap\ (ap\ c\_2Einteger\_2Eint\_add\ V2x)\ V1y))\ V0z))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. ((ap\ (ap\ c\_2Einteger\_2Eint\_add \\
& V0x)\ (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) = V0x))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. ((ap\ (ap\ c\_2Einteger\_2Eint\_mul \\
& (ap\ c\_2Einteger\_2Eint\_of\_num\ (ap\ c\_2Earithmic\_2ENUMERAL \\
& (ap\ c\_2Earithmic\_2EBIT1\ c\_2Earithmic\_2EZERO))))\ V0x) = V0x))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((ap\ c\_2Einteger\_2Eint\_neg\ (ap\ (ap\ c\_2Einteger\_2Eint\_add\ V0x)\ \\
& V1y)) = (ap\ (ap\ c\_2Einteger\_2Eint\_add\ (ap\ c\_2Einteger\_2Eint\_neg \\
& V0x))\ (ap\ c\_2Einteger\_2Eint\_neg\ V1y))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((ap\ c\_2Einteger\_2Eint\_neg\ (ap\ (ap\ c\_2Einteger\_2Eint\_mul\ V0x)\ \\
& V1y)) = (ap\ (ap\ c\_2Einteger\_2Eint\_mul\ (ap\ c\_2Einteger\_2Eint\_neg \\
& V0x))\ V1y))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((ap\ c\_2Einteger\_2Eint\_neg (ap (ap\ c\_2Einteger\_2Eint\_mul\ V0x) \\
& V1y)) = (ap (ap\ c\_2Einteger\_2Eint\_mul\ V0x) (ap\ c\_2Einteger\_2Eint\_neg \\
& V1y))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. ((ap\ c\_2Einteger\_2Eint\_neg \\
& (ap\ c\_2Einteger\_2Eint\_neg\ V0x)) = V0x))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((\neg(p (ap (ap\ c\_2Einteger\_2Eint\_le\ V0x)\ V1y))) \Leftrightarrow (p (ap (ap\ c\_2Einteger\_2Eint\_lt \\
& V1y)\ V0x))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (((p (ap (ap\ c\_2Einteger\_2Eint\_le\ V0x)\ V1y)) \wedge (p (ap (ap\ c\_2Einteger\_2Eint\_le \\
& V1y)\ V0x))) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& ((ap\ c\_2Einteger\_2Eint\_neg (ap\ c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (((ap\ c\_2Einteger\_2Eint\_neg\ V0x) = (ap\ c\_2Einteger\_2Eint\_neg \\
& V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty\_2Einteger\_2Eint. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2m \in ty\_2Enum\_2Enum. (((ap (ap c\_2Einteger\_2Eint\_add \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0p) = V0p) \wedge ((( \\
& ap (ap c\_2Einteger\_2Eint\_add V0p) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = V0p) \wedge (((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \wedge \\
& (((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_neg V0p)) = \\
& V0p) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V1n))) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V2m))) = (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B \\
& V1n) V2m)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V1n))) (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V2m)))) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Einteger\_2Eint) (ap \\
& (ap c\_2Earithmetic\_2E\_3C\_3D V2m) V1n)) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V1n) \\
& V2m)))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V2m) \\
& V1n)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V1n))) (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V2m))) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Einteger\_2Eint) (ap ( \\
& ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2m)) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V2m) \\
& V1n)))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V1n) \\
& V2m)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V1n))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V2m)))) = (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2m))))))))))))))
\end{aligned}$$

(50)



Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& \quad ((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT1 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT1 V0n)))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V0n)))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg (ap \\
& \quad \quad c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL (ap \\
& \quad \quad c\_2Arithmetic\_2EBIT1 V0n)))) (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap \\
& \quad \quad c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad (ap c\_2Arithmetic\_2EBIT2 V0n)))) (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap \\
& \quad \quad c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL V0n))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow (p (ap (ap c\_2Arithmetic\_2E\_3C\_3D V0n) V1m))) \wedge (((p ( \\
& \quad \quad ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL V0n))) (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad (ap c\_2Arithmetic\_2EBIT1 V1m)))))) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n))) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V1m)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL V1m)))))) \Leftrightarrow (p (ap (ap c\_2Arithmetic\_2E\_3C\_3D \\
& \quad \quad V1m) V0n)))))))))
\end{aligned}$$

(51)

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (60)$$

### Theorem 1

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.(\forall V2z \in ty\_2Einteger\_2Eint.((V0x = (ap (ap c\_2Einteger\_2Eint\_add V1y) V2z)) \Leftrightarrow ((ap (ap c\_2Einteger\_2Eint\_add V2z) (ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) V0x)) = (ap c\_2Einteger\_2Eint\_neg V1y))))))$$