

thm_2EHolSmt_2Er131 (TMF- pTy9srnHDwV4851X6SRFbnXnv4BXdHaV)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota$.

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A \ P))$

Definition 4 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 5 We define `c_2Ebool_2E_T` to be $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 6 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A-27a}) \ P))$

Definition 7 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty (ty_2Epair_2Eprod } A0 \ A1) \tag{2}$$

Let `ty_2Einteger_2Eint` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Einteger_2Eint} \tag{3}$$

Let `c_2Einteger_2Eint__REP__CLASS` : ι be given. Assume the following.

$$\text{c_2Einteger_2Eint_REP_CLASS} \in ((2^{(\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}) \ \text{ty_2Einteger_2Eint}})) \tag{4}$$

Definition 8 We define `c_2Einteger_2Eint__REP` to be $\lambda V0a \in \text{ty_2Einteger_2Eint}. (\text{ap (c_2Emin_2E_40 } (\text{ty_2Einteger_2Eint_REP_CLASS } a))$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (5)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (7)$$

Definition 9 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 10 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (8)$$

Definition 11 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 12 We define $c_2Einteger_2Eint_sub$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (9)$$

Definition 13 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (10)$$

Definition 14 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})_{ty_2Enum_2Enum} \quad (11)$$

Definition 15 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (12)$$

Definition 16 We define c_Ebool_EF to be $(ap (c_Ebool_E21 2) (\lambda V0t \in 2.V0t))$.

Definition 17 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap (ap c_Emin_E3D_3D_3E V0t) c_Ebool_E21 2))$.

Definition 18 We define $c_Einteger_Eint_le$ to be $\lambda V0x \in ty_Einteger_Eint.\lambda V1y \in ty_Einteger_Eint$.

Let $c_Enum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Enum_EZERO_REP \in \omega \tag{13}$$

Let $c_Enum_EABS_num : \iota$ be given. Assume the following.

$$c_Enum_EABS_num \in (ty_Enum_Enum^{\omega}) \tag{14}$$

Definition 19 We define c_Enum_E0 to be $(ap c_Enum_EABS_num c_Enum_EZERO_REP)$.

Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \tag{15}$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \tag{16}$$

Definition 20 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap c_Enum_EABS_num c_Enum_ESUC_REP m)$.

Definition 21 We define $c_Earithmetic_EBIT2$ to be $\lambda V0n \in ty_Enum_Enum.(ap (ap c_Earithmetic_EBIT2 c_Enum_E0) n)$.

Definition 22 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap (ap c_Earithmetic_EBIT1 c_Enum_E0) n)$.

Definition 23 We define $c_Earithmetic_EZERO$ to be c_Enum_E0 .

Definition 24 We define $c_Ebool_E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21 2) (\lambda V2t \in 2.V2t) t1 t2)))$.

Definition 25 We define $c_Eprim_rec_E3C$ to be $\lambda V0m \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum$.

Definition 26 We define $c_Earithmetic_E3C_3D$ to be $\lambda V0m \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum$.

Let $c_Enumeral_EiSUB : \iota$ be given. Assume the following.

$$c_Enumeral_EiSUB \in (((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum})^2) \tag{17}$$

Definition 27 We define c_Ebool_ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap c_Ebool_E2F_5C t1 t2))))$.

Let $c_Earithmetic_E2D : \iota$ be given. Assume the following.

$$c_Earithmetic_E2D \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \tag{18}$$

Definition 28 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Assume the following.

$$True \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge ((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \quad (22) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \quad (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\ & A_27a.(((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (26) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(\\ & p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B)))))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((p (ap (ap (ap c_2Einteger_2Eint_lt V0x) V1y)) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_le \\
& (ap (ap c_2Einteger_2Eint_add V0x) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \\
& V1y))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((p (ap (ap c_2Einteger_2Eint_le V0x) V1y)) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add \\
& V1y) (ap c_2Einteger_2Eint_neg V0x))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& ((ap (ap c_2Einteger_2Eint_add V1x) V0y) = (ap (ap c_2Einteger_2Eint_add \\
& V0y) V1x))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\
& V2x) (ap (ap c_2Einteger_2Eint_add V1y) V0z)) = (ap (ap c_2Einteger_2Eint_add \\
& (ap (ap c_2Einteger_2Eint_add V2x) V1y)) V0z))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0x) = V0x))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\
& V0x) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) = V0x))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V0x) = V0x))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2z \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
& (ap (ap c_2Einteger_2Eint_add V0x) V1y)) V2z) = (ap (ap c_2Einteger_2Eint_add \\
& (ap (ap c_2Einteger_2Eint_mul V0x) V2z)) (ap (ap c_2Einteger_2Eint_mul \\
& V1y) V2z))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_add\ V0x) \\
& V1y)) = (ap\ (ap\ c_2Einteger_2Eint_add\ (ap\ c_2Einteger_2Eint_neg \\
& V0x))\ (ap\ c_2Einteger_2Eint_neg\ V1y))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap\ (ap\ c_2Einteger_2Eint_mul \\
& (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))\ V0x) = (ap\ c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x) \\
& V1y)) = (ap\ (ap\ c_2Einteger_2Eint_mul\ (ap\ c_2Einteger_2Eint_neg \\
& V0x))\ V1y))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x) \\
& V1y)) = (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x)\ (ap\ c_2Einteger_2Eint_neg \\
& V1y))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap\ c_2Einteger_2Eint_neg \\
& (ap\ c_2Einteger_2Eint_neg\ V0x)) = V0x))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((\neg(p\ (ap\ (ap\ c_2Einteger_2Eint_le\ V0x)\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c_2Einteger_2Eint_lt \\
& V1y)\ V0x))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (((p\ (ap\ (ap\ c_2Einteger_2Eint_le\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Eint_le \\
& V1y)\ V0x))) \Leftrightarrow (V0x = V1y))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty_2Einteger_2Eint. (\forall V1n \in ty_2Enum_2Enum. \\
& (\forall V2m \in ty_2Enum_2Enum. (((ap (ap c_2Einteger_2Eint_add \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0p) = V0p) \wedge (((\\
& ap (ap c_2Einteger_2Eint_add V0p) (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) = V0p) \wedge (((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) \wedge \\
& (((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_neg V0p)) = \\
& V0p) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V1n))) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V2m))) = (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B \\
& V1n) V2m)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V1n))) (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V2m)))) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Einteger_2Eint) (ap \\
& (ap c_2Earithmetic_2E_3C_3D V2m) V1n)) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V1n) \\
& V2m)))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V2m) \\
& V1n)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V1n))) (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V2m))) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Einteger_2Eint) (ap (\\
& ap c_2Earithmetic_2E_3C_3D V1n) V2m)) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V2m) \\
& V1n)))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V1n) \\
& V2m)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V1n))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V2m)))) = (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B V1n) V2m))))))))))))))
\end{aligned}$$

(44)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& \quad ((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT1 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT1 V0n)))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V0n)))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg (ap \\
& \quad \quad c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL (ap \\
& \quad \quad c_2Arithmetic_2EBIT1 V0n)))) (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap \\
& \quad \quad c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Arithmetic_2EBIT2 V0n)))) (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap \\
& \quad \quad c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL V0n))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow (p (ap (ap c_2Arithmetic_2E_3C_3D V0n) V1m))) \wedge (((p (\\
& \quad \quad ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL V0n))) (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Arithmetic_2EBIT1 V1m)))))) \Leftrightarrow False) \wedge (((p (ap (ap c_2Integer_2Eint_le \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n))) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V1m)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL V1m)))))) \Leftrightarrow (p (ap (ap c_2Arithmetic_2E_3C_3D \\
& \quad \quad V1m) V0n)))))))))
\end{aligned}$$

(45)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg (p (ap (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))) \wedge ((p (ap (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap (ap c_2Eprim_rec_2E_3C V0n) V1m)))))))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m)))))))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap (ap c_2Earithmetic_2E_2D V0n) \\
& V1m)) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Enum_2Enum) (ap (ap (ap c_2Eprim_rec_2E_3C \\
& V1m) V0n)) (ap c_2Earithmetic_2ENUMERAL (ap (ap (ap c_2Enumeral_2EiSUB \\
& c_2Ebool_2ET) V0n) V1m))) c_2Enum_2E0))))))
\end{aligned} \tag{48}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap (ap (ap c_2Einteger_2Eint_sub V0x) V1y) = (ap (ap (ap c_2Einteger_2Eint_add \\
& V0x) (ap (ap (ap c_2Einteger_2Eint_mul (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) V1y))))))
\end{aligned}$$