

thm\_2EHolSmt\_2Er235  
 (TMKz7QRnPPK6Rh6T5BZyzSYiDad2RhND3vB)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 3** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 4** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2EABS\_num (c\_2Enum\_2E0))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT1 n) V0)$ .

**Definition 8** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 9** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT2 n) V0)$ .

Let  $c\_2Earithmetic\_2EEEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (8)$$

**Definition 10** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Ebit\_2EDIV n x)$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (9)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (10)$$

**Definition 11** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Ebit\_2EMOD n x)$ .

**Definition 12** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V2m \in ty\_2Enum\_2Enum.(c\_2Ebit\_2EBITS h l m)$ .

**Definition 13** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (c\_2Ebit\_2EBIT b) n)$ .

Let  $ty\_2Efcp\_2Efinit\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Efcp\_2Efinit\_image A0) \quad (11)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ebool\_2Eitself A0) \quad (12)$$

Let  $c\_2Ebool\_2Eth\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ebool\_2Eth\_value A\_27a \in (ty\_2Ebool\_2Eitself A\_27a) \quad (13)$$

Let  $c\_2Efcp\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Efcp\_2Edimindex A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A\_27a)}) \quad (14)$$

**Definition 14** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define  $c_{\text{2Emin\_2E\_3D\_3D\_3E}}$  to be  $\lambda P \in 2.\lambda Q \in 2.\text{inj\_o} (p \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 16** We define  $c_{\text{Ebool\_7E}}$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c_{\text{Emin\_3D\_3D\_3E}}\ V0t)\ c_{\text{Ebool\_2E}}))$

**Definition 17** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 18** We define  $c_{\text{2Emin\_2E\_40}}$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \text{ } x)) \text{ then } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$ .

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\_27a : \iota.(\lambda V0P \in (2^A\_{-27}a)).(ap\ V0P\ (ap\ (c\_2Emin\ 2E\_.40$

**Definition 20** We define  $c_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 21** We define  $c_{\text{CBool}} : \lambda A.27a : \iota.(\lambda V0P \in (2^A \rightarrow 27a).(\text{ap } (\text{ap } c_{\text{CBool}} \text{ E } 2F_5C) V0P))$

**Definition 22** We define  $c\_2Efcp\_2Efinite\_index$  to be  $\lambda A\_\mathit{27a} : \iota.(ap\ (c\_2Emin\_2E\_\mathit{40}\ (A\_\mathit{27a}^{\text{ty}}\_\mathit{2Enum}\_\mathit{2Enu}))$

At  $ty\_2Efcp\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty\_2Efcp\_2Ecart A0 A1)$$

Let  $c_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Efc\_{2E}dest\_cart A\_27a A\_27b \in ((A\_27a^{(ty\_2Efc\_{2E}finite\_image A\_27b)})^{(ty\_2Efc\_{2E}cart A\_27a A\_27b)})$$
(16)

**Definition 23** We define  $c_2Efcp\_2Efcp\_index$  to be  $\lambda A\_\mathit{27a} : \iota.\lambda A\_\mathit{27b} : \iota.\lambda V0x \in (ty\_\mathit{2Efcp}\_2Ecart\ A\_\mathit{27c})$

**Definition 24** We define  $c_2Efcp\_2EFCP$  to be  $\lambda A.\lambda 27a:\iota.\lambda A.\lambda 27b:\iota.(\lambda V0q \in (A\_\lambda 27a^{ty}\_\lambda 2Enum\_\lambda 2Enum)).(ap\_\lambda 27b\_\lambda 27a\_\lambda 27q\_\lambda 27V0q)$

**Definition 25** We define  $c_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (c_2Efcp\_2EFC\ A\_27a)\ V0n)$

**Definition 26** We define  $c_{\text{2Ebool\_2ECOND}}$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

**Definition 27** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (ap\ (ap\ (c\_2Ebo$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$c : 2E_{sum\_num} \cdot 2E_{SUM} \in ((ty : 2Enum \cdot 2Enum)^{(ty : 2Enum \cdot 2Enum)})^{\cdot}$

(17)

**Definition 29** We define  $c : 2\text{Ewords} \rightarrow \text{Eword}$ , add to be  $\lambda A. \exists a : t. \lambda V0v \in (tu : 2\text{Efcnp} \rightarrow \text{Ecart}, A : \exists a) . \lambda V$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & ((\forall V0w \in (ty\_2Efcpc\_2Ecart \\ 2 A\_27a). ((ap (ap (c\_2Ewords\_2Eword\_add A\_27a) V0w) (ap (c\_2Ewords\_2En2w \\ A\_27a) c\_2Enum\_2E0)) = V0w)) \wedge (\forall V1w \in (ty\_2Efcpc\_2Ecart 2 \\ A\_27a). ((ap (ap (c\_2Ewords\_2Eword\_add A\_27a) (ap (c\_2Ewords\_2En2w \\ A\_27a) c\_2Enum\_2E0)) V1w) = V1w))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0v \in (ty\_2Efcpc\_2Ecart \\ 2 A\_27a). (\forall V1w \in (ty\_2Efcpc\_2Ecart 2 A\_27a). ((ap (ap (c\_2Ewords\_2Eword\_add \\ A\_27a) V0v) V1w) = (ap (ap (c\_2Ewords\_2Eword\_add A\_27a) V1w) V0v)))) \end{aligned} \quad (21)$$

### Theorem 1

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0x \in (ty\_2Efcpc\_2Ecart \\ 2 A\_27a). ((ap (ap (c\_2Ewords\_2Eword\_add A\_27a) (ap (c\_2Ewords\_2En2w \\ A\_27a) c\_2Enum\_2E0)) V0x) = V0x)) \end{aligned}$$