

thm_2EHolSmt_2Er238
(TMJ7XMUVC3JChj7snrYn1F5z2oHcyrX5dtE)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_7E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_F$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{5}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 15 We define $c_2Enumeral_2EiSUC$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ c_2Enum_2ESUC\ (ap$

Let $c_2Enumeral_2EiSUB : \iota$ be given. Assume the following.

$$c_2Enumeral_2EiSUB \in (((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^2) \quad (7)$$

Let $c_2Enumeral_2Eexactlog : \iota$ be given. Assume the following.

$$c_2Enumeral_2Eexactlog \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.\lambda V2t2 \in A.\lambda V3t3 \in A.$

Definition 18 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2E$

Definition 19 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 20 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 21 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_Earithmetic_EDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_EDIV \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum})^{ty_Enum_Enum} \quad (11)$$

Definition 22 We define $c_Earithmetic_EDIV2$ to be $\lambda V0n \in ty_Enum_Enum.(ap (ap c_Earithmetic_EDIV) n)$

Let $c_Enumeral_Ete_help : \iota$ be given. Assume the following.

$$c_Enumeral_Ete_help \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum})^{ty_Enum_Enum} \quad (12)$$

Let $c_Earithmetic_EODD : \iota$ be given. Assume the following.

$$c_Earithmetic_EODD \in (2^{ty_Enum_Enum}) \quad (13)$$

Definition 23 We define c_Ebool_ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A_27a}).(\lambda V1x \in A_27b.f x))$

Definition 24 We define $c_Enumeral_EiDUB$ to be $\lambda V0x \in ty_Enum_Enum.(ap (ap c_Earithmetic_EDIV2) x)$

Definition 25 We define $c_Enumeral_EiZ$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Let $c_Earithmetic_E_2A : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2A \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum})^{ty_Enum_Enum} \quad (14)$$

Definition 26 We define $c_Enumeral_Einternal_mult$ to be $c_Earithmetic_E_2A$.

Let $ty_Efc_Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_Efc_Efinite_image A0) \quad (15)$$

Let $ty_Ebool_Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_Ebool_Eitself A0) \quad (16)$$

Let $c_Ebool_Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Ebool_Ethe_value A_27a \in (ty_Ebool_Eitself A_27a) \quad (17)$$

Let $c_Efc_Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Efc_Edimindex A_27a \in (ty_Enum_Enum^{(ty_Ebool_Eitself A_27a)}) \quad (18)$$

Definition 27 We define $c_Ebool_E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_Ebool_E_2F_5C) P))$

Definition 28 We define $c_Efc_Efinite_index$ to be $\lambda A_27a : \iota.(ap (c_Emin_E_40) (A_27a^{ty_Enum_Enum}))$

Let $ty_2Efc_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efc_2Ecart\ A0\ A1) \quad (19)$$

Let $c_2Efc_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efc_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efc_2Efinite_image\ A_27b)})^{(ty_2Efc_2Ecart\ A_27a\ A_27b)}) \quad (20)$$

Definition 29 We define $c_2Efc_2Efc_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efc_2Ecart\ A_27a\ A_27b)$

Definition 30 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2Ebool\ b)\ V1n)\ V0b)\ V1n)$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (21)$$

Definition 31 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).(ap\ (ap\ (c_2Ebool_2Ebool\ w)\ V0w)\ A_27a)$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Ebool\ A_27a)}) \quad (22)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (23)$$

Definition 32 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2D\ n)\ V0n)$

Definition 33 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Ebit_2EBIT1\ x)\ V1n)$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (24)$$

Definition 34 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EMOD\ x)\ V1n)$

Definition 35 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2m \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebit_2EBIT1\ h)\ V1l)\ V2m)\ V0h)$

Definition 36 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Ebit_2EBIT1\ b)\ V1n)$

Definition 37 We define c_2Efc_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap\ (ap\ (c_2Ebit_2EBIT1\ g)\ V0g)\ A_27b))$

Definition 38 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap\ (c_2Efc_2EFCP\ A_27a\ n))$

Definition 39 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 40 We define $c_Ewords_Eword_add$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a). \lambda V1$

Definition 41 We define $c_Ewords_Eword_sub$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a). \lambda V1$

Definition 42 We define $c_Ewords_Eword_mul$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a). \lambda V1$

Definition 43 We define $c_Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2$

Assume the following.

$$True \tag{25}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{26}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{27}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF) \\ & V0t1)\ V1t2) = V1t2)))) \end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Earithmetic_2EZERO) \\
& V0n)) = V0n) \wedge (((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ c_2Earithmetic_2EZERO)) = V0n) \wedge (((ap\ c_2Enumeral_2EiZ\ (\\
& ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (\\
& ap\ c_2Earithmetic_2EBIT1\ V1m))) = (ap\ c_2Earithmetic_2EBIT2\ (\\
& ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = (ap\ c_2Earithmetic_2EBIT1 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) = (ap\ c_2Earithmetic_2EBIT1 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = (ap\ c_2Earithmetic_2EBIT2 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Earithmetic_2EZERO) \\
& V0n)) = (ap\ c_2Enum_2ESUC\ V0n)) \wedge (((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ c_2Earithmetic_2EZERO)) = (ap\ c_2Enum_2ESUC\ V0n)) \wedge (((ap \\
& c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) = (ap\ c_2Earithmetic_2EBIT1 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = (ap\ c_2Earithmetic_2EBIT2 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) = (ap\ c_2Earithmetic_2EBIT2 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = (ap\ c_2Earithmetic_2EBIT1 \\
& (ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Earithmetic_2EZERO) \\
& V0n)) = (ap\ c_2Enumeral_2EiiSUC\ V0n)) \wedge (((ap\ c_2Enumeral_2EiiSUC \\
& (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ c_2Earithmetic_2EZERO)) = (\\
& ap\ c_2Enumeral_2EiiSUC\ V0n)) \wedge (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (\\
& ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (ap\ c_2Earithmetic_2EBIT1 \\
& V1m))) = (ap\ c_2Earithmetic_2EBIT2\ (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = \\
& (ap\ c_2Earithmetic_2EBIT1\ (ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) = \\
& (ap\ c_2Earithmetic_2EBIT1\ (ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = \\
& (ap\ c_2Earithmetic_2EBIT2\ (ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ V1m))))))))))))))))))))))))))
\end{aligned}$$

(30)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap (ap c_2Eprim_rec_2E_3C c_2Earithmic_2EZERO) (ap c_2Earithmic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmic_2EZERO) \\
& (ap c_2Earithmic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmic_2EBIT1 V0n)) (ap c_2Earithmic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmic_2EBIT2 V0n)) (ap c_2Earithmic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmic_2EBIT1 V0n)) (ap c_2Earithmic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg (p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmic_2EBIT2 V0n)) (ap c_2Earithmic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Earithmic_2E_3C_3D c_2Earithmic_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) c_2Earithmic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D \\
& (ap c_2Earithmic_2EBIT2 V0n)) c_2Earithmic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) (ap c_2Earithmic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) (ap c_2Earithmic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT2 \\
& V0n)) (ap c_2Earithmic_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V1m) V0n)))) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT2 \\
& V0n)) (ap c_2Earithmic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& (ap c_2Earithmic_2ENUMERAL (ap (ap c_2Earithmic_2E_2D V0n) \\
V1m)) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Enum_2Enum) (ap (ap c_2Eprim_rec_2E_3C \\
& V1m) V0n)) (ap c_2Earithmic_2ENUMERAL (ap (ap (ap c_2Enumeral_2EiSUB \\
& c_2Ebool_2ET) V0n) V1m))) c_2Enum_2E0))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (((ap\ c_2Enumeral_2EiDUB\ (ap\ c_2Earithmetic_2EBIT1 \\
& \quad V0n)) = (ap\ c_2Earithmetic_2EBIT2\ (ap\ c_2Enumeral_2EiDUB\ V0n))) \wedge \\
& \quad (((ap\ c_2Enumeral_2EiDUB\ (ap\ c_2Earithmetic_2EBIT2\ V0n)) = (ap \\
& \quad \quad c_2Earithmetic_2EBIT2\ (ap\ c_2Earithmetic_2EBIT1\ V0n))) \wedge ((ap \\
& \quad \quad c_2Enumeral_2EiDUB\ c_2Earithmetic_2EZERO) = c_2Earithmetic_2EZERO)))) \\
& \hspace{15em} (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1x \in ty_2Enum_2Enum. (\\
& \quad \forall V2y \in ty_2Enum_2Enum. (((ap\ (ap\ c_2Earithmetic_2E_2A\ c_2Earithmetic_2EZERO) \\
& \quad \quad V0n) = c_2Earithmetic_2EZERO) \wedge (((ap\ (ap\ c_2Earithmetic_2E_2A \\
& \quad \quad V0n) c_2Earithmetic_2EZERO) = c_2Earithmetic_2EZERO) \wedge (((ap \\
& \quad \quad (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Earithmetic_2EBIT1\ V1x)) (ap \\
& \quad \quad c_2Earithmetic_2EBIT1\ V2y)) = (ap\ (ap\ c_2Enumeral_2Einternal_mult \\
& \quad \quad (ap\ c_2Earithmetic_2EBIT1\ V1x)) (ap\ c_2Earithmetic_2EBIT1\ V2y))) \wedge \\
& \quad \quad (((ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Earithmetic_2EBIT1\ V1x)) \\
& \quad \quad (ap\ c_2Earithmetic_2EBIT2\ V2y)) = (ap\ (ap\ (c_2Ebool_2ELET\ ty_2Enum_2Enum \\
& \quad \quad ty_2Enum_2Enum) (\lambda V3n \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebool_2ECOND \\
& \quad \quad ty_2Enum_2Enum) (ap\ c_2Earithmetic_2EODD\ V3n)) (ap\ (ap\ c_2Enumeral_2Eexp_help \\
& \quad \quad (ap\ c_2Earithmetic_2EDIV2\ V3n)) (ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Earithmetic_2EBIT1 \\
& \quad \quad V1x)))) (ap\ (ap\ c_2Enumeral_2Einternal_mult\ (ap\ c_2Earithmetic_2EBIT1 \\
& \quad \quad V1x)) (ap\ c_2Earithmetic_2EBIT2\ V2y)))) (ap\ c_2Enumeral_2Eexactlog \\
& \quad \quad (ap\ c_2Earithmetic_2EBIT2\ V2y)))) \wedge (((ap\ (ap\ c_2Earithmetic_2E_2A \\
& \quad \quad (ap\ c_2Earithmetic_2EBIT2\ V1x)) (ap\ c_2Earithmetic_2EBIT1\ V2y)) = \\
& \quad \quad (ap\ (ap\ (c_2Ebool_2ELET\ ty_2Enum_2Enum\ ty_2Enum_2Enum) (\lambda V4m \in \\
& \quad \quad ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Enum_2Enum) \\
& \quad \quad (ap\ c_2Earithmetic_2EODD\ V4m)) (ap\ (ap\ c_2Enumeral_2Eexp_help \\
& \quad \quad (ap\ c_2Earithmetic_2EDIV2\ V4m)) (ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Earithmetic_2EBIT1 \\
& \quad \quad V2y)))) (ap\ (ap\ c_2Enumeral_2Einternal_mult\ (ap\ c_2Earithmetic_2EBIT2 \\
& \quad \quad V1x)) (ap\ c_2Earithmetic_2EBIT1\ V2y)))) (ap\ c_2Enumeral_2Eexactlog \\
& \quad \quad (ap\ c_2Earithmetic_2EBIT2\ V1x)))) \wedge (((ap\ (ap\ c_2Earithmetic_2E_2A \\
& \quad \quad (ap\ c_2Earithmetic_2EBIT2\ V1x)) (ap\ c_2Earithmetic_2EBIT2\ V2y)) = \\
& \quad \quad (ap\ (ap\ (c_2Ebool_2ELET\ ty_2Enum_2Enum\ ty_2Enum_2Enum) (\lambda V5m \in \\
& \quad \quad ty_2Enum_2Enum. (ap\ (ap\ (c_2Ebool_2ELET\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \\
& \quad \quad (\lambda V6n \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Enum_2Enum) \\
& \quad \quad (ap\ c_2Earithmetic_2EODD\ V5m)) (ap\ (ap\ c_2Enumeral_2Eexp_help \\
& \quad \quad (ap\ c_2Earithmetic_2EDIV2\ V5m)) (ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Earithmetic_2EBIT2 \\
& \quad \quad V2y)))) (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Enum_2Enum) (ap\ c_2Earithmetic_2EODD \\
& \quad \quad V6n)) (ap\ (ap\ c_2Enumeral_2Eexp_help\ (ap\ c_2Earithmetic_2EDIV2 \\
& \quad \quad V6n)) (ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Earithmetic_2EBIT2\ V1x)))) \\
& \quad \quad (ap\ (ap\ c_2Enumeral_2Einternal_mult\ (ap\ c_2Earithmetic_2EBIT2 \\
& \quad \quad V1x)) (ap\ c_2Earithmetic_2EBIT2\ V2y)))) (ap\ c_2Enumeral_2Eexactlog \\
& \quad \quad (ap\ c_2Earithmetic_2EBIT2\ V2y)))) (ap\ c_2Enumeral_2Eexactlog \\
& \quad \quad (ap\ c_2Earithmetic_2EBIT2\ V1x))))))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((ap (ap c_2Enumeral_2Einternal_mult c_2Earithmetic_2EZERO) \\
V0n) = c_2Earithmetic_2EZERO) \wedge ((ap (ap c_2Enumeral_2Einternal_mult \\
& V0n) c_2Earithmetic_2EZERO) = c_2Earithmetic_2EZERO) \wedge ((ap \\
& (ap c_2Enumeral_2Einternal_mult (ap c_2Earithmetic_2EBIT1 \\
V0n) V1m) = (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B \\
& (ap c_2Enumeral_2EiDUB (ap (ap c_2Enumeral_2Einternal_mult \\
& V0n) V1m))) V1m))) \wedge ((ap (ap c_2Enumeral_2Einternal_mult (ap \\
& c_2Earithmetic_2EBIT2 V0n) V1m) = (ap c_2Enumeral_2EiDUB (ap \\
c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B (ap (ap c_2Enumeral_2Einternal_mult \\
& V0n) V1m)) V1m)))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0w \in (ty_2EfcP_2Ecart \\
2 A_27a). ((ap (ap (c_2Ewords_2Eword_add A_27a) V0w) (ap (c_2Ewords_2En2w \\
& A_27a) c_2Enum_2E0)) = V0w)) \wedge (\forall V1w \in (ty_2EfcP_2Ecart 2 \\
A_27a). ((ap (ap (c_2Ewords_2Eword_add A_27a) (ap (c_2Ewords_2En2w \\
& A_27a) c_2Enum_2E0)) V1w) = V1w)))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart \\
2 A_27a). (\forall V1w \in (ty_2EfcP_2Ecart 2 A_27a). (\forall V2x \in \\
& (ty_2EfcP_2Ecart 2 A_27a). ((ap (ap (c_2Ewords_2Eword_add A_27a) \\
V0v) (ap (ap (c_2Ewords_2Eword_add A_27a) V1w) V2x)) = (ap (ap (\\
& c_2Ewords_2Eword_add A_27a) (ap (ap (c_2Ewords_2Eword_add \\
& A_27a) V0v) V1w)) V2x))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart \\
2 A_27a). (\forall V1w \in (ty_2EfcP_2Ecart 2 A_27a). (\forall V2x \in \\
& (ty_2EfcP_2Ecart 2 A_27a). ((ap (ap (c_2Ewords_2Eword_mul A_27a) \\
V0v) (ap (ap (c_2Ewords_2Eword_mul A_27a) V1w) V2x)) = (ap (ap (\\
& c_2Ewords_2Eword_mul A_27a) (ap (ap (c_2Ewords_2Eword_mul \\
& A_27a) V0v) V1w)) V2x))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart \\
2 A_27a). (\forall V1w \in (ty_2EfcP_2Ecart 2 A_27a). ((ap (ap (c_2Ewords_2Eword_add \\
& A_27a) V0v) V1w) = (ap (ap (c_2Ewords_2Eword_add A_27a) V1w) V0v))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart \\ & 2\ A_27a). (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap\ (ap\ (c_2Ewords_2Eword_mul \\ & A_27a)\ V0v)\ V1w) = (ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a)\ V1w)\ V0v)))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart \\ & 2\ A_27a). (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (((ap\ (ap\ (\\ & c_2Ewords_2Eword_mul\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0)) \\ V0v) = (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0)) \wedge (((ap\ (ap\ (c_2Ewords_2Eword_mul \\ & A_27a)\ V0v)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0)) = (ap\ (c_2Ewords_2En2w \\ & A_27a)\ c_2Enum_2E0)) \wedge (((ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a) \\ & (ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap \\ & c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) V0v) = V0v) \wedge \\ & (((ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a)\ V0v)\ (ap\ (c_2Ewords_2En2w \\ & A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) = V0v) \wedge (((ap\ (ap\ (c_2Ewords_2Eword_mul \\ & A_27a)\ (ap\ (ap\ (c_2Ewords_2Eword_add\ A_27a)\ V0v)\ (ap\ (c_2Ewords_2En2w \\ & A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) V1w) = (ap\ (ap\ (c_2Ewords_2Eword_add \\ & A_27a)\ (ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a)\ V0v)\ V1w)) V1w)) \wedge \\ & (((ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a)\ V0v)\ (ap\ (ap\ (c_2Ewords_2Eword_add \\ & A_27a)\ V1w)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL \\ & (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) = (ap\ (\\ & ap\ (c_2Ewords_2Eword_add\ A_27a)\ V0v)\ (ap\ (ap\ (c_2Ewords_2Eword_mul \\ & A_27a)\ V0v)\ V1w)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart \\ & 2\ A_27a). (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (\forall V2x \in \\ & (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a) \\ V0v)\ (ap\ (ap\ (c_2Ewords_2Eword_add\ A_27a)\ V1w)\ V2x)) = (ap\ (ap\ (\\ & c_2Ewords_2Eword_add\ A_27a)\ (ap\ (ap\ (c_2Ewords_2Eword_mul \\ & A_27a)\ V0v)\ V1w))\ (ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a)\ V0v)\ V2x)))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart \\ & 2\ A_27a). (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (\forall V2x \in \\ & (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a) \\ & (ap\ (ap\ (c_2Ewords_2Eword_add\ A_27a)\ V0v)\ V1w))\ V2x) = (ap\ (ap\ (\\ & c_2Ewords_2Eword_add\ A_27a)\ (ap\ (ap\ (c_2Ewords_2Eword_mul \\ & A_27a)\ V0v)\ V2x))\ (ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a)\ V1w)\ V2x)))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2EfcP_2Ecart \\ 2\ A_27a).(\forall V1v \in (ty_2EfcP_2Ecart\ 2\ A_27a).(((ap\ (ap\ (\\ c_2Ewords_2Eword_sub\ A_27a)\ V1v)\ V0w) = (ap\ (c_2Ewords_2En2w \\ A_27a)\ c_2Enum_2E0)) \Leftrightarrow (V1v = V0w)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart \\ 2\ A_27a).(((ap\ (c_2Ewords_2Eword_2comp\ A_27a)\ V0v) = (ap\ (c_2Ewords_2En2w \\ A_27a)\ c_2Enum_2E0)) \Leftrightarrow (V0v = (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2EfcP_2Ecart \\ 2\ A_27a).(((ap\ (c_2Ewords_2Eword_2comp\ A_27a)\ V0w) = (ap\ (ap\ (\\ c_2Ewords_2Eword_mul\ A_27a)\ (ap\ (c_2Ewords_2Eword_2comp\ A_27a) \\ (ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap \\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))\ V0w)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ (ap\ (ap\ (c_2Ewords_2Eword_mul\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a) \\ V0m))\ (ap\ (c_2Ewords_2Eword_2comp\ A_27a)\ (ap\ (c_2Ewords_2En2w \\ A_27a)\ V1n)))) = (ap\ (c_2Ewords_2Eword_2comp\ A_27a)\ (ap\ (c_2Ewords_2En2w \\ A_27a)\ (ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ V1n)))))) \wedge (\forall V2m \in \\ ty_2Enum_2Enum.(\forall V3n \in ty_2Enum_2Enum.(((ap\ (ap\ (c_2Ewords_2Eword_mul \\ A_27b)\ (ap\ (c_2Ewords_2Eword_2comp\ A_27b)\ (ap\ (c_2Ewords_2En2w \\ A_27b)\ V2m)))\ (ap\ (c_2Ewords_2Eword_2comp\ A_27b)\ (ap\ (c_2Ewords_2En2w \\ A_27b)\ V3n)))) = (ap\ (c_2Ewords_2En2w\ A_27b)\ (ap\ (ap\ c_2Earithmetic_2E_2A \\ V2m)\ V3n))))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (ap\ (ap\ (c_2Ewords_2Eword_add\ A_27a)\ (ap\ (c_2Ewords_2Eword_2comp \\
& A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ V0m)))\ (ap\ (c_2Ewords_2Eword_2comp \\
& A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ V1n))) = (ap\ (c_2Ewords_2Eword_2comp \\
& A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0m)\ V1n)))))) \wedge (\forall V2m \in ty_2Enum_2Enum. (\forall V3n \in ty_2Enum_2Enum. \\
& ((ap\ (ap\ (c_2Ewords_2Eword_add\ A_27b)\ (ap\ (c_2Ewords_2En2w\ A_27b) \\
& V2m))\ (ap\ (c_2Ewords_2Eword_2comp\ A_27b)\ (ap\ (c_2Ewords_2En2w \\
& A_27b)\ V3n))) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Efc_2Ecart\ 2 \\
& A_27b))\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V3n)\ V2m))\ (ap\ (c_2Ewords_2En2w \\
& A_27b)\ (ap\ (ap\ c_2Earithmetic_2E_2D\ V2m)\ V3n)))\ (ap\ (c_2Ewords_2Eword_2comp \\
& A_27b)\ (ap\ (c_2Ewords_2En2w\ A_27b)\ (ap\ (ap\ c_2Earithmetic_2E_2D \\
& V3n)\ V2m))))))))) \\
& \hspace{15em} (49)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Efc_2Ecart \\
& 2\ A_27a). (\forall V1z \in (ty_2Efc_2Ecart\ 2\ A_27a). (\forall V2y \in \\
& (ty_2Efc_2Ecart\ 2\ A_27a). (((ap\ (ap\ (c_2Ewords_2Eword_add \\
& A_27a)\ V0x)\ V1z) = (ap\ (ap\ (c_2Ewords_2Eword_add\ A_27a)\ V2y)\ V0x)) \Leftrightarrow \\
& (V2y = V1z))))))
\end{aligned}$$