

# thm\_2EHolSmt\_2Er244 (TMGqC- CUYTMV8S9p8xMUvnxijUTG1Bwf6C)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 10** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num$   
Let  $c\_Earithmetic\_E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (6)$$

**Definition 11** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmetic$

**Definition 12** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

**Definition 13** We define  $c\_Earithmetic\_EBIT2$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmetic$

Let  $c\_Earithmetic\_EEXP : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EEXP \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (7)$$

Let  $c\_Earithmetic\_EDIV : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EDIV \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (8)$$

**Definition 14** We define  $c\_Ebit\_EDIV\_EXP$  to be  $\lambda V0x \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (9)$$

Let  $c\_Earithmetic\_EMOD : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EMOD \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (10)$$

**Definition 15** We define  $c\_Ebit\_EMOD\_EXP$  to be  $\lambda V0x \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 16** We define  $c\_Ebit\_EBITS$  to be  $\lambda V0h \in ty\_Enum\_Enum.\lambda V1l \in ty\_Enum\_Enum.\lambda V$

**Definition 17** We define  $c\_Ebit\_EBIT$  to be  $\lambda V0b \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum.(ap$

Let  $ty\_Efc\_Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_Efc\_Efinite\_image\ A0) \quad (11)$$

Let  $ty\_Ebool\_Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_Ebool\_Eitself\ A0) \quad (12)$$

Let  $c\_Ebool\_Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Ebool\_Ethe\_value\ A\_27a \in ( \quad (13)$$

$$ty\_Ebool\_Eitself\ A\_27a)$$

Let  $c\_Efc\_Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Efc\_Edimindex\ A\_27a \in (ty\_Enum\_Enum^{(ty\_Ebool\_Eitself\ A\_27a)}) \quad (14)$$

**Definition 18** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in$

**Definition 19** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 20** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 21** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 22** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap c\_2Ebool\_2E\_2F\_5C$

**Definition 23** We define  $c\_2Efcp\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap (c\_2Emin\_2E\_40 (A\_27a^{ty\_2Enum\_2Enum}$

Let  $ty\_2Efcp\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efcp\_2Ecart\ A0\ A1) \quad (15)$$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efcp\_2Edest\_cart\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efcp\_2Efinite\_image\ A\_27b)})^{(ty\_2Efcp\_2Ecart\ A\_27a\ A\_27b)}) \quad (16)$$

**Definition 24** We define  $c\_2Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efcp\_2Ecart\ A\_27a\ A\_27b)$

**Definition 25** We define  $c\_2Efcp\_2EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 26** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2Efcp\_2EFCP$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (17)$$

**Definition 27** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(\lambda V3t3 \in$

**Definition 28** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebool\_2ECOND$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum}) \quad (18)$$

**Definition 29** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efcp\_2Ecart\ 2\ A\_27a).(ap (ap c\_2Esum\_num\_2ESUM$

**Definition 30** We define  $c\_2Ewords\_2Ew2w$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w \in (ty\_2Efcp\_2Ecart\ 2\ A\_27a\ A\_27b)$

**Definition 31** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 32** We define  $c\_Ewords\_Eword\_lsl$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).\lambda V1$

**Definition 33** We define  $c\_Ewords\_Eword\_or$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).\lambda V1$

**Definition 34** We define  $c\_Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b^{A\_27a}).(\lambda V1x \in A\_27$

**Definition 35** We define  $c\_Ewords\_Eword\_join$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0v \in (ty\_2EfcP\_2Ecart\ 2\ A\_27$

**Definition 36** We define  $c\_Ewords\_Eword\_concat$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0v \in (ty\_2EfcP\_2Ecart\ 2\ A\_27$

Let  $c\_2Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2Edimword\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (19)$$

**Definition 37** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 38** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (20)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (21)$$

**Definition 39** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (22)$$

**Definition 40** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2$

**Definition 41** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 42** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ 2$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (p \ V1B) \vee (p \ V2C))) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C)))))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee (p \ V0A)))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A) \vee \neg(p \ V1B)))) \wedge (((\neg(p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((\neg(p \ V0A) \wedge \neg(p \ V1B)))))))))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2.(((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow False))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow (((p \ V0A) \Rightarrow False) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \ V0A)) \Rightarrow False) \Rightarrow (((p \ V0A) \Rightarrow False) \Rightarrow False))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow ((p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee \neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee \neg(p \ V0p)))) \wedge ((p \ V2r) \vee ((\neg(p \ V1q)) \vee \neg(p \ V0p)))))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow ((p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee \neg(p \ V2r))) \wedge (((p \ V1q) \vee \neg(p \ V0p)) \wedge ((p \ V2r) \vee \neg(p \ V0p)))))))))) \quad (45)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee \neg(p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge ( \\
& \neg(p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow (\forall V0x \in (ty\_2Efc\_2Ecart\ 2\ A\_27b). (\forall V1y \in \\
& ty\_2Enum\_2Enum. (((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (c\_2Epred\_set\_2EUNIV \\
& A\_27a))) \wedge ((p\ (ap\ (ap\ c\_2Earithmic\_2E\_3C\_3D\ (ap\ (c\_2Efc\_2Edimindex \\
& A\_27b)\ (c\_2Ebool\_2Ethe\_value\ A\_27b)))\ (ap\ (c\_2Efc\_2Edimindex \\
& A\_27c)\ (c\_2Ebool\_2Ethe\_value\ A\_27c)))) \wedge (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C \\
& V1y)\ (ap\ (c\_2Ewords\_2Edimword\ A\_27b)\ (c\_2Ebool\_2Ethe\_value \\
& A\_27b)))))) \Rightarrow (((ap\ (ap\ (c\_2Ewords\_2Eword\_concat\ A\_27a\ A\_27b \\
& A\_27c)\ (ap\ (c\_2Ewords\_2En2w\ A\_27a)\ c\_2Enum\_2E0))\ V0x) = (ap\ (c\_2Ewords\_2En2w \\
& A\_27c)\ V1y)) \Leftrightarrow (V0x = (ap\ (c\_2Ewords\_2En2w\ A\_27b)\ V1y))))))
\end{aligned} \tag{49}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow (\forall V0y \in ty\_2Enum\_2Enum. (\forall V1x \in (ty\_2Efc\_2Ecart \\
& 2\ A\_27b). ((p\ (ap\ (ap\ c\_2Earithmic\_2E\_3C\_3D\ (ap\ (c\_2Efc\_2Edimindex \\
& A\_27b)\ (c\_2Ebool\_2Ethe\_value\ A\_27b)))\ (ap\ (c\_2Efc\_2Edimindex \\
& A\_27c)\ (c\_2Ebool\_2Ethe\_value\ A\_27c)))) \Rightarrow ((p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C \\
& V0y)\ (ap\ (c\_2Ewords\_2Edimword\ A\_27b)\ (c\_2Ebool\_2Ethe\_value \\
& A\_27b)))) \Rightarrow ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (c\_2Epred\_set\_2EUNIV \\
& A\_27a))) \Rightarrow (((ap\ (c\_2Ewords\_2En2w\ A\_27c)\ V0y) = (ap\ (ap\ (c\_2Ewords\_2Eword\_concat \\
& A\_27a\ A\_27b\ A\_27c)\ (ap\ (c\_2Ewords\_2En2w\ A\_27a)\ c\_2Enum\_2E0))\ V1x)) \Leftrightarrow \\
& ((ap\ (c\_2Ewords\_2En2w\ A\_27b)\ V0y) = V1x))))))
\end{aligned}$$