

thm\_2EHolSmt\_2Er253  
(TMLbMjibjtBm3RNZ1CrLarma4TxkuLvcYNf)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Efc\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efc\_2Efinite\_image\ A0) \tag{3}$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \tag{4}$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \tag{5}$$

Let  $c\_2Efc\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Efc\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (6)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (9)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ V0m)$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0P)))$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ V0m\ (ap\ V1n\ (c\_2Eprim\_rec\_2E\_3C\ V0m\ V1n)))$

**Definition 12** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ A\_27a)\ V0P)))$

**Definition 13** We define  $c\_2Efc\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Emin\_2E\_40\ A\_27a)\ (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2E\_3F\ A\_27a)}))$

Let  $ty\_2Efc\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efc\_2Ecart\ A0\ A1) \quad (10)$$

Let  $c\_2Efc\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efc\_2Edest\_cart\ A\_27a\ A\_27b \in ((A\_27a\ (ty\_2Efc\_2Efinite\_image\ A\_27b))\ (ty\_2Efc\_2Ecart\ A\_27a\ A\_27b)) \quad (11)$$

**Definition 14** We define  $c\_2Efc\_2Efc\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efc\_2Ecart\ A\_27a\ A\_27b).(ap\ V0x\ (ap\ (c\_2Emin\_2E\_40\ A\_27a)\ V0x))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (12)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 16** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 17** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EZERO\ V0n)\ (c\_2Earithmetic\_2EBIT1\ V0n))$

**Definition 18** We define `c_2Earithmetic_2ENUMERAL` to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let `c_2Earithmetic_2E_2D` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 19** We define `c_2Ebool_2ECOND` to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 20** We define `c_2Earithmetic_2EMIN` to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 21** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 22** We define `c_2Earithmetic_2E_3C_2D` to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 23** We define `c_2EfcP_2EFCP` to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}). (ap$

**Definition 24** We define `c_2Ewords_2Eword_2bits` to be  $\lambda A\_27a : \iota. \lambda V0h \in ty\_2Enum\_2Enum. \lambda V1l \in ty\_2Enum\_2Enum$

**Definition 25** We define `c_2Earithmetic_2EBIT2` to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic$

Let `c_2Earithmetic_2EEXP` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 26** We define `c_2Ebit_2ESBIT` to be  $\lambda V0b \in 2. \lambda V1n \in ty\_2Enum\_2Enum. (ap (ap (ap (c\_2Ebo$

Let `c_2Esum_2num_2ESUM` :  $\iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum}) \quad (15)$$

**Definition 27** We define `c_2Ewords_2Ew2n` to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2EfcP\_2Ecart 2 A\_27a). (ap (ap$

Let `c_2Earithmetic_2EDIV` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (16)$$

**Definition 28** We define `c_2Ebit_2EDIV_2EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

Let `c_2Earithmetic_2EMOD` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (17)$$

**Definition 29** We define `c_2Ebit_2EMOD_2EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 30** We define `c_2Ebit_2EBITS` to be  $\lambda V0h \in ty\_2Enum\_2Enum. \lambda V1l \in ty\_2Enum\_2Enum. \lambda V$

**Definition 31** We define `c_2Ebit_2EBIT` to be  $\lambda V0b \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap$

**Definition 32** We define  $c\_Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2EfcP\_2EFC$

**Definition 33** We define  $c\_Ewords\_2Ew2w$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a$

**Definition 34** We define  $c\_Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1$

**Definition 35** We define  $c\_Ewords\_2Eword\_extract$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0h \in ty\_2Enum\_2Enum$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (18)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ c\_2Enum\_2E0) = V0m)) \quad (19)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(p (ap (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V0m)\ V0m))) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\forall V2p \in ty\_2Enum\_2Enum.((p (ap (ap\ c\_2Earithmetic\_2E\_3C\_3D\ (ap (ap\ c\_2Earithmetic\_2E\_2D\ V0m)\ V1n))\ V2p)) \Leftrightarrow (p (ap (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V0m)\ (ap (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V2p))))))) \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0h \in ty\_2Enum\_2Enum.(\forall V1l \in ty\_2Enum\_2Enum.(\forall V2w \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).((ap (ap (ap (c\_2Ewords\_2Eword\_bits\ A\_27a)\ V0h)\ V1l)\ V2w) = (ap (ap (ap (c\_2Ewords\_2Eword\_extract\ A\_27a\ A\_27a)\ V0h)\ V1l)\ V2w)))))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0w \in (\text{ty\_2E}fcp\_2Ecart \\
& 2 A_{27a}). (\forall V1h \in \text{ty\_2E}num\_2Eenum. ((p (ap (ap c\_2E}arithmic\_2E\_3C\_3D \\
& (ap (ap c\_2E}arithmic\_2E\_2D (ap (c\_2E}fcp\_2E}dimindex A_{27a}) ( \\
& c\_2E}bool\_2E}the\_value A_{27a}))) (ap c\_2E}arithmic\_2E}ENUMERAL \\
& (ap c\_2E}arithmic\_2E}EBIT1 c\_2E}arithmic\_2E}EZERO)))) V1h)) \Rightarrow \\
& ((ap (ap (ap (c\_2E}words\_2E}word\_bits A_{27a}) V1h) c\_2E}enum\_2E0) \\
& V0w) = V0w)))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& ((ap (c\_2E}fcp\_2E}dimindex \text{ty\_2E}one\_2E}one) (c\_2E}bool\_2E}the\_value \\
& \text{ty\_2E}one\_2E}one)) = (ap c\_2E}arithmic\_2E}ENUMERAL (ap c\_2E}arithmic\_2E}EBIT1 \\
& c\_2E}arithmic\_2E}EZERO)))
\end{aligned} \tag{27}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0x \in (\text{ty\_2E}fcp\_2E}cart 2 \text{ty\_2E}one\_2E}one). ((ap (ap (ap \\
& (c\_2E}words\_2E}word\_extract \text{ty\_2E}one\_2E}one \text{ty\_2E}one\_2E}one) \\
& c\_2E}enum\_2E0) c\_2E}enum\_2E0) V0x) = V0x)
\end{aligned}$$