

# thm\_2EHolSmt\_2Et007 (TM-SKhG3h4reR5BPzrENXmDbwpPKmYQWj9Sn)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c\_2Emin\_2E\_40 A$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow & nonempty\ (ty\_2Epair\_2Eprod \\ & A0\ A1) \end{aligned} \quad (2)$$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (3)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \quad (4)$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 6** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint. (ap (c\_2Emin\_2E\_40 (ty\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (5)$$

**Definition 7** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger\_2Eint. (ap (c\_2Ebool\_2E_21 2) (V0t < V1t))$ .

**Definition 8** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E_21 2) (\lambda V0t \in 2. V0t))$ .

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E_21 2)))$ .

**Definition 11** We define  $c\_2Einteger\_2Eint\_le$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint. \lambda V1y \in ty\_2Einteger\_2Eint. (V0x \leq V1y)$ .

**Definition 12** We define  $c\_2Einteger\_2Eint\_ge$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint. \lambda V1y \in ty\_2Einteger\_2Eint. (V0x \geq V1y)$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (6)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (7)$$

**Definition 13** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 14** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Einteger\_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (8)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (9)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}} \quad (10)$$

**Definition 15** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$ .

**Definition 16** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger\_2Eint. (ap (c\_2Einteger\_2Eint\_ABS V0T1) V1T2)$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (11)$$

**Definition 17** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E_21 2) (\lambda V2t \in 2. (V0t1 = V2t))))))$ .

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (V0t = V2t2))))$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 19** We define  $c\_2Eenumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Einteger\_2Etint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_add \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}) \quad (13)$$

**Definition 20** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (14)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (15)$$

**Definition 21** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2EABS\_num m)$

**Definition 22** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap c\_2Eprim\_rec\_2E\_3C m n)$

**Definition 23** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (V2t)))$

**Definition 24** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap c\_2Earithmetic\_2E\_3C\_3D m n)$

**Definition 25** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2EBIT2 n))$

**Definition 26** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2EBIT1 n))$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}) \quad (16)$$

**Definition 27** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. (ap c\_2Einteger\_2Eint\_neg T1)$

**Definition 28** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint)^{ty\_2Enum\_2Enum} \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (21)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A\_27a. (p V0t) \Leftrightarrow (p V0t)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (24)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (25)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (28)$$

Assume the following.

$$\forall A \exists a. nonempty A \Rightarrow (\forall V0P \in (2^{A-27a}). ((\neg(\exists V1x \in A \exists a. (p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A \exists a. (\neg(p (ap V0P V2x))))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & ((p (ap (ap c\_2Einteger\_2Eint\_lt V0x) V1y)) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le \\ & (ap (ap c\_2Einteger\_2Eint\_add V0x) (ap c\_2Einteger\_2Eint\_of\_num \\ & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) \\ & V1y)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & ((p (ap (ap c\_2Einteger\_2Eint\_le V0x) V1y)) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le \\ & (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add \\ & V1y) (ap c\_2Einteger\_2Eint\_neg V0x)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & ((V0x = V1y) \Leftrightarrow ((ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0) = ( \\ & ap (ap c\_2Einteger\_2Eint\_add V1y) (ap c\_2Einteger\_2Eint\_neg \\ & V0x)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0c \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. \\ & (\forall V2y \in ty\_2Einteger\_2Eint. (((ap c\_2Einteger\_2Eint\_of\_num \\ & c\_2Enum\_2E0) = (ap (ap c\_2Einteger\_2Eint\_add V0c) V1x)) \Rightarrow ((p ( \\ & ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_of\_num \\ & c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\ & V0c)) V2y)) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_neg \\ & V1x)) V2y))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0y \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. \\ & ((ap (ap c\_2Einteger\_2Eint\_add V1x) V0y) = (ap (ap c\_2Einteger\_2Eint\_add \\ & V0y) V1x)))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0z \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & (\forall V2x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_add \\ & V2x) (ap (ap c\_2Einteger\_2Eint\_add V1y) V0z)) = (ap (ap c\_2Einteger\_2Eint\_add \\ & (ap (ap c\_2Einteger\_2Eint\_add V2x) V1y)) V0z)))))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c_2Einteger_2Eint_add V0x) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) = V0x)) \quad (36)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c_2Einteger_2Eint_mul (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V0x) = V0x)) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_add V0x) V1y)) = (ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg V0x)) (ap c_2Einteger_2Eint_neg V1y))))) \quad (38)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_mul V0x) V1y)) = (ap (ap c_2Einteger_2Eint_mul (ap c_2Einteger_2Eint_neg V0x)) V1y))))) \quad (39)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_mul V0x) V1y)) = (ap (ap c_2Einteger_2Eint_mul V0x) (ap c_2Einteger_2Eint_neg V1y))))) \quad (40)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. ((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_neg V0x)) = V0x)) \quad (41)$$

Assume the following.

$$((\neg(p (ap (ap c_2Einteger_2Eint_le V0x) V1y))) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_lt V1y) V0x)))) \quad (42)$$

Assume the following.

$$((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) \quad (43)$$

Assume the following.

$$((\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. ((ap c_2Einteger_2Eint_neg V0x) = (ap c_2Einteger_2Eint_neg V1y)) \Leftrightarrow (V0x = V1y)))) \quad (44)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty\_2Einteger\_2Eint. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2m \in ty\_2Enum\_2Enum. (((ap (ap c\_2Einteger\_2Eint\_add \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0p) = V0p) \wedge ((( \\
& ap (ap c\_2Einteger\_2Eint\_add V0p) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = V0p) \wedge (((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \wedge \\
& (((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_neg V0p)) = \\
& V0p) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V1n))) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V2m))) = (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B \\
& V1n) V2m)))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V1n))) (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V2m))) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Einteger\_2Eint) (ap \\
& (ap c\_2Earithmetic\_2E\_3C\_3D V2m) V1n)) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V1n) \\
& V2m))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V2m) \\
& V1n)))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V1n))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V2m))) = (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2m))))))))))))))) \\
& (45)
\end{aligned}$$

Assume the following.

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (47)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (51)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V1q) \vee \\ & (p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q) \wedge (p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (55)$$

### Theorem 1

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint. \\ ((\neg(V0x = V1y)) \vee (p (ap (ap c\_2Einteger\_2Eint\_ge V0x) V1y))))))$$