

# thm\_2EHolSmt\_2Et021 (TMGqnESbLDQA- WoxqnMmGVwftWd1fAt4riRE)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define  $c\_Earithmetic\_EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2E21) V0t)$ .

**Definition 8** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_Earithmetic\_EEXP : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

Let  $c\_Earithmetic\_EMOD : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (8)$$

**Definition 9** We define  $c\_Ebit\_EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_Earithmetic\_EDIV : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (9)$$

**Definition 10** We define  $c\_Ebit\_EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (10)$$

**Definition 11** We define  $c\_Ebit\_EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.V0h$ .

**Definition 12** We define  $c\_Emin\_E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow Q)$  of type  $\iota$ .

**Definition 13** We define  $c\_Ebool\_EF$  to be  $(ap (c\_Ebool\_E\_21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 14** We define  $c\_Ebool\_E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_E\_3D\_3D\_3E) V0t) c\_Ebool\_E\_21)$ .

**Definition 15** We define  $c\_Ebool\_E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21) 2) (\lambda V2t \in 2.V0t2)))$ .

**Definition 16** We define  $c\_Emin\_E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then  $(\lambda x.x \in A \wedge P x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 17** We define  $c\_Ebool\_E\_3F$  to be  $\lambda A.^{27a} : \iota.(\lambda V0P \in (2^A)^{27a}).(ap V0P (ap (c\_Emin\_E\_40) P))$ .

**Definition 18** We define  $c\_Eprim\_rec\_E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0m$ .

**Definition 19** We define  $c\_Earithmetic\_E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0m$ .

**Definition 20** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21) 2) (\lambda V2t \in 2.V0t2)))$ .

**Definition 21** We define  $c\_Earithmetic\_E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0m$ .

**Definition 22** We define  $c\_Earithmetic\_E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0m$ .

**Definition 23** We define  $c\_Ebool\_ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 24** We define  $c\_Eprim\_rec\_EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap (ap (ap (c\_Ebool\_2E$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 25** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_2Enumeral\_bit\_2EFDUB : \iota$  be given. Assume the following.

$$c\_2Enumeral\_bit\_2EFDUB \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{(ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum}}) \quad (14)$$

**Definition 26** We define  $c\_2Earithmetic\_2EDIV2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic$

**Definition 27** We define  $c\_2Enumeral\_bit\_2EiDIV2$  to be  $c\_2Earithmetic\_2EDIV2$ .

Let  $c\_2Enumeral\_bit\_2ESFUNPOW : \iota$  be given. Assume the following.

$$c\_2Enumeral\_bit\_2ESFUNPOW \in (((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{(ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum}}) \quad (15)$$

Let  $ty\_2Efc\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Efc\_2Ecart A0 A1) \quad (16)$$

**Definition 28** We define  $c\_2Ecombin\_2EFAIL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0x \in A\_27a. (\lambda V1y \in A\_27b. V$

**Definition 29** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic$

**Definition 30** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap$

Let  $ty\_2Efc\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Efc\_2Efinite\_image A0) \quad (17)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Ebool\_2Eitself A0) \quad (18)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \quad (19)$$

Let  $c\_2Efcf\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Efcf\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (20)$$

**Definition 31** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 32** We define  $c\_2Efcf\_2Efinite\_index$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum}$

Let  $c\_2Efcf\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efcf\_2Edest\_cart\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efcf\_2Efinite\_image\ A\_27b)})^{(ty\_2Efcf\_2Ecart\ A\_27a\ A\_27b)}) \quad (21)$$

**Definition 33** We define  $c\_2Efcf\_2Efcf\_index$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in (ty\_2Efcf\_2Ecart\ A\_27a$

**Definition 34** We define  $c\_2Efcf\_2EFCF$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}). (ap$

**Definition 35** We define  $c\_2Ewords\_2Een2w$  to be  $\lambda A\_27a : \iota. \lambda V0n \in ty\_2Enum\_2Enum. (ap\ (c\_2Efcf\_2EFCF$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (22)$$

Assume the following.

$$(\forall V0c \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V0c)\ V0c) = c\_2Enum\_2E0)) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in ((A\_27a^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}). \\ & \quad (\forall V1g \in (A\_27a^{ty\_2Enum\_2Enum}). ((\forall V2n \in ty\_2Enum\_2Enum. \\ & \quad ((ap\ V1g\ (ap\ c\_2Enum\_2ESUC\ V2n)) = (ap\ (ap\ V0f\ V2n)\ (ap\ c\_2Enum\_2ESUC\ V2n)))) \Leftrightarrow ((\forall V3n \in ty\_2Enum\_2Enum. ((ap\ V1g\ (ap\ c\_2Earithmetic\_2ENUMERAL \\ & \quad (ap\ c\_2Earithmetic\_2EBIT1\ V3n))) = (ap\ (ap\ V0f\ (ap\ (ap\ c\_2Earithmetic\_2E\_2D \\ & \quad (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ V3n))) \\ & \quad (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))))) \\ & \quad (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ V3n)))))) \wedge \\ & \quad (\forall V4n \in ty\_2Enum\_2Enum. ((ap\ V1g\ (ap\ c\_2Earithmetic\_2ENUMERAL \\ & \quad (ap\ c\_2Earithmetic\_2EBIT2\ V4n))) = (ap\ (ap\ V0f\ (ap\ c\_2Earithmetic\_2ENUMERAL \\ & \quad (ap\ c\_2Earithmetic\_2EBIT1\ V4n)))\ (ap\ c\_2Earithmetic\_2ENUMERAL \\ & \quad (ap\ c\_2Earithmetic\_2EBIT2\ V4n))))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum.(((ap (ap c\_2Earithmetic\_2EEXP \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \\
& V0n) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& c\_2Earithmetic\_2EZERO))) \wedge ((ap (ap c\_2Earithmetic\_2EEXP V0n) \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = \\
& V0n)))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D ( \\
& ap c\_2Enum\_2ESUC V0a)) V0a) = (ap c\_2Earithmetic\_2ENUMERAL (ap \\
& c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty\_2Enum\_2Enum.(\forall V1l \in ty\_2Enum\_2Enum.( \\
& (ap (ap (ap c\_2Ebit\_2EBITS V0h) V1l) c\_2Enum\_2E0) = c\_2Enum\_2E0)))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum.((p (ap c\_2Earithmetic\_2EODD V0n)) \Leftrightarrow \\
& ((ap (ap c\_2Earithmetic\_2EMOD V0n) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) = (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))
\end{aligned} \tag{28}$$

Assume the following.

$$True \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))))
\end{aligned} \tag{33}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (36)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. (((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V0t1) V1t2) = V1t2)))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (38)$$

Assume the following.

$$(\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2R \in 2. (((p V0P) \vee (p V1Q)) \Rightarrow (p V2R)) \Leftrightarrow (((p V0P) \Rightarrow (p V2R)) \wedge ((p V1Q) \Rightarrow (p V2R))))) \quad (39)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (40)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))) \quad (41)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. (\forall V5y\_27 \in A\_27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) V5y\_27)))))) \quad (42)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (2^{A\_27a}). (\forall V1v \in A\_27a. ((\forall V2x \in A\_27a. ((V2x = V1v) \Rightarrow (p (ap\ V0f\ V2x)))) \Leftrightarrow (p (ap\ V0f\ V1v)))))) \quad (43)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0x \in (ty\_2EfcP\_2Ecart\ A\_27a\ A\_27b). (\forall V1y \in (ty\_2EfcP\_2Ecart\ A\_27a\ A\_27b). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty\_2Enum\_2Enum. ((p (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V2i)\ (ap\ (c\_2EfcP\_2Edimindex\ A\_27b)\ (c\_2Ebool\_2Ethe\_value\ A\_27b)))) \Rightarrow ((ap\ (ap\ (c\_2EfcP\_2EfcP\_index\ A\_27a\ A\_27b)\ V0x)\ V2i) = (ap\ (ap\ (c\_2EfcP\_2EfcP\_index\ A\_27a\ A\_27b)\ V1y)\ V2i)))))))))) \quad (44)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$



Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((c\_2Earithmic\_2EZERO = (ap\ c\_2Earithmic\_2EBIT1\ V0n)) \Leftrightarrow False) \wedge \\
& (((ap\ c\_2Earithmic\_2EBIT1\ V0n) = c\_2Earithmic\_2EZERO) \Leftrightarrow \\
& False) \wedge (((c\_2Earithmic\_2EZERO = (ap\ c\_2Earithmic\_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmic\_2EBIT2\ V0n) = c\_2Earithmic\_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap\ c\_2Earithmic\_2EBIT1\ V0n) = (ap\ c\_2Earithmic\_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmic\_2EBIT2\ V0n) = (ap\ c\_2Earithmic\_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmic\_2EBIT1\ V0n) = (ap\ c\_2Earithmic\_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c\_2Earithmic\_2EBIT2\ V0n) = (ap\ c\_2Earithmic\_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m)))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((p\ (ap\ c\_2Earithmic\_2EVEN\ c\_2Earithmic\_2EZERO)) \wedge \\
& ((p\ (ap\ c\_2Earithmic\_2EVEN\ (ap\ c\_2Earithmic\_2EBIT2\ V0n))) \wedge \\
& ((\neg(p\ (ap\ c\_2Earithmic\_2EVEN\ (ap\ c\_2Earithmic\_2EBIT1\ V0n)))) \wedge \\
& ((\neg(p\ (ap\ c\_2Earithmic\_2EODD\ c\_2Earithmic\_2EZERO))) \wedge (( \\
& \neg(p\ (ap\ c\_2Earithmic\_2EODD\ (ap\ c\_2Earithmic\_2EBIT2\ V0n)))) \wedge \\
& (p\ (ap\ c\_2Earithmic\_2EODD\ (ap\ c\_2Earithmic\_2EBIT1\ V0n)))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Ebit\_2EDIV\_2EXP\ V0n) \\
& c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2x \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Ebit\_2EDIV\_2EXP\ V1n) \\
& (ap\ c\_2Earithmic\_2ENUMERAL\ V2x)) = (ap\ c\_2Earithmic\_2ENUMERAL \\
& (ap\ (ap\ (ap\ c\_2Enumeral\_bit\_2ESFUNPOW\ c\_2Enumeral\_bit\_2EiDIV2) \\
& V1n)\ V2x))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0x \in ty\_2Enum\_2Enum.((ap (ap (ap c\_2Enumeral\_bit\_2ESFUNPOW \\
& \quad c\_2Enumeral\_bit\_2EiDIV2) c\_2Enum\_2E0) V0x) = V0x)) \wedge ((\forall V1y \in \\
& ty\_2Enum\_2Enum.((ap (ap (ap c\_2Enumeral\_bit\_2ESFUNPOW c\_2Enumeral\_bit\_2EiDIV2) \\
& \quad V1y) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V2n \in ty\_2Enum\_2Enum. \\
& (\forall V3x \in ty\_2Enum\_2Enum.((ap (ap (ap c\_2Enumeral\_bit\_2ESFUNPOW \\
& \quad c\_2Enumeral\_bit\_2EiDIV2) (ap c\_2Earithmetic\_2ENUMERAL (ap \\
& c\_2Earithmetic\_2EBIT1 V2n))) V3x) = (ap (ap (ap c\_2Enumeral\_bit\_2ESFUNPOW \\
& \quad (ap c\_2Enumeral\_bit\_2EFDUB c\_2Enumeral\_bit\_2EiDIV2)) (ap \\
& \quad c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Enumeral\_bit\_2EiDIV2 \\
& \quad V3x)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum.(\forall V5x \in ty\_2Enum\_2Enum. \\
& ((ap (ap (ap c\_2Enumeral\_bit\_2ESFUNPOW c\_2Enumeral\_bit\_2EiDIV2) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 V4n))) \\
& V5x) = (ap (ap (ap c\_2Enumeral\_bit\_2ESFUNPOW (ap c\_2Enumeral\_bit\_2EFDUB \\
& \quad c\_2Enumeral\_bit\_2EiDIV2)) (ap c\_2Earithmetic\_2ENUMERAL V4n)) \\
& \quad (ap c\_2Enumeral\_bit\_2EiDIV2 (ap c\_2Enumeral\_bit\_2EiDIV2 V5x))))))))))
\end{aligned} \tag{49}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V0n) c\_2Enum\_2E0)))) \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) (ap c\_2Enum\_2ESUC V1n))) \Leftrightarrow ( \\
& (V0m = V1n) \vee (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) \\
(ap (c\_2Efc\_2Edimindex A\_27a) (c\_2Ebool\_2Ethe\_value A\_27a)))) \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0index\_20too\_20large \in \\
& 2.(\forall V1n \in ty\_2Enum\_2Enum.(\forall V2i \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap (c\_2Efc\_2Efc\_index 2 A\_27a) (ap (c\_2Ewords\_2En2w \\
& A\_27a) V1n)) V2i)) \Leftrightarrow (p (ap (ap (ap (c\_2Ebool\_2ECOND 2) (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V2i) (ap (c\_2Efc\_2Edimindex A\_27a) (c\_2Ebool\_2Ethe\_value A\_27a)))) \\
& (ap (ap c\_2Ebit\_2EBIT V2i) V1n)) (ap (ap (ap (ap (c\_2Ecombin\_2EFAIL \\
& ((2^{ty\_2Enum\_2Enum})(ty\_2Efc\_2Ecart 2 A\_27a) 2) (c\_2Efc\_2Efc\_index \\
& 2 A\_27a)) V0index\_20too\_20large) (ap (c\_2Ewords\_2En2w A\_27a) \\
& \quad V1n)) V2i))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
 & ((ap (c\_2Efc\_2Edimindex ty\_2Eone\_2Eone) (c\_2Ebool\_2Ethe\_value \\
 & ty\_2Eone\_2Eone)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
 & c\_2Earithmetic\_2EZERO))) \\
 & \hspace{15em} (54)
 \end{aligned}$$

**Theorem 1**

$$\begin{aligned}
 & (\forall V0x \in (ty\_2Efc\_2Ecart\ 2\ ty\_2Eone\_2Eone).((p (ap (ap \\
 & (c\_2Efc\_2Efc\_index\ 2\ ty\_2Eone\_2Eone) V0x) c\_2Enum\_2E0)) \Rightarrow \\
 & ((ap (c\_2Ewords\_2En2w ty\_2Eone\_2Eone) (ap c\_2Earithmetic\_2ENUMERAL \\
 & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0x))
 \end{aligned}$$