

thm_2EHolSmt_2Et027 (TM-TANgZg8tDAUbG2NsfhpYjatHakLxrZVUU)

October 26, 2020

Let $c_2Enum_2ZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (2)$$

Let $c_2Enum_2ABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2ABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be ($ap\ c_2Enum_2ABS_num\ c_2Enum_2ZERO_REP$).

Definition 3 We define $c_2Earithmetic_2ZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 4 We define c_2Ebool_2ET to be ($ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$)

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x)))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2ABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 7 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT2 n) 0)$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 9 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2EEXP (c_2EMOD n) x)$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Definition 10 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Ebit_2EMOD_2EXP (c_2EDIV n) x)$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 11 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2m \in ty_2Enum_2Enum.(c_2Ebit_2EDIV_2EXP (c_2Ebit_2E_2D h) l)$

Definition 12 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.(ap (c_2Ebool_2E_7E t1) t2))))$

Definition 16 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge P x)) \text{ else } (\lambda x.x \in A \wedge \neg P x)$ of type $\iota \Rightarrow \iota$.

Definition 17 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A) P)))$

Definition 18 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Eprim_rec (c_2Ebool_2E_3F (c_2Emin_2E_40 A)))$

Definition 19 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Earithmetic_2EEXP (c_2Eprim_rec_2E_3C m) n)$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.(ap (c_2Ebool_2E_7E t1) t2))))$

Definition 21 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Earithmetic_2EEXP (c_2Ebool_2E_5C_2F m) n)$

Definition 22 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Earithmetic_2EEXP (c_2Eprim_rec_2E_3C m) n)$

Definition 23 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 24 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum. (ap (ap (ap (ap (c_2Ebool_2E$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 25 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x.$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Enumeral_bit_2EFDUB : \iota$ be given. Assume the following.

$$c_2Enumeral_bit_2EFDUB \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})}) \quad (14)$$

Definition 26 We define $c_2Earithmetic_2EDIV2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic$

Definition 27 We define $c_2Enumeral_bit_2EiDIV2$ to be $c_2Earithmetic_2EDIV2.$

Let $c_2Enumeral_bit_2ESFUNPOW : \iota$ be given. Assume the following.

$$c_2Enumeral_bit_2ESFUNPOW \in (((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{(ty_2Enum_2Enum)}) \quad (15)$$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.\text{nonempty } A0 \Rightarrow & \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Efcp_2Ecart \\ & A0 A1) \end{aligned} \quad (16)$$

Definition 28 We define $c_2Ecombin_2EFAIL$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V$

Definition 29 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic$

Definition 30 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap$

Let $ty_2Efcp_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Efcp_2Efinite_image A0) \quad (17)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Ebool_2Eitself A0) \quad (18)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow c_2Ebool_2Ethethe_value A_{27a} \in (ty_2Ebool_2Eitself A_{27a}) \quad (19)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow c_2Efcp_2Edimindex A_{27a} \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_{27a})}) \quad (20)$$

Definition 31 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap (ap c_2Ebool_2E_2F_5C))$

Definition 32 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_{27a} : \iota.(ap (c_2Emin_2E_40 (A_{27a}^{ty_2Enum_2Enum}))$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow c_2Efcp_2Edest_cart A_{27a} A_{27b} \in ((A_{27a}^{(ty_2Efcp_2Efinite_image A_{27b})})(ty_2Efcp_2Ecart A_{27a} A_{27b})) \quad (21)$$

Definition 33 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_{27a} : \iota.\lambda A_{27b} : \iota.\lambda V0x \in (ty_2Efcp_2Ecart A_{27a} A_{27b})$

Definition 34 We define c_2Efcp_2EFCP to be $\lambda A_{27a} : \iota.\lambda A_{27b} : \iota.(\lambda V0g \in (A_{27a}^{ty_2Enum_2Enum}).(ap (c_2Efcp_2EFCP V0g)))$

Definition 35 We define $c_2Ewords_2En2w$ to be $\lambda A_{27a} : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efcp_2EFCP V0n)))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (22)$$

Assume the following.

$$(\forall V0c \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D V0c) V0c) = c_2Enum_2E0)) \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (\forall V0f \in ((A_{27a}^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}). \\ & (\forall V1g \in (A_{27a}^{ty_2Enum_2Enum}).((\forall V2n \in ty_2Enum_2Enum. \\ & ((ap V1g (ap c_2Enum_2ESUC V2n)) = (ap (ap V0f V2n) (ap c_2Enum_2ESUC \\ & V2n)))) \Leftrightarrow (\forall V3n \in ty_2Enum_2Enum.((ap V1g (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 V3n))) = (ap (ap V0f (ap (ap c_2Earithmetic_2E_2D \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V3n)))) \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V3n))))))) \wedge \\ & (\forall V4n \in ty_2Enum_2Enum.((ap V1g (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT2 V4n))) = (ap (ap V0f (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 V4n))) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT2 V4n))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty_2Enum_2Enum.(((ap (ap c_2Earithmetic_2EEXP \\
 & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) \\
 & V0n) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
 & c_2Earithmetic_2EZERO))) \wedge ((ap (ap c_2Earithmetic_2EEXP V0n) \\
 & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = \\
 & V0n)))
 \end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0a \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D (\\
 & ap c_2Enum_2ESUC V0a)) V0a) = (ap c_2Earithmetic_2ENUMERAL (ap \\
 & c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))
 \end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h \in ty_2Enum_2Enum.(\forall V1l \in ty_2Enum_2Enum.(\\
 & (ap (ap (ap c_2Ebit_2EBITS V0h) V1l) c_2Enum_2E0) = c_2Enum_2E0)))
 \end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty_2Enum_2Enum.((p (ap c_2Earithmetic_2EODD V0n)) \Leftrightarrow \\
 & ((ap (ap c_2Earithmetic_2EMOD V0n) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) = (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))
 \end{aligned} \tag{28}$$

Assume the following.

$$True \tag{29}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
 V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{30}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{31}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{32}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
 & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
 & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
 \end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (35)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \quad (36))$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\ True)) \quad (37)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & (p V0t))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\ & A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) \\ & V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee \\ (p V1B)))))) \quad (41)$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.(((p V0P) \vee \\ (p V1Q)) \Rightarrow (p V2R)) \Leftrightarrow (((p V0P) \Rightarrow (p V2R)) \wedge ((p V1Q) \Rightarrow (p V2R))))))) \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (43)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow \\ & \quad \forall V0f \in (A_{27b}^{A_{27a}}). (\forall V1b \in 2. (\forall V2x \in A_{27a}. \\ & \quad (\forall V3y \in A_{27a}. ((ap V0f (ap (ap (ap (c_2Ebool_2ECOND A_{27a}) \\ & \quad V1b) V2x) V3y)) = (ap (ap (ap (c_2Ebool_2ECOND A_{27b}) V1b) (ap V0f \\ & \quad V2x)) (ap V0f V3y))))))) \end{aligned} \quad (44)$$

Assume the following.

$$(\forall V0b \in 2. (\forall V1t1 \in 2. (\forall V2t2 \in 2. ((p (ap (ap \\ & \quad (ap (c_2Ebool_2ECOND 2) V0b) V1t1) V2t2)) \Leftrightarrow (((\neg(p V0b)) \vee (p V1t1)) \wedge \\ & \quad ((p V0b) \vee (p V2t2))))))) \quad (45)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in \\ 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow \quad (46) \\ (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))))$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & \quad (\forall V2x \in A_{27a}. (\forall V3x_{27} \in A_{27a}. (\forall V4y \in A_{27a}. \\ & \quad (\forall V5y_{27} \in A_{27a}. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{27})) \wedge \\ & \quad ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{27})))))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_{27a}) \\ & \quad V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_{27a}) V1Q) V3x_{27} \\ & \quad V5y_{27}))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0f \in (2^{A_{27a}}). (\forall V1v \in \\ & \quad A_{27a}. ((\forall V2x \in A_{27a}. ((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (\\ & \quad ap V0f V1v)))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow \\ & \quad \forall V0x \in (ty_2Efcp_2Ecart A_{27a} A_{27b}). (\forall V1y \in (ty_2Efcp_2Ecart \\ & \quad A_{27a} A_{27b}). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum. ((p (ap \\ & \quad (ap c_2Eprim_rec_2E_3C V2i) (ap (c_2Efcp_2Edimindex A_{27b}) (\\ & \quad c_2Ebool_2Ethe_value A_{27b})))) \Rightarrow ((ap (ap (c_2Efcp_2Efcp_index \\ & \quad A_{27a} A_{27b}) V0x) V2i) = (ap (ap (c_2Efcp_2Efcp_index A_{27a} A_{27b}) \\ & \quad V1y) V2i))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2EiZ (ap \\
& (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& ((\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
(ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge (((ap c_2Enum_2ESUC \\
c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum. \\
& (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Enum_2ESUC V17n)))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
(ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL \\
V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& ((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
V28n)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL \\
V32n)) (ap c_2Earithmetic_2ENUMERAL V32n)))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((c_2Earithmetic_2EZERO = (ap c_2Earithmetic_2EBIT1 V0n)) \Leftrightarrow False) \wedge \\
& (((ap c_2Earithmetic_2EBIT1 V0n) = c_2Earithmetic_2EZERO) \Leftrightarrow \\
& False) \wedge (((c_2Earithmetic_2EZERO = (ap c_2Earithmetic_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap c_2Earithmetic_2EBIT2 V0n) = c_2Earithmetic_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap c_2Earithmetic_2EBIT1 V0n) = (ap c_2Earithmetic_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap c_2Earithmetic_2EBIT2 V0n) = (ap c_2Earithmetic_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap c_2Earithmetic_2EBIT1 V0n) = (ap c_2Earithmetic_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap c_2Earithmetic_2EBIT2 V0n) = (ap c_2Earithmetic_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m))))))) \\
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((p (ap c_2Earithmetic_2EEVEN c_2Earithmetic_2EZERO)) \wedge \\
& ((p (ap c_2Earithmetic_2EEVEN (ap c_2Earithmetic_2EBIT2 V0n))) \wedge \\
& ((\neg(p (ap c_2Earithmetic_2EEVEN (ap c_2Earithmetic_2EBIT1 V0n))) \wedge \\
& ((\neg(p (ap c_2Earithmetic_2EODD c_2Earithmetic_2EZERO)) \wedge \\
& (\neg(p (ap c_2Earithmetic_2EODD (ap c_2Earithmetic_2EBIT2 V0n))) \wedge \\
& (p (ap c_2Earithmetic_2EODD (ap c_2Earithmetic_2EBIT1 V0n))))))) \\
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum. ((ap (ap c_2Ebit_2EDIV_2EXP V0n) \\
& c_2Enum_2E0) = c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum. \\
& \forall V2x \in ty_2Enum_2Enum. ((ap (ap c_2Ebit_2EDIV_2EXP V1n) \\
& (ap c_2Earithmetic_2ENUMERAL V2x)) = (ap c_2Earithmetic_2ENUMERAL \\
& (ap (ap (ap c_2Enumeral_bit_2ESFUNPOW c_2Enumeral_bit_2EiDIV2) \\
& V1n) V2x)))))) \\
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0x \in ty_2Enum_2Enum.((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW \\
& \quad c_2Enumeral_bit_2EiDIV2) c_2Enum_2E0) V0x) = V0x)) \wedge ((\forall V1y \in \\
& \quad ty_2Enum_2Enum.((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW c_2Enumeral_bit_2EiDIV2) \\
& \quad V1y) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V2n \in ty_2Enum_2Enum. \\
& \quad (\forall V3x \in ty_2Enum_2Enum.((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW \\
& \quad c_2Enumeral_bit_2EiDIV2) (ap c_2Earithmetic_2ENUMERAL (ap \\
& \quad c_2Earithmetic_2EBIT1 V2n))) V3x) = (ap (ap (ap c_2Enumeral_bit_2ESFUNPOW \\
& \quad (ap c_2Enumeral_bit_2EFDUB c_2Enumeral_bit_2EiDIV2)) (ap \\
& \quad c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Enumeral_bit_2EiDIV2 \\
& \quad V3x)))))) \wedge (\forall V4n \in ty_2Enum_2Enum.(\forall V5x \in ty_2Enum_2Enum. \\
& \quad ((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW c_2Enumeral_bit_2EiDIV2) \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 V4n))) \\
& \quad V5x) = (ap (ap (ap c_2Enumeral_bit_2ESFUNPOW (ap c_2Enumeral_bit_2EFDUB \\
& \quad c_2Enumeral_bit_2EiDIV2)) (ap c_2Earithmetic_2ENUMERAL V4n)) \\
& \quad (ap c_2Enumeral_bit_2EiDIV2 (ap c_2Enumeral_bit_2EiDIV2 V5x))))))) \\
& \quad (54)
\end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V0n) c_2Enum_2E0)))) \quad (55)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\
& \quad (p (ap (ap c_2Eprim_rec_2E_3C V0m) (ap c_2Enum_2ESUC V1n))) \Leftrightarrow \\
& \quad (V0m = V1n) \vee (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))))) \\
& \quad (56)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) \\
& \quad (ap (c_2Efcp_2Edimindex A_27a) (c_2Ebool_2Ethe_value A_27a)))) \\
& \quad (57))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0i \in ty_2Enum_2Enum. \\
& \quad (p (ap (ap c_2Eprim_rec_2E_3C V0i) (ap (c_2Efcp_2Edimindex A_27a) \\
& \quad (c_2Ebool_2Ethe_value A_27a)))) \Rightarrow (\neg(p (ap (ap (c_2Efcp_2Efcp_index \\
& \quad 2 A_27a) (ap (c_2Ewords_2En2w A_27a) c_2Enum_2E0)) V0i)))))) \\
& \quad (58)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
 & \forall A_{27a}. nonempty\ A_{27a} \Rightarrow (\forall V0index_20too_20large \in \\
 & 2. (\forall V1n \in ty_2Enum_2Enum. (\forall V2i \in ty_2Enum_2Enum. \\
 & ((p (ap (ap (c_2Efcp_2Efcp_index 2 A_{27a}) (ap (c_2Ewords_2En2w \\
 & A_{27a}) V1n)) V2i)) \Leftrightarrow (p (ap (ap (ap (c_2Ebool_2ECOND 2) (ap (ap c_2Eprim_rec_2E_3C \\
 & V2i) (ap (c_2Efcp_2Edimindex A_{27a}) (c_2Ebool_2Eth_value A_{27a}))) \\
 & (ap (ap c_2Ebit_2EBIT V2i) V1n)) (ap (ap (ap (c_2Ecombin_2EFAIL \\
 & ((2^{ty_2Enum_2Enum}(ty_2Efcp_2Ecart 2 A_{27a})) 2) (c_2Efcp_2Efcp_index \\
 & 2 A_{27a})) V0index_20too_20large) (ap (c_2Ewords_2En2w A_{27a}) \\
 & V1n)) V2i)))))))
 \end{aligned} \tag{59}$$

Assume the following.

$$((ap (c_2Efcp_2Edimindex ty_2Eone_2Eone) (c_2Ebool_2Eth_value \\
 ty_2Eone_2Eone)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
 c_2Earithmetic_2EZERO))) \tag{60}$$

Theorem 1

$$\begin{aligned}
 & (\forall V0x \in (ty_2Efcp_2Ecart 2 ty_2Eone_2Eone). (\forall V1p \in \\
 & 2. (((V0x = (ap (c_2Ewords_2En2w ty_2Eone_2Eone) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \Leftrightarrow (p V1p)) \Leftrightarrow \\
 & (V0x = (ap (ap (ap (c_2Ebool_2ECOND (ty_2Efcp_2Ecart 2 ty_2Eone_2Eone) \\
 & V1p) (ap (c_2Ewords_2En2w ty_2Eone_2Eone) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) (ap (c_2Ewords_2En2w \\
 & ty_2Eone_2Eone) c_2Enum_2E0)))))))
 \end{aligned}$$