

thm\_2EOmega\_2Edark\_shadow\_cond\_row\_ind  
(TM-  
boP8mHWPSjAkR3XSBd32CkHdU8oGT4kdm)

October 26, 2020

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{3}$$

Let  $c\_2Elist\_2Elist\_size : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow c\_2Elist\_2Elist\_size\ A.27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A.27a)} (ty\_2Enum\_2Enum^{A.27a})) \tag{4}$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow c\_2Elist\_2ECONS\ A.27a \in (((ty\_2Elist\_2Elist\ A.27a)^{(ty\_2Elist\_2Elist\ A.27a)})^{A.27a}) \tag{5}$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow c\_2Elist\_2ENIL\ A.27a \in (ty\_2Elist\_2Elist\ A.27a) \tag{6}$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \tag{7}$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \tag{8}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num ($

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 14** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (12)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 17** We define  $c\_Eprim\_rec\_EPRE$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap (ap (ap (c\_Ebool\_2E$

Let  $c\_Earithmetic\_EEXP : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EEXP \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum})^{ty\_Enum\_Enum} \quad (13)$$

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum})^{ty\_Enum\_Enum} \quad (14)$$

Let  $c\_Earithmetic\_E\_2A : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2A \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum})^{ty\_Enum\_Enum} \quad (15)$$

**Definition 18** We define  $c\_Enumeral\_EiZ$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

**Definition 19** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

Let  $c\_Earithmetic\_E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum})^{ty\_Enum\_Enum} \quad (16)$$

**Definition 20** We define  $c\_Earithmetic\_EBIT2$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap (ap c\_Earithmetic\_E$

**Definition 21** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap (ap c\_Earithmetic\_E$

**Definition 22** We define  $c\_Earithmetic\_EZERO$  to be  $c\_Enum\_2E0$ .

**Definition 23** We define  $c\_Earithmetic\_E\_3C\_3D$  to be  $\lambda V0m \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum.$

Let  $ty\_Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_Epair\_2Eprod A0 A1) \quad (17)$$

Let  $c\_Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_Epair\_2EFST A.27a A.27b \in (A.27a^{(ty\_Epair\_2Eprod A.27a A.27b)}) \quad (18)$$

Let  $c\_Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_Epair\_2ESND A.27a A.27b \in (A.27b^{(ty\_Epair\_2Eprod A.27a A.27b)}) \quad (19)$$

Let  $c\_Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_Epair\_2EABS\_prod A.27a A.27b \in ((ty\_Epair\_2Eprod A.27a A.27b)^{(2^{A.27b} A.27a)}) \quad (20)$$

**Definition 24** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

**Definition 25** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a})^{A\_27b})$

**Definition 26** We define  $c\_2Erelation\_2Einv\_image$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27b})^{A\_27a}).\lambda V$

**Definition 27** We define  $c\_2Erelation\_2EWF$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_21$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge (((ap ( \\ & ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\ & V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)))))))))) \\ & \hspace{15em} (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & V1n) V0m)))) \\ & \hspace{15em} (22) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & V1n) V0m)))) \\ & \hspace{15em} (23) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & \forall V2p \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\ & (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p)))))) \\ & \hspace{15em} (24) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & c\_2Enum\_2E0) V0n))) \\ & \hspace{15em} (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & V1n) V0m)))))) \\ & \hspace{15em} (26) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& V0m) V1n))))))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))
\end{aligned} \tag{29}$$

Assume the following.

$$True \tag{30}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& A\_27a. (p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{34}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Leftrightarrow ((p\ V0t) \Leftrightarrow False))) \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0f \in (ty\_2Enum\_2Enum^{A\_27a}). \\ & ((ap\ (ap\ (c\_2Elist\_2Elist\_size\ A\_27a)\ V0f)\ (c\_2Elist\_2ENIL\ A\_27a)) = \\ & c\_2Enum\_2E0)) \wedge (\forall V1f \in (ty\_2Enum\_2Enum^{A\_27a}). (\forall V2a0 \in \\ & A\_27a. (\forall V3a1 \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (ap\ (c\_2Elist\_2Elist\_size \\ & A\_27a)\ V1f)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2a0)\ V3a1)) = (ap\ (ap \\ & c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO)))\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ V1f \\ & V2a0))\ (ap\ (ap\ (c\_2Elist\_2Elist\_size\ A\_27a)\ V1f)\ V3a1))))))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ & A\_27a). ((V0l = (c\_2Elist\_2ENIL\ A\_27a)) \vee (\exists V1h \in A\_27a. ( \\ & \exists V2t \in (ty\_2Elist\_2Elist\ A\_27a). (V0l = (ap\ (ap\ (c\_2Elist\_2ECONS \\ & A\_27a)\ V1h)\ V2t)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum.( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Earithmic\_2E\_3C\_3D c\_2Earithmic\_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n)) c\_2Earithmic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& (ap c\_2Earithmic\_2EBIT2 V0n)) c\_2Earithmic\_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmic\_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V1m) V0n)))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\
& \forall V0x \in (ty\_2Epair\_2Eprod A\_27a A\_27b). (\exists V1q \in A\_27a. \\
& (\exists V2r \in A\_27b. (V0x = (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) \\
& V1q) V2r))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\
& \forall V0x \in (ty\_2Epair\_2Eprod A\_27a A\_27b). ((ap (ap (c\_2Epair\_2E\_2C \\
& A\_27a A\_27b) (ap (c\_2Epair\_2EFST A\_27a A\_27b) V0x)) (ap (c\_2Epair\_2ESND \\
& A\_27a A\_27b) V0x)) = V0x))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\
& \forall V0x \in A\_27a. (\forall V1y \in A\_27b. ((ap (c\_2Epair\_2ESND A\_27a \\
& A\_27b) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y)) = V1y)))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c. \\
& nonempty A\_27c \Rightarrow (\forall V0f \in ((A\_27c^{A\_27b})^{A\_27a}). (\forall V1x \in \\
& A\_27a. (\forall V2y \in A\_27b. ((ap (ap (c\_2Epair\_2EUNCURRY A\_27a \\
& A\_27b A\_27c) V0f) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V1x) V2y)) = \\
& (ap (ap V0f V1x) V2y))))))
\end{aligned} \tag{45}$$

Assume the following.

$$(p (ap (c\_2Erelation\_2EWF ty\_2Enum\_2Enum) c\_2Eprim\_rec\_2E\_3C)) \tag{46}$$



Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\
& ((p\ (ap\ (c\_2Erelation\_2EWF\ A\_27a)\ V0R)) \Rightarrow (\forall V1P \in (2^{A\_27a}). \\
& ((\forall V2x \in A\_27a. (\forall V3y \in A\_27a. ((p\ (ap\ (ap\ V0R\ V3y)\ V2x)) \Rightarrow \\
& (p\ (ap\ V1P\ V3y)))) \Rightarrow (p\ (ap\ V1P\ V2x)))) \Rightarrow (\forall V4x \in A\_27a. (p\ (ap \\
& V1P\ V4x))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0R \in ((2^{A\_27b})^{A\_27b}). (\forall V1f \in (A\_27b^{A\_27a}). ( \\
& p\ (ap\ (c\_2Erelation\_2EWF\ A\_27b)\ V0R)) \Rightarrow (p\ (ap\ (c\_2Erelation\_2EWF \\
& A\_27a)\ (ap\ (ap\ (c\_2Erelation\_2Einv\_image\ A\_27a\ A\_27b)\ V0R)\ V1f))))))
\end{aligned} \tag{48}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{49}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{52}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p\ V0p) \Leftrightarrow (\neg(p\ V1q))) \Leftrightarrow (((p\ V0p) \vee \\
& (p\ V1q)) \wedge ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))
\end{aligned} \tag{55}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0P \in ((2^{(ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Einteger\_2Eint))}(ty\_2Epair\_2Eprod ty\_2Enum \\
& \quad ((\forall V1c \in ty\_2Enum\_2Enum.(\forall V2L \in ty\_2Einteger\_2Eint. \\
& \quad (p (ap (ap V0P (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Einteger\_2Eint \\
& \quad V1c) V2L)) (c\_2Elist\_2ENIL (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum \\
& \quad ty\_2Einteger\_2Eint)))))) \wedge (\forall V3c \in ty\_2Enum\_2Enum.(\forall V4L \in \\
& \quad ty\_2Einteger\_2Eint.(\forall V5d \in ty\_2Enum\_2Enum.(\forall V6R \in \\
& \quad ty\_2Einteger\_2Eint.(\forall V7t \in (ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod \\
& \quad ty\_2Enum\_2Enum ty\_2Einteger\_2Eint)).((p (ap (ap V0P (ap (ap (c\_2Epair\_2E \\
& \quad ty\_2Enum\_2Enum ty\_2Einteger\_2Eint) V3c) V4L)) V7t)) \Rightarrow (p (ap (ap \\
& \quad V0P (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Einteger\_2Eint) \\
& \quad V3c) V4L)) (ap (ap (c\_2Elist\_2ECONS (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum \\
& \quad ty\_2Einteger\_2Eint)) (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& \quad ty\_2Einteger\_2Eint) V5d) V6R)) V7t)))))) \Rightarrow (\forall V8v \in ty\_2Enum\_2Enum \\
& \quad (\forall V9v1 \in ty\_2Einteger\_2Eint.(\forall V10v2 \in (ty\_2Elist\_2Elist \\
& \quad (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Einteger\_2Eint)).(p ( \\
& \quad ap (ap V0P (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Einteger\_2Eint) \\
& \quad V8v) V9v1)) V10v2))))))
\end{aligned}$$