

thm_2EOmega_2Esumc__MULT (TMQNeSDDT-Soboe2pqXtXYHL2sY6ew4HUpvc)

October 26, 2020

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (1)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (2)$$

Let $c_2EOmega_2Esumc : \iota$ be given. Assume the following.

$$c_2EOmega_2Esumc \in ((ty_2Einteger_2Eint^{(ty_2Elist_2Elist\ ty_2Einteger_2Eint)})^{(ty_2Elist_2Elist\ ty_2Einteger_2Eint)}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ (\lambda V1P \in 2.V1P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (4)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow & nonempty\ (ty_2Epair_2Eprod \\ & A0\ A1) \end{aligned} \quad (5)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (6)$$

Definition 5 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$.

Definition 6 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint. (ap (c_2Emin_2E_40 (ty$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (7)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})} \quad (8)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})}}} \quad (9)$$

Definition 7 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$

Definition 8 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. \lambda V1T2 \in ty_2Einteger$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (10)$$

Let $c_2Enum_2EAbs_num : \iota$ be given. Assume the following.

$$c_2Enum_2EAbs_num \in (ty_2Enum_2Enum)^{omega} \quad (11)$$

Definition 9 We define c_2Enum_2E0 to be $(ap c_2Enum_2EAbs_num c_2Enum_2EZERO_REP)$.

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (12)$$

Definition 10 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. \lambda V1T2 \in ty_2Einteger$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (13)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A. \forall a. nonempty A \Rightarrow \forall A. \forall b. nonempty A \Rightarrow c_2Elist_2EMAP \\ & A \in (((ty_2Elist_2Elist A)^{(ty_2Elist_2Elist A)})^{(A _27b^{A _27a})})^{(A _27b^{A _27a})} \end{aligned} \quad (14)$$

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (15)$$

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (16)$$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 15 We define $c_2Emarker_2EAC$ to be $\lambda V0b1 \in 2.\lambda V1b2 \in 2.(ap\ (ap\ c_2Ebool_2E_2F_5C\ V0b1))$

Assume the following.

$$\begin{aligned} & (\forall V0cs \in (ty_2Elist_2Elist\ ty_2Einteger_2Eint).(\forall V1vs \in \\ & (ty_2Elist_2Elist\ ty_2Einteger_2Eint).(\forall V2c \in ty_2Einteger_2Eint. \\ & (\forall V3v \in ty_2Einteger_2Eint.((ap\ (ap\ c_2EOmega_2Esumc \\ & (c_2Elist_2ENIL\ ty_2Einteger_2Eint))\ V1vs) = (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0)) \wedge ((ap\ (ap\ c_2EOmega_2Esumc\ V0cs)\ (c_2Elist_2ENIL \\ & ty_2Einteger_2Eint)) = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) \wedge \\ & ((ap\ (ap\ c_2EOmega_2Esumc\ (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Einteger_2Eint) \\ & V2c)\ V0cs))\ (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Einteger_2Eint)\ V3v) \\ & V1vs)) = (ap\ (ap\ c_2Einteger_2Eint_add\ (ap\ (ap\ c_2Einteger_2Eint_mul \\ & V2c)\ V3v))\ (ap\ (ap\ c_2EOmega_2Esumc\ V0cs)\ V1vs))))))) \end{aligned} \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0y \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
 & ((ap (ap c_2Einteger_2Eint_mul V1x) V0y) = (ap (ap c_2Einteger_2Eint_mul \\
 & V0y) V1x)))) \\
 \end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0z \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
 & (\forall V2x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
 & V2x) (ap (ap c_2Einteger_2Eint_mul V1y) V0z)) = (ap (ap c_2Einteger_2Eint_mul \\
 & (ap (ap c_2Einteger_2Eint_mul V2x) V1y)) V0z)))) \\
 \end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0z \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
 & (\forall V2x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
 & V2x) (ap (ap c_2Einteger_2Eint_add V1y) V0z)) = (ap (ap c_2Einteger_2Eint_add \\
 & (ap (ap c_2Einteger_2Eint_mul V2x) V1y)) (ap (ap c_2Einteger_2Eint_mul \\
 & V2x) V0z)))))) \\
 \end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
 & (\forall V2z \in ty_2Einteger_2Eint. (((ap (ap c_2Einteger_2Eint_add \\
 & V0x) V2z) = (ap (ap c_2Einteger_2Eint_add V1y) V2z)) \Leftrightarrow (V0x = V1y)))) \\
 \end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
 & V0x) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) = (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0))) \\
 \end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
 & (\forall V2z \in ty_2Einteger_2Eint. (((ap (ap c_2Einteger_2Eint_mul \\
 & V0x) V1y) = (ap (ap c_2Einteger_2Eint_mul V0x) V2z)) \Leftrightarrow ((V0x = (ap \\
 & c_2Einteger_2Eint_of_num c_2Enum_2E0)) \vee (V1y = V2z)))))) \\
 \end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & ((ap c_2Einteger_2Eint_of_num V0m) = (ap c_2Einteger_2Eint_of_num \\
 & V1n)) \Leftrightarrow (V0m = V1n))) \\
 \end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& (\forall V0f \in (A_{27b}^{A_{27a}}).((ap (ap (c_2Elist_2EMAP A_{27a} A_{27b}) \\
& V0f) (c_2Elist_2ENIL A_{27a})) = (c_2Elist_2ENIL A_{27b}))) \wedge (\forall V1f \in \\
& (A_{27b}^{A_{27a}}).(\forall V2h \in A_{27a}.(\forall V3t \in (ty_2Elist_2Elist \\
& A_{27a}).((ap (ap (c_2Elist_2EMAP A_{27a} A_{27b}) V1f) (ap (ap (c_2Elist_2ECONS \\
& A_{27a}) V2h) V3t)) = (ap (ap (c_2Elist_2ECONS A_{27b}) (ap V1f V2h)) \\
& (ap (ap (c_2Elist_2EMAP A_{27a} A_{27b}) V1f) V3t))))))) \\
& (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A_{27a})}). \\
& (((p (ap V0P (c_2Elist_2ENIL A_{27a}))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& A_{27a}).(p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_{27a}.(p (ap V0P (ap (ap \\
& c_2Elist_2ECONS A_{27a}) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& A_{27a}).(p (ap V0P V3l)))) \\
& (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\
& A_{27a}).((V0l = (c_2Elist_2ENIL A_{27a})) \vee (\exists V1h \in A_{27a}.(\\
& \exists V2t \in (ty_2Elist_2Elist A_{27a}).(V0l = (ap (ap (c_2Elist_2ECONS \\
& A_{27a}) V1h) V2t)))))) \\
& (30)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0cs \in (ty_2Elist_2Elist ty_2Einteger_2Eint).(\forall V1vs \in \\
& (ty_2Elist_2Elist ty_2Einteger_2Eint).(\forall V2f \in ty_2Einteger_2Eint. \\
& ((ap (ap c_2Einteger_2Eint_mul V2f) (ap (ap c_2EOmega_2Esumc \\
& V0cs) V1vs)) = (ap (ap c_2EOmega_2Esumc (ap (ap (c_2Elist_2EMAP \\
& ty_2Einteger_2Eint ty_2Einteger_2Eint) (\lambda V3x \in ty_2Einteger_2Eint. \\
& (ap (ap c_2Einteger_2Eint_mul V2f) V3x))) V0cs)) V1vs)))))) \\
&
\end{aligned}$$