

thm_2ETemporal_Logic_2ENOT_NEXT (TMHGQM1PDXo6QGYcnPxHSxioxp1SBtrtsnH)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num$

Definition 8 We define $c_2ETemporal_Logic_2ENEXT$ to be $\lambda V0P \in (2^{ty_2Enum_2Enum}).(\lambda V1t \in ty_2Enum$

Assume the following.

$$True \tag{5}$$

Assume the following.

$$\forall A_{27a}. nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}. ((V0x = V0x) \Leftrightarrow True)) \tag{6}$$

Theorem 1

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}). ((ap\ c_2ETemporal_Logic_2ENEXT \\ & (\lambda V1t \in ty_2Enum_2Enum. (ap\ c_2Ebool_2E_7E\ (ap\ V0P\ V1t)))) = \\ & (\lambda V2t \in ty_2Enum_2Enum. (ap\ c_2Ebool_2E_7E\ (ap\ (ap\ c_2ETemporal_Logic_2ENEXT \\ & V0P)\ V2t)))))) \end{aligned}$$