

thm\_2Ealist\_2EALOOKUP\_\_ALL\_\_DISTINCT\_\_PERM\_\_same  
(TMM-  
MmR3HVeN7rbkPy4TpMFXnMMDzVGPF7ZB)

October 26, 2020

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (2)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (3)$$

Let  $c\_2Ealist\_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b})^{(ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))}) \quad (4)$$

**Definition 1** We define  $c\_2Emin\_2E.40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then**  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Emin\_2E.3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E.ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E.3D\ (2^2)))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a})}) \quad (5)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (6)$$

**Definition 4** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (7)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (8)$$

**Definition 7** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS\_sum$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (9)$$

**Definition 8** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap (c\_2Eoption\_2Eoption\_ABS$

**Definition 9** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone$

**Definition 10** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E$

**Definition 12** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS\_sum$

**Definition 13** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c\_2Eone\_2Eone$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (10)$$

**Definition 14** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (11)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2$

**Definition 16** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $c\_2Elist\_2EALL\_DISTINCT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2EALL\_DISTINCT A\_27a \in (2^{(ty\_2Elist\_2Elist A\_27a)}) \quad (12)$$

Let  $c\_2Elist\_2EELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2EELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (13)$$

**Definition 17** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap V1f V0x)))$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2EFILTER A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(2^{A\_27a})}) \quad (14)$$

**Definition 18** We define  $c\_2Esorting\_2Eperm$  to be  $\lambda A\_27a : \iota. \lambda V0L1 \in (ty\_2Elist\_2Elist A\_27a). \lambda V1L2 \in$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow ( \\ & \quad \forall V0l \in (ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod A\_27b A\_27a)). \\ & \quad (\forall V1x \in A\_27b. (((ap (ap (c\_2Ealists\_2EALOOKUP A\_27a A\_27b) \\ & \quad V0l) V1x) = (c\_2Eoption\_2ENONE A\_27a)) \Leftrightarrow (\forall V2k \in A\_27b. (\forall V3v \in \\ & \quad A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod A\_27b A\_27a)) \\ & \quad (ap (ap (c\_2Epair\_2E\_2C A\_27b A\_27a) V2k) V3v)) (ap (c\_2Elist\_2EELIST\_TO\_SET \\ & \quad (ty\_2Epair\_2Eprod A\_27b A\_27a)) V0l))) \Rightarrow (\neg (V2k = V1x))))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow ( \\ & \quad \forall V0al \in (ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod A\_27a A\_27b)). \\ & \quad (\forall V1k \in A\_27a. (\forall V2v \in A\_27b. (((ap (ap (c\_2Ealists\_2EALOOKUP \\ & \quad A\_27b A\_27a) V0al) V1k) = (ap (c\_2Eoption\_2ESOME A\_27b) V2v)) \Rightarrow ( \\ & \quad p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod A\_27a A\_27b)) (ap (ap \\ & \quad (c\_2Epair\_2E\_2C A\_27a A\_27b) V1k) V2v)) (ap (c\_2Elist\_2EELIST\_TO\_SET \\ & \quad (ty\_2Epair\_2Eprod A\_27a A\_27b)) V0al))))))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0al \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\
& \quad (\forall V1k \in A\_27a. (\forall V2v \in A\_27b. (((p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT \\
& \quad A\_27a)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b) \\
& \quad A\_27a)\ (c\_2Epair\_2EFST\ A\_27a\ A\_27b))\ V0al)))) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a \\
& \quad A\_27b)\ V1k)\ V2v))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ (ty\_2Epair\_2Eprod \\
& \quad A\_27a\ A\_27b))\ V0al)))) \Rightarrow ((ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27b\ A\_27a) \\
& \quad V0al)\ V1k) = (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V2v))))))
\end{aligned} \tag{17}$$

Assume the following.

$$True \tag{18}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\
& \quad True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\
& \quad (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t))))))
\end{aligned} \tag{20}$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0f \in (A\_27b^{A\_27a}). (\forall V1g \in (A\_27b^{A\_27a}). ((V0f = \\
& \quad V1g) \Leftrightarrow (\forall V2x \in A\_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\
& \quad (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& \quad p\ V0t))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). (((p\ V0P) \wedge (\forall V2x \in A\_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \tag{25}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}. ((\forall V2x \in A\_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ((p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C))))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge ((p\ V2C) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A))))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))))) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (2^{A\_27a}). (\forall V1v \in A\_27a. ((\forall V2x \in A\_27a. ((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ (ap\ V0f\ V1v)))))) \quad (34)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0l \in (ty\_2Elist\_2Elist\ A.27a).(\forall V1f \in (A.27b^{A.27a}). \\
& \quad (\forall V2x \in A.27b.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27b)\ V2x)\ (ap\ ( \\
& \quad c\_2Elist\_2ELIST\_TO\_SET\ A.27b)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A.27a \\
& \quad A.27b)\ V1f)\ V0l)))) \Leftrightarrow (\exists V3y \in A.27a.((V2x = (ap\ V1f\ V3y)) \wedge ( \\
& \quad p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V3y)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& \quad A.27a)\ V0l)))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption \\
& \quad A.27a).((V0opt = (c\_2Eoption\_2ENONE\ A.27a)) \vee (\exists V1x \in A.27a. \\
& \quad (V0opt = (ap\ (c\_2Eoption\_2ESOME\ A.27a)\ V1x))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0x \in A.27a.(\forall V1y \in A.27b.((ap\ (c\_2Epair\_2EFST\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x)))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0P \in (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}).((\exists V1p \in \\
& \quad (ty\_2Epair\_2Eprod\ A.27a\ A.27b).(p\ (ap\ V0P\ V1p))) \Leftrightarrow (\exists V2p\_1 \in \\
& \quad A.27a.(\exists V3p\_2 \in A.27b.(p\ (ap\ V0P\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad A.27a\ A.27b)\ V2p\_1)\ V3p\_2)))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0P \in (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}).((\forall V1p \in \\
& \quad (ty\_2Epair\_2Eprod\ A.27a\ A.27b).(p\ (ap\ V0P\ V1p))) \Leftrightarrow (\forall V2p\_1 \in \\
& \quad A.27a.(\forall V3p\_2 \in A.27b.(p\ (ap\ V0P\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad A.27a\ A.27b)\ V2p\_1)\ V3p\_2)))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& \quad (2^{A.27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A.27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V2x)\ V1t)))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{41}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{42}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (55)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist \\ & A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist \ A\_27a).((p \ (ap \ (ap \ (c\_2Esorting\_2EPERM \\ & A\_27a) \ V0l1) \ V1l2)) \Rightarrow ((p \ (ap \ (c\_2Elist\_2EALL\_DISTINCT \ A\_27a) \\ & V0l1)) \Leftrightarrow (p \ (ap \ (c\_2Elist\_2EALL\_DISTINCT \ A\_27a) \ V1l2)))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist \\ & A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist \ A\_27a).((p \ (ap \ (ap \ (c\_2Esorting\_2EPERM \\ & A\_27a) \ V0l1) \ V1l2)) \Rightarrow (\forall V2a \in A\_27a.((p \ (ap \ (ap \ (c\_2Ebool\_2EIN \\ & A\_27a) \ V2a) \ (ap \ (c\_2Elist\_2ELIST\_TO\_SET \ A\_27a) \ V0l1))) \Leftrightarrow (p \ ( \\ & ap \ (ap \ (c\_2Ebool\_2EIN \ A\_27a) \ V2a) \ (ap \ (c\_2Elist\_2ELIST\_TO\_SET \\ & A\_27a) \ V1l2)))))))))) \end{aligned} \quad (57)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow ( \\ & \forall V0l1 \in (ty\_2Elist\_2Elist \ (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)). \\ & (\forall V1l2 \in (ty\_2Elist\_2Elist \ (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)). \\ & (((p \ (ap \ (c\_2Elist\_2EALL\_DISTINCT \ A\_27a) \ (ap \ (ap \ (c\_2Elist\_2EMAP \\ & (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b) \ A\_27a) \ (c\_2Epair\_2EFST \ A\_27a \ A\_27b)) \\ & V0l1))) \wedge ((p \ (ap \ (ap \ (c\_2Esorting\_2EPERM \ A\_27a) \ (ap \ (ap \ (c\_2Elist\_2EMAP \\ & (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b) \ A\_27a) \ (c\_2Epair\_2EFST \ A\_27a \ A\_27b)) \\ & V0l1)) \ (ap \ (ap \ (c\_2Elist\_2EMAP \ (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b) \\ & A\_27a) \ (c\_2Epair\_2EFST \ A\_27a \ A\_27b)) \ V1l2))) \wedge ((ap \ (c\_2Elist\_2ELIST\_TO\_SET \\ & (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b) \ V0l1) = (ap \ (c\_2Elist\_2ELIST\_TO\_SET \\ & (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b) \ V1l2)))) \Rightarrow ((ap \ (c\_2Ealist\_2EALOOKUP \\ & A\_27b \ A\_27a) \ V0l1) = (ap \ (c\_2Ealist\_2EALOOKUP \ A\_27b \ A\_27a) \ V1l2)))))) \end{aligned}$$