

thm_2Ealist_2EALOOKUP__prefix (TMGT- dCB33eVxJ1yqFeD.J3T1yoVa6dGZWWR4)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS_prod$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (3)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (4)$$

Let $c_2Ealist_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Ealist_2EALOOKUP A_27a A_27b \in (((ty_2Eoption_2Eoption A_27a)^{A_27b})(ty_2Elist_2Elist (ty_2Epair_2Eprod A_27b A_27a))) \quad (5)$$

Definition 14 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 15 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS A_27a) V0e))$

Definition 16 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eoption_2ENONE))$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \quad \forall V0P \in ((2^{A_27b})^{(ty_2Elist_2Elist (ty_2Epair_2Eprod A_27b A_27a))}). \\
& ((\forall V1q \in A_27b.(p (ap (ap V0P (c_2Elist_2ENIL (ty_2Epair_2Eprod \\
& \quad A_27b A_27a))) V1q))) \wedge (\forall V2x \in A_27b.(\forall V3y \in A_27a. \\
& \quad (\forall V4t \in (ty_2Elist_2Elist (ty_2Epair_2Eprod A_27b A_27a)). \\
& \quad (\forall V5q \in A_27b.(((\neg(V2x = V5q)) \Rightarrow (p (ap (ap V0P V4t) V5q))) \Rightarrow \\
& \quad (p (ap (ap V0P (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod A_27b \\
& A_27a)) (ap (ap (c_2Epair_2E_2C A_27b A_27a) V2x) V3y)) V4t)) V5q)))))) \Rightarrow \\
& \quad (\forall V6v \in (ty_2Elist_2Elist (ty_2Epair_2Eprod A_27b A_27a)). \\
& \quad (\forall V7v1 \in A_27b.(p (ap (ap V0P V6v) V7v1))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \quad (\forall V0q \in A_27b.((ap (ap (c_2Ealist_2EALOOKUP A_27a A_27b) \\
& (c_2Elist_2ENIL (ty_2Epair_2Eprod A_27b A_27a))) V0q) = (c_2Eoption_2ENONE \\
& \quad A_27a))) \wedge (\forall V1y \in A_27a.(\forall V2x \in A_27b.(\forall V3t \in \\
& \quad (ty_2Elist_2Elist (ty_2Epair_2Eprod A_27b A_27a)).(\forall V4q \in \\
& A_27b.((ap (ap (c_2Ealist_2EALOOKUP A_27a A_27b) (ap (ap (c_2Elist_2ECONS \\
& \quad (ty_2Epair_2Eprod A_27b A_27a)) (ap (ap (c_2Epair_2E_2C A_27b \\
& A_27a) V2x) V1y)) V3t)) V4q) = (ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption \\
& \quad A_27a)) (ap (ap (c_2Emin_2E_3D A_27b) V2x) V4q)) (ap (c_2Eoption_2ESOME \\
& \quad A_27a) V1y)) (ap (ap (c_2Ealist_2EALOOKUP A_27a A_27b) V3t) V4q))))))
\end{aligned} \tag{14}$$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{16}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{18}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (21)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (27)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \Rightarrow (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow ((\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a.(\forall V3t2 \in A_27a.((ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V2t1) V3t2) = V3t2)))) (29)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist A_27a).((ap (ap (c_2Elist_2EAPPEND A_27a) (c_2Elist_2ENIL A_27a) V0l) = V0l)) \wedge (\forall V1l1 \in (ty_2Elist_2Elist A_27a).(\forall V2l2 \in (ty_2Elist_2Elist A_27a).(\forall V3h \in A_27a.((ap (ap (c_2Elist_2EAPPEND A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V3h) V1l1)) V2l2) = (ap (ap (c_2Elist_2ECONS A_27a) V3h) (ap (ap (c_2Elist_2EAPPEND A_27a) V1l1) V2l2)))))) (30)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.(((ap (c_2Eoption_2ESOME A_27a) V0x) = (ap (c_2Eoption_2ESOME A_27a) V1y)) \Leftrightarrow (V0x = V1y)))) (31)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\neg((c_2Eoption_2ENONE A_27a) = (ap (c_2Eoption_2ESOME A_27a) V0x)))) (32)$$

Theorem 1

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0v \in A_27b.(\forall V1ls \in (ty_2Elist_2Elist (ty_2Epair_2Eprod A_27a A_27b)).(\forall V2k \in A_27a.(\forall V3ls2 \in (ty_2Elist_2Elist (ty_2Epair_2Eprod A_27a A_27b)).(((ap (ap (c_2Ealist_2EALOOKUP A_27b A_27a) V1ls) V2k) = (ap (c_2Eoption_2ESOME A_27b) V0v)) \Rightarrow (ap (ap (c_2Ealist_2EALOOKUP A_27b A_27a) (ap (ap (c_2Elist_2EAPPEND (ty_2Epair_2Eprod A_27a A_27b) V1ls) V3ls2)) V2k) = (ap (c_2Eoption_2ESOME A_27b) V0v))) \wedge (((ap (ap (c_2Ealist_2EALOOKUP A_27b A_27a) V1ls) V2k) = (c_2Eoption_2ENONE A_27b)) \Rightarrow ((ap (ap (c_2Ealist_2EALOOKUP A_27b A_27a) (ap (ap (c_2Elist_2EAPPEND (ty_2Epair_2Eprod A_27a A_27b) V1ls) V3ls2)) V2k) = (ap (ap (c_2Ealist_2EALOOKUP A_27b A_27a) V3ls2) V2k)))))))))$$