

thm_2Ealist_2EFDOM__alist__to__fmap
(TMa6HKRj4NHSaMvswPrySQZSSuUkMEns3N6)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then $(the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 10 We define c_Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_Esum_2EABS$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \quad (4)$$

Let $c_2Efinite_map_2Efmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2Efmap_ABS A_27a A_27b \in ((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a}}) \quad (5)$$

Definition 11 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap (c_2Efinite_map_2E$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EFUPDATE A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)})^{(ty_2Efinite_map_2E$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (9)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (10)$$

Definition 13 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (11)$$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDR \\ & A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b)^{A_27b})^{A_27a}} \end{aligned} \quad (12)$$

Definition 14 We define $c_2Ealist_2Ealist_to_fmap$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (ty_2Elist_2Elist$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP \\ & A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \end{aligned} \quad (13)$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL \\ & A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (14)$$

Definition 15 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ & A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b)^{A_27a}}) \end{aligned} \quad (15)$$

Definition 16 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(\text{ap}\ V1f\ V0x))$

Definition 17 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(\text{ap}\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (16)$$

Definition 18 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(\text{ap}\ (c_2$

Definition 19 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in \\ & ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \end{aligned} \quad (17)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist \\ & A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \end{aligned} \quad (18)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (19)$$

Definition 20 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0k \in A_27c. \\ & (\forall V1v \in A_27d. (\forall V2t \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\ & A_27c\ A_27d)). ((ap\ (c_2Ealist_2Ealist_to_fmap\ A_27a\ A_27b) \\ & (c_2Elist_2ENIL\ (ty_2Epair_2Eprod\ A_27a\ A_27b))) = (c_2Efinite_map_2EFEMPTY \\ & A_27a\ A_27b)) \wedge ((ap\ (c_2Ealist_2Ealist_to_fmap\ A_27c\ A_27d) \\ & (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A_27c\ A_27d))\ (ap\ (\\ & ap\ (c_2Epair_2E_2C\ A_27c\ A_27d)\ V0k)\ V1v))\ V2t)) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE \\ & A_27c\ A_27d)\ (ap\ (c_2Ealist_2Ealist_to_fmap\ A_27c\ A_27d)\ V2t)) \\ & (ap\ (ap\ (c_2Epair_2E_2C\ A_27c\ A_27d)\ V0k)\ V1v)))))) \end{aligned} \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (c_2Efinite_map_2EFEMPTY \\ & A_27a\ A_27b)) = (c_2Epred_set_2EEMPTY\ A_27a)) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b). (\forall V1a \in \\ & A_27a. (\forall V2b \in A_27b. ((ap\ (c_2Efinite_map_2EFDOM\ A_27a \\ & A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f))\ (ap \\ & (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1a)\ V2b))) = (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & A_27a)\ V1a)\ (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b) \\
& V0f)\ (c.2Elist.2ENIL\ A.27a)) = (c.2Elist.2ENIL\ A.27b))) \wedge (\forall V1f \in \\
& (A.27b^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty.2Elist.2Elist \\
& A.27a).((ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c.2Elist.2ECONS \\
& A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ (ap\ V1f\ V2h)) = \\
& (ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V1f)\ V3t)))))) \\
& \hspace{10em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0h \in A.27b.(\forall V1t \in (ty.2Elist.2Elist\ A.27b).((\\
& (ap\ (c.2Elist.2ELIST_TO_SET\ A.27a)\ (c.2Elist.2ENIL\ A.27a)) = \\
& (c.2Epred_set.2EEMPTY\ A.27a)) \wedge ((ap\ (c.2Elist.2ELIST_TO_SET \\
& A.27b)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c.2Epred_set.2EINSERT \\
& A.27b)\ V0h)\ (ap\ (c.2Elist.2ELIST_TO_SET\ A.27b)\ V1t)))))) \\
& \hspace{10em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& (\forall V0f \in ((A.27b^{A.27b})^{A.27a}).(\forall V1e \in A.27b.((ap\ (\\
& ap\ (ap\ (c.2Elist.2EFOLDR\ A.27a\ A.27b)\ V0f)\ V1e)\ (c.2Elist.2ENIL \\
& A.27a)) = V1e))) \wedge (\forall V2f \in ((A.27b^{A.27b})^{A.27a}).(\forall V3e \in \\
& A.27b.(\forall V4x \in A.27a.(\forall V5l \in (ty.2Elist.2Elist\ A.27a). \\
& ((ap\ (ap\ (ap\ (c.2Elist.2EFOLDR\ A.27a\ A.27b)\ V2f)\ V3e)\ (ap\ (ap\ (c.2Elist.2ECONS \\
& A.27a)\ V4x)\ V5l)) = (ap\ (ap\ V2f\ V4x)\ (ap\ (ap\ (ap\ (c.2Elist.2EFOLDR \\
& A.27a\ A.27b)\ V2f)\ V3e)\ V5l)))))) \\
& \hspace{10em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist\ A.27a)}). \\
& (((p\ (ap\ V0P\ (c.2Elist.2ENIL\ A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\
& A.27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& c.2Elist.2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\
& A.27a).(p\ (ap\ V0P\ V3l)))))) \\
& \hspace{10em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0x \in (ty.2Epair.2Eprod\ A.27a\ A.27b).(\exists V1q \in A.27a. \\
& (\exists V2r \in A.27b.(V0x = (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b) \\
& V1q)\ V2r)))))) \\
& \hspace{10em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0x \in A.27a.(\forall V1y \in A.27b.((ap\ (c.2Epair.2EFST\ A.27a \\
& A.27b)\ (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \\
& \hspace{10em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}). (\forall V1x \in \\
& \quad A_27a. (\forall V2y \in A_27b. ((ap\ (ap\ (c_2Epair_2EUNCURRY\ A_27a \\
& A_27b\ A_27c)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y))) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y))))))
\end{aligned} \tag{31}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0al \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)). \\
& ((ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (ap\ (c_2Ealist_2Ealist_to_fmap \\
& \quad A_27a\ A_27b)\ V0al))) = (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (ap \\
& (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27a\ A_27b)\ A_27a)\ (c_2Epair_2EFST \\
& \quad A_27a\ A_27b)\ V0al))))))
\end{aligned}$$