

thm\_2Ealist\_2EFLOOKUP\_\_FUPDATE\_\_LIST\_\_ALOOKUP\_\_NON  
(TMcGcypKyF961wE2e7ikDt9EumkExdbUSYH)

October 26, 2020

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (2)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (3)$$

Let  $c\_2Ealist\_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b})(ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))) \quad (4)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (5)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (6)$$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efinite\_map\_2Efmap\ A0\ A1) \quad (7)$$

Let  $c\_2Efinite\_map\_2E fmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2E fmap\_REP \\ & A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b)}) \end{aligned} \quad (8)$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ & A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (9)$$

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E2T$  to be  $(ap\ (ap\ (c\_2Emin\_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E3D\ (2^{A\_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

**Definition 4** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b)$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2EARB\ A\_27a \in A\_27a \quad (10)$$

Let  $c\_2Epred\_set\_2ECHOICE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epred\_set\_2ECHOICE\ A\_27a \in (A\_27a^{(2^{A\_27a})}) \quad (11)$$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

**Definition 8** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p \Rightarrow q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 10** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ & A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (12)$$

**Definition 11** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x\ V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (13)$$

**Definition 12** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_7E\ V0t)\ (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21\ s))$

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21\ t))$

**Definition 14** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ s)\ t))$

**Definition 15** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1x \in A\_27a.(ap\ (c\_2Ebool\_2E\_21\ s)\ x))$

**Definition 16** We define  $c\_2Epred\_set\_2EREST$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ s)\ t))$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist \\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \end{aligned} \quad (14)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist \\ A\_27a) \end{aligned} \quad (15)$$

**Definition 17** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A)\ P)$  of type  $\iota \Rightarrow \iota$ .

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap\ (c\_2Ebool\_2E\_21\ t1)\ t2))))$

**Definition 19** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ s)\ (2^{A\_27a}))$

**Definition 20** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x\ y))$

**Definition 21** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 22** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap\ (ap\ (c\_2Ecombin\_2ES\ A\_27a\ (A\_27a^{A\_27a}))\ A\_27a))$

**Definition 23** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ P))))$

**Definition 24** We define  $c\_2Erelation\_2EWF$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ R))$

**Definition 25** We define  $c\_2Erelation\_2ERESTRICT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1M \in (2^{A\_27a}).(ap\ (c\_2Erelation\_2EWF\ f)\ M))$

**Definition 26** We define  $c\_2Erelation\_2ETC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1a \in A\_27a.\lambda V2b \in A\_27a.(ap\ (c\_2Erelation\_2ERESTRICT\ R)\ a\ b))$

**Definition 27** We define  $c\_2Erelation\_2Eapprox$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M \in (2^{A\_27a}).(ap\ (c\_2Erelation\_2ETC\ R)\ M))$

**Definition 28** We define  $c\_2Erelation\_2Ethe\_fun$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1M$

**Definition 29** We define  $c\_2Erelation\_2EWFREC$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1M$

**Definition 30** We define  $c\_2Elist\_2ESET\_TO\_LIST$  to be  $\lambda A\_27a : \iota. (ap (ap (c\_2Erelation\_2EWFREC (2^{A\_27a})$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (16)$$

**Definition 31** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP \\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a})}) \end{aligned} \quad (17)$$

**Definition 32** We define  $c\_2Ealist\_2Efmap\_to\_alist$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0s \in (ty\_2Efinite\_map$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist \\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \end{aligned} \quad (18)$$

**Definition 33** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E40\ ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (19)$$

**Definition 34** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS$

Let  $c\_2Efinite\_map\_2Efmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_ABS \\ A\_27a\ A\_27b \in ((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{(ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a}}) \end{aligned} \quad (20)$$

**Definition 35** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap (c\_2Efinite\_map\_2E$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2EFUPDATE \\ A\_27a\ A\_27b \in (((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_map\_2E}} \end{aligned} \quad (21)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (22)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (23)$$

**Definition 36** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c)^{A\_27a})$

Let  $c\_2Elist\_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EFOLDR \\ A\_27a\ A\_27b \in (((A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27b})^{((A\_27b)^{A\_27a})^{A\_27a}} \end{aligned} \quad (24)$$

**Definition 37** We define  $c\_2Ealist\_2Ealist\_to\_fmap$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0s \in (ty\_2Elist\_2Elist\ A\_27a)$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EFOLDL \\ A\_27a\ A\_27b \in (((A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27b})^{((A\_27b)^{A\_27a})^{A\_27a}} \end{aligned} \quad (25)$$

**Definition 38** We define  $c\_2Efinite\_map\_2EFUPDATE\_LIST$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap\ (c\_2Elist\_2Elist\ A\_27a))$

Let  $c\_2Efinite\_map\_2EFUNION : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2EFUNION \\ A\_27a\ A\_27b \in (((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)} \end{aligned} \quad (26)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in \\ ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \end{aligned} \quad (27)$$

**Definition 39** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a))$

**Definition 40** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap\ (c\_2Esum\_2EABS\ A\_27a))$

**Definition 41** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a))$

**Definition 42** We define  $c\_2Efinite\_map\_2EFLOOKUP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (28)$$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EREVERSE\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (29)$$

**Definition 43** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (c\_2Elist\_2EREVERSE\ A\_27a)\ V0s\ V1t)$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0l \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a)). \\ & \quad (\forall V1x \in A\_27b. ((ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b)\ V0l)\ V1x) = (c\_2Eoption\_2ENONE\ A\_27a)) \Leftrightarrow (\forall V2k \in A\_27b. (\forall V3v \in \\ & \quad A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))\ V2k)\ V3v))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\ & \quad (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))\ V0l))) \Rightarrow (\neg(V2k = V1x)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0fm \in (ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b). ((ap\ (c\_2Ealist\_2Ealist\_to\_fmap \\ & \quad A\_27a\ A\_27b)\ (ap\ (c\_2Ealist\_2Efmap\_to\_alist\ A\_27a\ A\_27b)\ V0fm)) = \\ & \quad V0fm)) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0al \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ & \quad ((ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap \\ & \quad A\_27a\ A\_27b)\ V0al)) = (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap \\ & \quad (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)\ A\_27a)\ (c\_2Epair\_2EFST \\ & \quad A\_27a\ A\_27b))\ V0al)))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0l1 \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ & \quad (\forall V1l2 \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ & \quad ((ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND \\ & \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ V0l1)\ V1l2)) = (ap\ (ap\ (c\_2Efinite\_map\_2EFUNION \\ & \quad A\_27a\ A\_27b)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27a\ A\_27b)\ V0l1)) \\ & \quad (ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27a\ A\_27b)\ V1l2)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0ls \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ & \quad (\forall V1fm \in (ty\_2Efinite\_map\_2Efmmap\ A\_27a\ A\_27b). ((ap\ (ap \\ & \quad (c\_2Efinite\_map\_2EFUPDATE\_LIST\ A\_27a\ A\_27b)\ V1fm)\ V0ls) = ( \\ & \quad ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND \\ & \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)\ (ap\ (c\_2Elist\_2EREVERSE\ (ty\_2Epair\_2Eprod \\ & \quad A\_27a\ A\_27b)\ V0ls))\ (ap\ (c\_2Ealist\_2Efmap\_to\_alist\ A\_27a\ A\_27b) \\ & \quad V1fm)))))) \end{aligned} \tag{34}$$

Assume the following.

$$True \tag{35}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ & \quad V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \tag{37}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{38}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & \quad (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & \quad (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & \quad True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & \quad (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \tag{40}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{41}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{42}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (45)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (46)$$

Assume the following.

$$2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27}))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))) \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{.27a}.(\forall V3x_{.27} \in A_{.27a}.(\forall V4y \in A_{.27a}. \\ & (\forall V5y_{.27} \in A_{.27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27}))) \Rightarrow ((ap (ap (ap (c_{.2Ebool\_2ECOND} A_{.27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_{.2Ebool\_2ECOND} A_{.27a}) V1Q) V3x_{.27} \\ & V5y_{.27})))))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1a \in A_{.27a}.((\exists V2x \in A_{.27a}.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (49)$$

Assume the following.

$$\forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow (\forall V0f \in (2^{A_{.27a}}).(\forall V1v \in A_{.27a}.((\forall V2x \in A_{.27a}.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (50)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}.(\forall V1t2 \in \\ & A_{.27a}.((ap (ap (ap (c_{.2Ebool\_2ECOND} A_{.27a}) c_{.2Ebool\_2ET}) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}.(\forall V3t2 \in A_{.27a}.((ap \\ & (ap (ap (c_{.2Ebool\_2ECOND} A_{.27a}) c_{.2Ebool\_2EF}) V2t1) V3t2) = V3t2)))))) \end{aligned} \quad (51)$$



Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(\forall V1g \in \\
& \quad (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(((ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUNION\ A.27a\ A.27b)\ V0f) \\
& \quad V1g)) = (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A.27a)\ (ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad A.27a\ A.27b)\ V0f))\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ V1g)))) \wedge \\
& \quad (\forall V2x \in A.27a.((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUNION\ A.27a\ A.27b)\ V0f)\ V1g))\ V2x) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A.27b)\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A.27a)\ V2x)\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ V0f)))\ (ap \\
& \quad (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A.27a\ A.27b)\ V0f)\ V2x))\ (ap\ (ap\ ( \\
& \quad c\_2Efinite\_map\_2EFAPPLY\ A.27a\ A.27b)\ V1g)\ V2x))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0l \in (ty\_2Elist\_2Elist\ A.27a).(\forall V1f \in (A.27b^{A.27a}). \\
& \quad (\forall V2x \in A.27b.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27b)\ V2x)\ (ap\ ( \\
& \quad c\_2Elist\_2ELIST\_TO\_SET\ A.27b)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A.27a \\
& \quad A.27b)\ V1f)\ V0l)))) \Leftrightarrow (\exists V3y \in A.27a.((V2x = (ap\ V1f\ V3y)) \wedge ( \\
& \quad p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V3y)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& \quad A.27a)\ V0l))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\
& \quad A.27a).((ap\ (c\_2Elist\_2EREVERSE\ A.27a)\ (ap\ (c\_2Elist\_2EREVERSE \\
& \quad A.27a)\ V0l)) = V0l))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0x \in A.27a.(\forall V1y \in A.27b.((ap\ (c\_2Epair\_2EFST\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x)))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0P \in (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}).((\exists V1p \in \\
& \quad (ty\_2Epair\_2Eprod\ A.27a\ A.27b).(p\ (ap\ V0P\ V1p))) \Leftrightarrow (\exists V2p\_1 \in \\
& \quad A.27a.(\exists V3p\_2 \in A.27b.(p\ (ap\ V0P\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad A.27a\ A.27b)\ V2p\_1)\ V3p\_2))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (57) \\
& (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& A\_27a)\ V2x)\ V1t))))))
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0ls \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a)). \\
& (\forall V1k \in A\_27b. (\forall V2fm \in (ty\_2Efinite\_map\_2Efmap \\
& A\_27b\ A\_27a). (((ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b)\ V0ls) \\
V1k) = (c\_2Eoption\_2ENONE\ A\_27a)) \Rightarrow ((ap\ (ap\ (c\_2Efinite\_map\_2EFLOOKUP \\
A\_27b\ A\_27a)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\_LIST\ A\_27b\ A\_27a) \\
V2fm)\ (ap\ (c\_2Elist\_2EREVERSE\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a) \\
V0ls)))\ V1k) = (ap\ (ap\ (c\_2Efinite\_map\_2EFLOOKUP\ A\_27b\ A\_27a) \\
V2fm)\ V1k))))))
\end{aligned}$$