

# thm\_2Ealist\_2EFRANGE\_\_alist\_\_to\_\_fmap\_\_SUBSET (TMUYrFZn2fQ77HzzLwfsktnBZHMBcCd7uB2)

October 26, 2020

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (1)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2EFST\ A.27a\ A.27b \in (A.27a^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}) \quad (2)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (3)$$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Elist\_2EMAP\ A.27a\ A.27b \in (((ty\_2Elist\_2Elist\ A.27b)^{(ty\_2Elist\_2Elist\ A.27a)})^{(A.27b^{A.27a})}) \quad (4)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A.27a \in ((2^{A.27a})^{(ty\_2Elist\_2Elist\ A.27a)}) \quad (5)$$

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (6)$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap P x))$  **then**  $(the (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 4** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}$

**Definition 6** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (7)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (8)$$

**Definition 10** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2Efmap A0 A1) \quad (9)$$

Let  $c\_2Efinite\_map\_2Efmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_ABS A\_27a A\_27b \in ((ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)^{(ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a}}) \quad (10)$$

**Definition 11** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(ap (c\_2Efinite\_map\_2E$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (11)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2EFUPDATE \\ & A\_27a\ A\_27b \in (((ty\_2Efinite\_map\_2Efmmap\ A\_27a\ A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_map\_2EFUPDATE\ A\_27a\ A\_27b)}) \end{aligned} \quad (12)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ & A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (13)$$

**Definition 13** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c^{A\_27a})^{A\_27b})$

Let  $c\_2Elist\_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EFOLDR \\ & A\_27a\ A\_27b \in (((A\_27b^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27b})^{((A\_27b^{A\_27a})^{A\_27b})}) \end{aligned} \quad (14)$$

**Definition 14** We define  $c\_2Ealist\_2Ealist\_to\_fmap$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0s \in (ty\_2Elist\_2Elist\ A\_27a\ A\_27b)$

**Definition 15** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Ebool\_2E21\ 2)\ V2t)\ V2t)\ V1t2)\ V0t1))$

Let  $c\_2Efinite\_map\_2Efmmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmmap\_REP \\ & A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2Efmmap\ A\_27a\ A\_27b)}) \end{aligned} \quad (15)$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL \\ & A\_27a\ A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (16)$$

**Definition 16** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2EFAPPLY\ A\_27a\ A\_27b\ V0f)$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ & A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (17)$$

**Definition 17** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b\ V0f)$

**Definition 18** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 19** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E40\ A\_27a)\ V0P)))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (18)$$

**Definition 20** We define  $c\_2Efinite\_map\_2EFRANGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2EFRANGE\ A\_27a\ A\_27b)$ .

**Definition 21** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a\ A\_27b)\ V0s\ V1t)$ .

**Definition 22** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (A\_27b^{A\_27a}).(ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V0f\ V1s)$ .

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0al \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ (\forall V1z \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1z)\ (ap\ ( \\ c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap \\ A\_27a\ A\_27b)\ V0al)))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\ A\_27a\ A\_27b))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V1z)\ (ap\ (ap\ ( \\ c\_2Efinite\_map\_2EFAPPLY\ A\_27a\ A\_27b)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap \\ A\_27a\ A\_27b)\ V0al))\ V1z))))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ (ty\_2Epair\_2Eprod \\ A\_27a\ A\_27b)\ V0al)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0al \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ ((ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap \\ A\_27a\ A\_27b)\ V0al)) = (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap \\ (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)\ A\_27a)\ (c\_2Epair\_2EFST \\ A\_27a\ A\_27b)\ V0al)))) \end{aligned} \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\ A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ p\ V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\ & 2. ((\forall V2x \in A\_27a. ((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ V1Q))) \Leftrightarrow ((\exists V3x \in \\ & A\_27a. (p\ (ap\ V0P\ V3x)) \Rightarrow (p\ V1Q)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ( \\ & (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee \\ & (p\ V0A)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee \\ & (p\ V1B)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in \\ & A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ ( \\ & ap\ V0P\ V1a)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (2^{A\_27a}). (\forall V1v \in \\ & A\_27a. ((\forall V2x \in A\_27a. ((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ ( \\ & ap\ V0f\ V1v)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\ & A\_27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\ & (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. ((ap\ (c\_2Epair\_2ESND\ A\_27a \\ & \quad A\_27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0P \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}). ((\exists V1p \in \\ & \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b). (p\ (ap\ V0P\ V1p))) \Leftrightarrow (\exists V2p\_1 \in \\ & \quad A\_27a. (\exists V3p\_2 \in A\_27b. (p\ (ap\ V0P\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ A\_27b)\ V2p\_1)\ V3p\_2)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}). (\forall V1v \in \\ & \quad A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ & \quad A\_27a\ A\_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0y \in A\_27b. (\forall V1s \in (2^{A\_27a}). (\forall V2f \in (A\_27b^{A\_27a}). \\ & \quad ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V0y)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\ & \quad A\_27a\ A\_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A\_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ & \quad (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V1s)))))) \end{aligned} \quad (37)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0ls \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a)). \\ & \quad (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ (ap\ (c\_2Efinite\_map\_2EFRANGE \\ & \quad A\_27b\ A\_27a)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27b\ A\_27a)\ V0ls))) \\ & \quad (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a) \\ & \quad A\_27a)\ (c\_2Epair\_2ESND\ A\_27b\ A\_27a))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\ & \quad (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a)\ V0ls)))))) \end{aligned}$$