

thm_2Ealist_2EFUNION__alist__to__fmap
(TMVQCf-
pYKvL5bD7dumocuq4uw6imaTMXCmE)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$) of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (V0P))))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A-27b})^{A-27a})^2}) \tag{3}$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Let $ty_2Efinite_map_2E fmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2E fmap A0 A1) \quad (4)$$

Let $c_2Efinite_map_2E fmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2E fmap_ABS A_27a A_27b \in ((ty_2Efinite_map_2E fmap A_27a A_27b)^{(ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a}}) \quad (5)$$

Definition 11 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap (c_2Efinite_map_2E$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EFUPDATE A_27a A_27b \in (((ty_2Efinite_map_2E fmap A_27a A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)})^{(ty_2Efinite_map_2E$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (9)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (10)$$

Definition 13 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (11)$$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDR \\ & A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})_{A_27b})_{((A_27b)^{A_27a})^{A_27a}} \end{aligned} \quad (12)$$

Definition 14 We define $c_2Ealist_2Ealist_to_fmap$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (ty_2Elist_2Elist$

Let $c_2Efinite_map_2EFUNION : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUNION \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2E fmap\ A_27a\ A_27b)^{(ty_2Efinite_map_2E fmap\ A_27a\ A_27b)})_{(ty_2Efinite_map_2E fmap\ A_27a\ A_27b)})_{(ty_2Efinite_map_2E fmap\ A_27a\ A_27b)} \end{aligned} \quad (13)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDL \\ & A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})_{A_27b})_{((A_27b)^{A_27a})^{A_27a}} \end{aligned} \quad (14)$$

Definition 15 We define $c_2Efinite_map_2EFUPDATE_LIST$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap\ (c_2Elist_2Elist$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist \\ & A_27a)^{(ty_2Elist_2Elist\ A_27a)})_{(ty_2Elist_2Elist\ A_27a)})_{(ty_2Elist_2Elist\ A_27a)} \end{aligned} \quad (15)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist \\ & A_27a)^{(ty_2Elist_2Elist\ A_27a)})_{A_27a})_{A_27a} \end{aligned} \quad (16)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist \\ & A_27a)_{A_27a} \end{aligned} \quad (17)$$

Let $c_2Elist_2EREVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EREVERSE\ A_27a \in ((ty_2Elist_2Elist \\ & A_27a)^{(ty_2Elist_2Elist\ A_27a)})_{(ty_2Elist_2Elist\ A_27a)} \end{aligned} \quad (18)$$

Definition 16 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0k \in A_27c. \\
& \quad (\forall V1v \in A_27d. (\forall V2t \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\
& \quad A_27c\ A_27d)). ((ap\ (c_2Ealist_2Ealist_to_fmap\ A_27a\ A_27b) \\
& \quad (c_2Elist_2ENIL\ (ty_2Epair_2Eprod\ A_27a\ A_27b)))) = (c_2Efinite_map_2EFEMPTY \\
& \quad A_27a\ A_27b)) \wedge ((ap\ (c_2Ealist_2Ealist_to_fmap\ A_27c\ A_27d) \\
& \quad (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A_27c\ A_27d))\ (ap\ (\\
& \quad ap\ (c_2Epair_2E_2C\ A_27c\ A_27d)\ V0k)\ V1v))\ V2t)) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE \\
& \quad A_27c\ A_27d)\ (ap\ (c_2Ealist_2Ealist_to_fmap\ A_27c\ A_27d)\ V2t)) \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A_27c\ A_27d)\ V0k)\ V1v)))))) \\
& \hspace{15em} (19)
\end{aligned}$$

Assume the following.

$$True \tag{20}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0g \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b). ((ap\ (ap\ (\\
& \quad c_2Efinite_map_2EFUNION\ A_27a\ A_27b)\ (c_2Efinite_map_2EFEMPTY \\
& \quad A_27a\ A_27b))\ V0g) = V0g)) \\
& \hspace{15em} (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b). (\forall V1g \in \\
& \quad (ty_2Efinite_map_2Efmap\ A_27a\ A_27b). (\forall V2x \in A_27a. (\\
& \quad \forall V3y \in A_27b. ((ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_27a\ A_27b) \\
& \quad (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C \\
& \quad A_27a\ A_27b)\ V2x)\ V3y)))\ V1g) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE \\
& \quad A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_27a\ A_27b)\ V0f) \\
& \quad V1g))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2x)\ V3y)))))) \\
& \hspace{15em} (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efmmap\ A.27a\ A.27b).(((ap\ (ap \\
& \quad (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b)\ V0f)\ (c_2Elist_2ENIL \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27b)))) = V0f) \wedge (\forall V1h \in (ty_2Epair_2Eprod \\
& \quad A.27a\ A.27b).(\forall V2t \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\
& \quad A.27a\ A.27b)).((ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a \\
& \quad A.27b)\ V0f)\ (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A.27a\ A.27b)) \\
& \quad V1h)\ V2t)) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b) \\
& \quad (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A.27a\ A.27b)\ V0f)\ V1h))\ V2t)))))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0fm \in (ty_2Efinite_map_2Efmmap\ A.27a\ A.27b).(\forall V1kvl1 \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A.27a\ A.27b)).(\forall V2kvl2 \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A.27a\ A.27b)).((ap\ (ap\ (\\
& \quad c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b)\ V0fm)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27b))\ V1kvl1)\ V2kvl2)) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b) \\
& \quad V0fm)\ V1kvl1))\ V2kvl2)))))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0f \in ((A.27b^{A.27a})^{A.27b}).(\forall V1e \in A.27b.((ap\ (\\
& \quad ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V0f)\ V1e)\ (c_2Elist_2ENIL \\
& \quad A.27a)) = V1e))) \wedge (\forall V2f \in ((A.27b^{A.27a})^{A.27b}).(\forall V3e \in \\
& \quad A.27b.(\forall V4x \in A.27a.(\forall V5l \in (ty_2Elist_2Elist\ A.27a). \\
& \quad ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V2f)\ V3e)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A.27a)\ V4x)\ V5l)) = (ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V2f) \\
& \quad (ap\ (ap\ V2f\ V3e)\ V4x))\ V5l)))))) \\
& \hspace{15em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}). \\
& \quad (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& \quad A.27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& \quad c_2Elist_2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad A.27a).(p\ (ap\ V0P\ V3l)))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c.2Elist.2EREVERSE\ A.27a) \\
& \quad (c.2Elist.2ENIL\ A.27a)) = (c.2Elist.2ENIL\ A.27a)) \wedge (\forall V0h \in \\
& \quad A.27a. (\forall V1t \in (ty.2Elist.2Elist\ A.27a). ((ap\ (c.2Elist.2EREVERSE \\
& \quad A.27a)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ (ap\ (c.2Elist.2EAPPEND \\
& \quad A.27a)\ (ap\ (c.2Elist.2EREVERSE\ A.27a)\ V1t))\ (ap\ (ap\ (c.2Elist.2ECONS \\
& \quad A.27a)\ V0h)\ (c.2Elist.2ENIL\ A.27a))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0x \in (ty.2Epair.2Eprod\ A.27a\ A.27b). (\exists V1q \in A.27a. \\
& \quad (\exists V2r \in A.27b. (V0x = (ap\ (ap\ (c.2Epair.2E.2C\ A.27a\ A.27b) \\
& \quad \quad V1q)\ V2r))))))
\end{aligned} \tag{29}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0ls \in (ty.2Elist.2Elist\ (ty.2Epair.2Eprod\ A.27a\ A.27b)). \\
& \quad (\forall V1fm \in (ty.2Efinite_map.2Efmap\ A.27a\ A.27b). ((ap\ (ap \\
& \quad (c.2Efinite_map.2EFUNION\ A.27a\ A.27b)\ (ap\ (c.2Ealist.2Ealist_to_fmap \\
& \quad A.27a\ A.27b)\ V0ls))\ V1fm) = (ap\ (ap\ (c.2Efinite_map.2EFUPDATE_LIST \\
& \quad A.27a\ A.27b)\ V1fm)\ (ap\ (c.2Elist.2EREVERSE\ (ty.2Epair.2Eprod \\
& \quad \quad A.27a\ A.27b))\ V0ls))))))
\end{aligned}$$