

thm_2Ealist_2Ealist__to__fmap__FAPPLY__MEM (TMcX1Xd9neubJYSjNHqCuvbsG9koxv4aQBH)

October 26, 2020

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \tag{3}$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \tag{4}$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL\ A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \tag{5}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2T to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

Definition 4 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (6)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ebool_2EARB\ A.27a \in A.27a \quad (7)$$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Epred_set_2ECHOICE\ A.27a \in (A.27a^{(2^{A.27a})}) \quad (8)$$

Definition 5 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E.21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2EF)$.

Definition 7 We define c_2Ebool_2EIN to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A.27a}).)(ap\ V1f\ V0x))$

Definition 8 We define $c_2Emin_2E.3D.3D.3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E.5C.2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E.21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 10 We define $c_2Ebool_2E.2F.5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E.21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (9)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2EABS_prod\ A.27a\ A.27b \in ((ty_2Epair_2Eprod\ A.27a\ A.27b)^{(2^{A.27b})^{A.27a}}) \quad (10)$$

Definition 11 We define $c_2Epair_2E.2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap\ (c_2Emin_2E.3D.3D.3E\ V0t)\ (c_2Ebool_2E.7E\ V1t))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epred_set_2EGSPEC\ A.27a\ A.27b \in ((2^{A.27a})^{((ty_2Epair_2Eprod\ A.27a\ 2)^{A.27b})}) \quad (11)$$

Definition 12 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A.27a}).(ap\ (c_2Emin_2E.3D.3D.3E\ V0t)\ (c_2Ebool_2E.7E\ V1s))$

Definition 13 We define $c_2Ebool_2E.7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E.3D.3D.3E\ V0t)\ c_2Ebool_2E.2F.5C\ V1t))$

Definition 14 We define $c_2Epred_set_2EDIFF$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1t \in (2^{A.27a}).(ap\ (c_2Emin_2E.3D.3D.3E\ V0s)\ (c_2Ebool_2E.7E\ V1t))$

Definition 15 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1x \in A_27a.(ap (ap$

Definition 16 We define $c_2Epred_set_2EREST$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (ap (c_2Epred_set_2E$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (12)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (13)$$

Definition 17 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 18 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 19 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c_2Ebool_2E_21 (2$

Definition 20 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 21 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A-27b})^{A-27a})$

Definition 22 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A-27a}) A$

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 24 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).(ap (c_2Ebool_2E_21$

Definition 25 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1M$

Definition 26 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1a \in A_27a.\lambda V2b$

Definition 27 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

Definition 28 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

Definition 29 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

Definition 30 We define $c_2Elist_2ESET_TO_LIST$ to be $\lambda A_27a : \iota.(ap (ap (c_2Erelation_2EWFREC (2^{A-27a})$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EOUTL A_27a A_27b \in (A_27a^{(ty_2Esum_2Esum A_27a A_27b)}) \quad (14)$$

Definition 31 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2EFAPPLY)$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ & A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (15)$$

Definition 32 We define $c_2Ealist_2Efmmap_to_alist$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (ty_2Efinite_map_2Ealist_2Efmmap_to_alist)$

Definition 33 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone)$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ & A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (16)$$

Definition 34 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum))$

Let $c_2Efinite_map_2Efmmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmmap_ABS \\ & A_27a\ A_27b \in ((ty_2Efinite_map_2Efmmap\ A_27a\ A_27b)^{(ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a}}) \end{aligned} \quad (17)$$

Definition 35 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap\ (c_2Efinite_map_2EFEMPTY))$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2Efmmap\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2EFUPDATE)}) \end{aligned} \quad (18)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ & A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (19)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ & A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (20)$$

Definition 36 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27b})$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDR \\ & A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b)^{A_27a})} \end{aligned} \quad (21)$$

Definition 37 We define $c_2Ealist_2Ealist_to_fmap$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0s \in (ty_2Elist_2Elist$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \quad (22)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (23)$$

Let $c_2Ealist_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Ealist_2EALOOKUP\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27a)^{A_27b})^{(ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27b\ A_27a))}) \quad (24)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (25)$$

Definition 38 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a))$

Definition 39 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS$

Definition 40 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_ABS$

Definition 41 We define $c_2Efinite_map_2EFLOOKUP$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0al \in (\\ & \quad ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)). (\forall V1fm \in \\ & \quad (ty_2Efinite_map_2Efmap\ A_27c\ A_27d). (((ap\ (c_2Efinite_map_2EFLOOKUP \\ & \quad A_27a\ A_27b)\ (ap\ (c_2Ealist_2Ealist_to_fmap\ A_27a\ A_27b)\ V0al)) = \\ & \quad (ap\ (c_2Ealist_2EALOOKUP\ A_27b\ A_27a)\ V0al)) \wedge ((ap\ (c_2Ealist_2EALOOKUP \\ & \quad A_27d\ A_27c)\ (ap\ (c_2Ealist_2Efmap_to_alist\ A_27c\ A_27d)\ V1fm)) = \\ & \quad (ap\ (c_2Efinite_map_2EFLOOKUP\ A_27c\ A_27d)\ V1fm)))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0al \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)). \\ & \quad (\forall V1k \in A_27a. (\forall V2v \in A_27b. (((ap\ (ap\ (c_2Ealist_2EALOOKUP \\ & \quad A_27b\ A_27a)\ V0al)\ V1k) = (ap\ (c_2Eoption_2ESOME\ A_27b)\ V2v)) \Rightarrow (\\ & \quad p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27b))\ (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1k)\ V2v))\ (ap\ (c_2Elist_2ELIST_TO_SET \\ & \quad (ty_2Epair_2Eprod\ A_27a\ A_27b)\ V0al)))))) \quad (27) \end{aligned}$$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p \ V0t)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1x \in A.27a. \\ & (\forall V2y \in A.27a.(((ap \ (ap \ (ap \ (c.2Ebool.2ECOND \ (ty.2Eoption.2Eoption \\ & A.27a)) \ V0P) \ (ap \ (c.2Eoption.2ESOME \ A.27a) \ V1x)) \ (c.2Eoption.2ENONE \\ & A.27a)) = (c.2Eoption.2ENONE \ A.27a)) \Leftrightarrow \neg(p \ V0P))) \wedge (((ap \ (ap \ (\\ & ap \ (c.2Ebool.2ECOND \ (ty.2Eoption.2Eoption \ A.27a)) \ V0P) \ (c.2Eoption.2ENONE \\ & A.27a)) \ (ap \ (c.2Eoption.2ESOME \ A.27a) \ V1x)) = (c.2Eoption.2ENONE \\ & A.27a)) \Leftrightarrow (p \ V0P)) \wedge (((ap \ (ap \ (ap \ (c.2Ebool.2ECOND \ (ty.2Eoption.2Eoption \\ & A.27a)) \ V0P) \ (ap \ (c.2Eoption.2ESOME \ A.27a) \ V1x)) \ (c.2Eoption.2ENONE \\ & A.27a)) = (ap \ (c.2Eoption.2ESOME \ A.27a) \ V2y)) \Leftrightarrow ((p \ V0P) \wedge (V1x = V2y))) \wedge \\ & (((ap \ (ap \ (ap \ (c.2Ebool.2ECOND \ (ty.2Eoption.2Eoption \ A.27a)) \\ & V0P) \ (c.2Eoption.2ENONE \ A.27a)) \ (ap \ (c.2Eoption.2ESOME \ A.27a) \\ & V1x)) = (ap \ (c.2Eoption.2ESOME \ A.27a) \ V2y)) \Leftrightarrow ((\neg(p \ V0P)) \wedge (V1x = \\ & V2y)))))) \end{aligned} \quad (32)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow (\\ & \forall V0al \in (ty.2Elist.2Elist \ (ty.2Epair.2Eprod \ A.27a \ A.27b)). \\ & (\forall V1z \in A.27a.((p \ (ap \ (ap \ (c.2Ebool.2EIN \ A.27a) \ V1z) \ (ap \ (\\ & c.2Efinite_map.2EFDOM \ A.27a \ A.27b) \ (ap \ (c.2Ealist.2Ealist_to_fmap \\ & A.27a \ A.27b) \ V0al)))) \Rightarrow (p \ (ap \ (ap \ (c.2Ebool.2EIN \ (ty.2Epair.2Eprod \\ & A.27a \ A.27b)) \ (ap \ (ap \ (c.2Epair.2E2C \ A.27a \ A.27b) \ V1z) \ (ap \ (ap \ (\\ & c.2Efinite_map.2EAPPLY \ A.27a \ A.27b) \ (ap \ (c.2Ealist.2Ealist_to_fmap \\ & A.27a \ A.27b) \ V0al)) \ V1z))) \ (ap \ (c.2Elist.2ELIST_TO_SET \ (ty.2Epair.2Eprod \\ & A.27a \ A.27b) \ V0al)))))) \end{aligned}$$