

thm_2Ealist_2Ealist__to__fmap__MAP__values
(TMXMBk1iAi3V3f8wmMtUTjHK7NwAgBWdSDY)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \quad (4)$$

Let $c_2Efinite_map_2Efmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2Efmap_ABS A_27a A_27b \in ((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a}}) \quad (5)$$

Definition 11 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap (c_2Efinite_map_2E$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EFUPDATE A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)})^{(ty_2Efinite_map_2E$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (9)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (10)$$

Definition 13 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (11)$$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDR \\ & A_27a\ A_27b \in (((A_27b^{(ty_2Elist_2Elist\ A_27a)})_{A_27b})_{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (12)$$

Definition 14 We define $c_2Ealist_2Ealist_to_fmap$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (ty_2Elist_2Elist$

Let $c_2Efinite_map_2Eo_f : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow c_2Efinite_map_2Eo_f\ A_27a\ A_27b\ A_27c \in (((\\ & ty_2Efinite_map_2Efmap\ A_27a\ A_27c)^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)})_{(A_27c^{A_27b})}) \end{aligned} \quad (13)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ & A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})_{(A_27b^{A_27a})}) \end{aligned} \quad (14)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in \\ & ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \end{aligned} \quad (15)$$

Let $c_2Efinite_map_2EMAP_KEYS : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow c_2Efinite_map_2EMAP_KEYS\ A_27a\ A_27b\ A_27c \in \\ & (((ty_2Efinite_map_2Efmap\ A_27b\ A_27c)^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27c)})_{(A_27b^{A_27a})}) \end{aligned} \quad (16)$$

Definition 15 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 16 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 17 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap\ (ap\ (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a}))\ A_27a))$

Definition 18 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 19 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 20 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0f1 \in (\\
& \quad A_27b^{A_27a}).(\forall V1f2 \in (A_27d^{A_27c}).(\forall V2al \in (ty_2Elist_2Elist \\
& \quad (ty_2Epair_2Eprod\ A_27a\ A_27c)).(\forall V3mal \in (ty_2Elist_2Elist \\
& \quad (ty_2Epair_2Eprod\ A_27b\ A_27d)).(\forall V4v \in (ty_2Efinite_map_2Efmap \\
& \quad A_27b\ A_27d).(((p\ (ap\ (ap\ (ap\ (c_2Epred_set_2EINJ\ A_27a\ A_27b) \\
& \quad V0f1)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (ap\ (ap\ (c_2Elist_2EMAP \\
& \quad (ty_2Epair_2Eprod\ A_27a\ A_27c)\ A_27a)\ (c_2Epair_2EFST\ A_27a\ A_27c)) \\
& \quad V2al)))\ (c_2Epred_set_2EUNIV\ A_27b)))) \wedge ((V3mal = (ap\ (ap\ (c_2Elist_2EMAP \\
& \quad (ty_2Epair_2Eprod\ A_27a\ A_27c)\ (ty_2Epair_2Eprod\ A_27b\ A_27d)) \\
& \quad (ap\ (c_2Epair_2EUNCURRY\ A_27a\ A_27c\ (ty_2Epair_2Eprod\ A_27b\ A_27d)) \\
& \quad (\lambda V5x \in A_27a.(\lambda V6y \in A_27c.(ap\ (ap\ (c_2Epair_2E_2C\ A_27b \\
& \quad A_27d)\ (ap\ V0f1\ V5x))\ (ap\ V1f2\ V6y))))))\ V2al) \wedge (V4v = (ap\ (ap\ (c_2Efinite_map_2EMAP_KEY \\
& \quad A_27a\ A_27b\ A_27d)\ V0f1)\ (ap\ (ap\ (c_2Efinite_map_2Eo_f\ A_27a \\
& \quad A_27c\ A_27d)\ V1f2)\ (ap\ (c_2Ealist_2Ealist_to_fmap\ A_27a\ A_27c) \\
& \quad V2al)))))) \Rightarrow ((ap\ (c_2Ealist_2Ealist_to_fmap\ A_27b\ A_27d)\ V3mal) = \\
& \quad V4v))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0fm \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b).((ap\ (ap \\
& \quad (c_2Efinite_map_2EMAP_KEYS\ A_27a\ A_27a\ A_27b)\ (c_2Ecombin_2EI \\
& \quad A_27a))\ V0fm) = V0fm))
\end{aligned} \tag{18}$$

Assume the following.

$$True \tag{19}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\
A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\
& (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\
& (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
True)) \tag{23}$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x.27)) \wedge ((p\ V1x.27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y.27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x.27) \Rightarrow (p\ V3y.27))))) \quad (27)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. ((ap\ (c.2Ecombin.2EI\ A.27a)\ V0x) = V0x)) \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V0x)\ (c.2Epred_set.2EUNIV\ A.27a)))) \quad (29)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}). (\forall V1al \in (ty.2Elist.2Elist \\ & (ty.2Epair.2Eprod\ A.27c\ A.27a)). ((ap\ (c.2Ealist.2Ealist_to_fmap \\ & A.27c\ A.27b)\ (ap\ (ap\ (c.2Elist.2EMAP\ (ty.2Epair.2Eprod\ A.27c\ A.27a) \\ & (ty.2Epair.2Eprod\ A.27c\ A.27b))\ (ap\ (c.2Epair.2EUNCURRY\ A.27c \\ & A.27a\ (ty.2Epair.2Eprod\ A.27c\ A.27b))\ (\lambda V2k \in A.27c. (\lambda V3v \in \\ & A.27a. (ap\ (ap\ (c.2Epair.2E.2C\ A.27c\ A.27b)\ V2k)\ (ap\ V0f\ V3v)))))) \\ & V1al)) = (ap\ (ap\ (c.2Efinite_map.2Eo_f\ A.27c\ A.27a\ A.27b)\ V0f) \\ & (ap\ (c.2Ealist.2Ealist_to_fmap\ A.27c\ A.27a)\ V1al)))) \end{aligned}$$