

thm_2Ealist_2Ealist__to__fmap__to__alist
(TMZ9iEDGaTDxeoaN8sBNrq9mYQcoTYkDhn6)

October 26, 2020

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \tag{3}$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \tag{4}$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL\ A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \tag{5}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2T to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

Definition 4 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (6)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ebool_2EARB\ A.27a \in A.27a \quad (7)$$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Epred_set_2ECHOICE\ A.27a \in (A.27a^{(2^{A.27a})}) \quad (8)$$

Definition 5 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E.21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2EF)$.

Definition 7 We define c_2Ebool_2EIN to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A.27a}).(ap\ V1f\ V0x)))$

Definition 8 We define $c_2Emin_2E.3D.3D.3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E.5C.2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E.21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 10 We define $c_2Ebool_2E.2F.5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E.21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (9)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2EABS_prod\ A.27a\ A.27b \in ((ty_2Epair_2Eprod\ A.27a\ A.27b)^{(2^{A.27b})^{A.27a}}) \quad (10)$$

Definition 11 We define $c_2Epair_2E.2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap\ (c_2Emin_2E.3D.3D.3E\ V0t)\ (c_2Ebool_2E.7E\ V1t))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epred_set_2EGSPEC\ A.27a\ A.27b \in ((2^{A.27a})^{((ty_2Epair_2Eprod\ A.27a\ 2)^{A.27b})}) \quad (11)$$

Definition 12 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A.27a}).(ap\ (c_2Emin_2E.3D.3D.3E\ V0t)\ (c_2Ebool_2E.7E\ V1s))$

Definition 13 We define $c_2Ebool_2E.7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E.3D.3D.3E\ V0t)\ c_2Ebool_2E.2F.5C\ V1t))$

Definition 14 We define $c_2Epred_set_2EDIFF$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1t \in (2^{A.27a}).(ap\ (c_2Emin_2E.3D.3D.3E\ V0s)\ (c_2Ebool_2E.7E\ V1t))$

Definition 15 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1x \in A_27a.(ap (ap$

Definition 16 We define $c_2Epred_set_2EREST$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (ap (c_2Epred_set_2E$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (12)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (13)$$

Definition 17 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 18 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 19 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c_2Ebool_2E_21 (2$

Definition 20 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 21 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A-27b})^{A-27a})$

Definition 22 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A-27a}) A$

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 24 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).(ap (c_2Ebool_2E_21$

Definition 25 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1M$

Definition 26 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1a \in A_27a.\lambda V2b$

Definition 27 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

Definition 28 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

Definition 29 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

Definition 30 We define $c_2Elist_2ESET_TO_LIST$ to be $\lambda A_27a : \iota.(ap (ap (c_2Erelation_2EWFREC (2^{A-27a})$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EOUTL A_27a A_27b \in (A_27a^{(ty_2Esum_2Esum A_27a A_27b)}) \quad (14)$$

Definition 31 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2EFAPPLY)$.
Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ & A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b)^{A_27a}}) \end{aligned} \quad (15)$$

Definition 32 We define $c_2Ealist_2Efmmap_to_alist$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (ty_2Efinite_map_2EFMAP_TO_ALIST)$.
Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (16)$$

Let $c_2Ealist_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Ealist_2EALOOKUP \\ & A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27a)^{A_27b})^{(ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27b\ A_27a))}) \end{aligned} \quad (17)$$

Definition 33 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone)$.

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ & A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (18)$$

Definition 34 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum))$.

Let $c_2Efinite_map_2Efmmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmmap_ABS \\ & A_27a\ A_27b \in ((ty_2Efinite_map_2Efmmap\ A_27a\ A_27b)^{(ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a}}) \end{aligned} \quad (19)$$

Definition 35 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap\ (c_2Efinite_map_2EFUPDATE))$.

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2Efmmap\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2EFUPDATE)}) \end{aligned} \quad (20)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ & A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (21)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ & A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (22)$$

Definition 36 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDR \\ A_27a\ A_27b \in (((A_27b^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (23)$$

Definition 37 We define $c_2Ealist_2Ealist_to_fmap$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (ty_2Elist_2Elist$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in \\ ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \end{aligned} \quad (24)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in \\ ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \end{aligned} \quad (25)$$

Definition 38 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)$

Definition 39 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS$

Definition 40 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0l \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27b\ A_27a)). \\ (\forall V1x \in A_27b.(((ap\ (ap\ (c_2Ealist_2EALOOKUP\ A_27a\ A_27b) \\ V0l)\ V1x) = (c_2Eoption_2ENONE\ A_27a)) \Leftrightarrow (\forall V2k \in A_27b.(\forall V3v \in \\ A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27b\ A_27a)) \\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27b\ A_27a)\ V2k)\ V3v))\ (ap\ (c_2Elist_2ELIST_TO_SET \\ (ty_2Epair_2Eprod\ A_27b\ A_27a))\ V0l)))) \Rightarrow (\neg(V2k = V1x)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0al \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)). \\ (\forall V1k \in A_27a.(\forall V2v \in A_27b.(((ap\ (ap\ (c_2Ealist_2EALOOKUP \\ A_27b\ A_27a)\ V0al)\ V1k) = (ap\ (c_2Eoption_2ESOME\ A_27b)\ V2v)) \Rightarrow (\\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)\ (ap\ (c_2Ealist_2Ealist_to_fmap \\ A_27a\ A_27b)\ V0al))\ V1k) = V2v)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0al \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)). \\ & \quad ((ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (ap\ (c_2Ealist_2Ealist_to_fmap \\ & \quad \quad A_27a\ A_27b)\ V0al)) = (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (ap \\ & \quad (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27a\ A_27b)\ A_27a)\ (c_2Epair_2EFST \\ & \quad \quad A_27a\ A_27b))\ V0al)))) \end{aligned} \quad (29)$$

Assume the following.

$$True \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & \quad (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & \quad ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & \quad p\ V0t)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & \quad (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f1 \in (A_27b^{A_27a}). (\forall V1f2 \in (A_27b^{A_27a}). (\forall V2l \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b) \\
& \quad V0f1)\ V2l) = (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f2)\ V2l))) \Leftrightarrow (\forall V3e \in \\
& \quad A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3e)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad A_27a)\ V2l))) \Rightarrow ((ap\ V0f1\ V3e) = (ap\ V1f2\ V3e))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0l \in (ty_2Elist_2Elist\ A_27a). (\forall V1f \in (A_27b^{A_27a}). \\
& \quad (\forall V2x \in A_27b. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V2x)\ (ap\ (\\
& \quad c_2Elist_2ELIST_TO_SET\ A_27b)\ (ap\ (ap\ (c_2Elist_2EMAP\ A_27a \\
& \quad A_27b)\ V1f)\ V0l)))) \Leftrightarrow (\exists V3y \in A_27a. ((V2x = (ap\ V1f\ V3y)) \wedge (\\
& \quad p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3y)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad A_27a)\ V0l))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\
& \quad A_27a). (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad A_27a)\ V0l))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). ((p\ (ap \\
& \quad (c_2Epred_set_2EFINITE\ A_27a)\ V0s)) \Rightarrow (\forall V1x \in A_27a. ((\\
& \quad p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad A_27a)\ (ap\ (c_2Elist_2ESET_TO_LIST\ A_27a)\ V0s)))) \Leftrightarrow (p\ (ap\ (ap \\
& \quad (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\
& \quad A_27a). ((V0opt = (c_2Eoption_2ENONE\ A_27a)) \vee (\exists V1x \in A_27a. \\
& \quad (V0opt = (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1x))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& \quad A_27a. (((ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\
& \quad A_27a)\ V1y)) \Leftrightarrow (V0x = V1y)))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Eoption_2ETHE \\
& \quad A_27a)\ (ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x)) = V0x))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ & \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b). (\exists V1q \in A_27a. \\ & \quad (\exists V2r \in A_27b. (V0x = (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ \\ & \quad V1q)\ V2r)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. ((ap\ (c_2Epair_2EFST\ A_27a \\ & \quad A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (48)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0al \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)). \\ & \quad ((ap\ (c_2Ealist_2Efmmap_to_alist\ A_27a\ A_27b)\ (ap\ (c_2Ealist_2Ealist_to_fmap \\ & \quad A_27a\ A_27b)\ V0al)) = (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ (ty_2Epair_2Eprod \\ & \quad A_27a\ A_27b))\ (\lambda V1k \in A_27a. (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ \\ & \quad V1k)\ (ap\ (c_2Eoption_2ETHE\ A_27b)\ (ap\ (ap\ (c_2Ealist_2EALOOKUP \\ & \quad A_27b\ A_27a)\ V0al)\ V1k))))))\ (ap\ (c_2Elist_2ESET_TO_LIST\ A_27a)\ \\ & \quad (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (ap\ (ap\ (c_2Elist_2EMAP \\ & \quad (ty_2Epair_2Eprod\ A_27a\ A_27b)\ A_27a)\ (c_2Epair_2EFST\ A_27a\ A_27b)\ \\ & \quad V0al)))))) \end{aligned}$$