

thm\_2Ealist\_2Ealookup\_\_distinct\_\_reverse  
(TMK1eNCB5JNxScMenBroDB88t5FAENDkuTQ)

October 26, 2020

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (2)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (3)$$

Let  $c\_2Ealist\_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b})^{(ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))}) \quad (4)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

**Definition 4** We define  $c\_2Ebool\_2E\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))\ (\lambda V3t \in 2.V3t)))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (a$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a}})) \quad (5)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (6)$$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EREVERSE\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (7)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (8)$$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (9)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (10)$$

Let  $c\_2Elist\_2EALL\_DISTINCT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EALL\_DISTINCT\ A\_27a \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (11)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (12)$$

**Definition 10** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone))$

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (13)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (14)$$

**Definition 12** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (15)$$

**Definition 13** We define  $c\_2Eoption\_2EENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ 0)$

Let  $c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Eoption\_2Eoption\_CASE\ A\_27a\ A\_27b \in (((A\_27b)^{(A\_27b)^{A\_27a}})^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (16)$$

**Definition 14** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

**Definition 15** We define  $c\_2Eoption\_2EESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$

**Definition 16** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ A\_27a)\ V0P)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (17)$$

**Definition 17** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x, V1y))$

Let  $c\_2Epair\_2EFAST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFAST\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (18)$$

**Definition 18** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ V1t2))\ V0t1)$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0q \in A\_27b. ((ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b) \\
& (c\_2Elist\_2ENIL\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a)))\ V0q) = (c\_2Eoption\_2ENONE \\
& A\_27a))) \wedge (\forall V1y \in A\_27a. (\forall V2x \in A\_27b. (\forall V3t \in \\
& (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a)). (\forall V4q \in \\
& A\_27b. ((ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b \\
& A\_27a)\ V2x)\ V1y))\ V3t))\ V4q) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption \\
& A\_27a))\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ A\_27b)\ V2x)\ V4q))\ (ap\ (c\_2Eoption\_2ESOME \\
& A\_27a)\ V1y))\ (ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b)\ V3t)\ V4q))))))))) \\
& \hspace{15em} (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0al \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\
& (\forall V1k \in A\_27a. (\forall V2v \in A\_27b. (((ap\ (ap\ (c\_2Ealist\_2EALOOKUP \\
& A\_27b\ A\_27a)\ V0al)\ V1k) = (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V2v))) \Rightarrow ( \\
& p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ (ap\ (ap \\
& (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V1k)\ V2v))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ V0al))))))))) \\
& \hspace{15em} (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0l1 \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\
& (\forall V1l2 \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\
& (\forall V2k \in A\_27a. ((ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27b\ A\_27a) \\
& (ap\ (ap\ (c\_2Elist\_2EAPPEND\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ V0l1) \\
& V1l2))\ V2k) = (ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE\ A\_27b\ (ty\_2Eoption\_2Eoption \\
& A\_27b))\ (ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27b\ A\_27a)\ V0l1)\ V2k))\ ( \\
& ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27b\ A\_27a)\ V1l2)\ V2k))\ (\lambda V3v \in \\
& A\_27b. (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V3v))))))))) \\
& \hspace{15em} (21)
\end{aligned}$$

Assume the following.

$$True \hspace{15em} (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \hspace{2em} (23)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \hspace{15em} (24)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \hspace{15em} (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (31)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in A\_27a.(((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V0t1) V1t2) = V1t2)))))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x)))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (35)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow (36)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{.27a}.(\forall V3x_{.27} \in A_{.27a}.(\forall V4y \in A_{.27a}. \\ & (\forall V5y_{.27} \in A_{.27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))) \Rightarrow ((ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) V1Q) V3x_{.27}) \\ & V5y_{.27})))))) \Rightarrow (37) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}.(\forall V1t2 \in \\ & A_{.27a}.((ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) c_{.2Ebool_{.2ET}} V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}.(\forall V3t2 \in A_{.27a}.((ap \\ & (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) c_{.2Ebool_{.2EF}} V2t1) V3t2) = V3t2)))) \Rightarrow (38) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & (\forall V0f \in (A_{.27b}^{A_{.27a}}).((ap (ap (c_{.2Elist_{.2EMAP}} A_{.27a} A_{.27b}) \\ & V0f) (c_{.2Elist_{.2ENIL}} A_{.27a})) = (c_{.2Elist_{.2ENIL}} A_{.27b})) \wedge (\forall V1f \in \\ & (A_{.27b}^{A_{.27a}}).(\forall V2h \in A_{.27a}.(\forall V3t \in (ty_{.2Elist_{.2Elist}} \\ & A_{.27a}).((ap (ap (c_{.2Elist_{.2EMAP}} A_{.27a} A_{.27b}) V1f) (ap (ap (c_{.2Elist_{.2ECONS}} \\ & A_{.27a} V2h) V3t)) = (ap (ap (c_{.2Elist_{.2ECONS}} A_{.27b}) (ap V1f V2h)) \\ & (ap (ap (c_{.2Elist_{.2EMAP}} A_{.27a} A_{.27b}) V1f) V3t)))))) \Rightarrow (39) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{(ty_{.2Elist_{.2Elist}} A_{.27a})}). \\ & (((p (ap V0P (c_{.2Elist_{.2ENIL}} A_{.27a}))) \wedge (\forall V1t \in (ty_{.2Elist_{.2Elist}} \\ & A_{.27a}).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_{.27a}.(p (ap V0P (ap (ap ( \\ & c_{.2Elist_{.2ECONS}} A_{.27a} V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_{.2Elist_{.2Elist}} \\ & A_{.27a}).(p (ap V0P V3l)))) \Rightarrow (40) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \forall V0l \in (ty_{.2Elist_{.2Elist}} A_{.27a}).(\forall V1f \in (A_{.27b}^{A_{.27a}}). \\ & (\forall V2x \in A_{.27b}.((p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27b}) V2x) (ap ( \\ & c_{.2Elist_{.2ELIST\_TO\_SET}} A_{.27b}) (ap (ap (c_{.2Elist_{.2EMAP}} A_{.27a} \\ & A_{.27b}) V1f) V0l)))) \Leftrightarrow (\exists V3y \in A_{.27a}.((V2x = (ap V1f V3y)) \wedge ( \\ & p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a}) V3y) (ap (c_{.2Elist_{.2ELIST\_TO\_SET}} \\ & A_{.27a}) V0l)))))) \Rightarrow (41) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (((ap\ (c\_2Elist\_2EREVERSE\ A\_27a) \\ & (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL\ A\_27a)) \wedge (\forall V0h \in \\ & A\_27a. (\forall V1t \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2EREVERSE \\ & A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\ & A\_27a)\ (ap\ (c\_2Elist\_2EREVERSE\ A\_27a)\ V1t))\ (ap\ (ap\ (c\_2Elist\_2ECONS \\ & A\_27a)\ V0h)\ (c\_2Elist\_2ENIL\ A\_27a)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (((p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT \\ & A\_27a)\ (c\_2Elist\_2ENIL\ A\_27a))) \Leftrightarrow True) \wedge (\forall V0h \in A\_27a. ( \\ \forall V1t \in (ty\_2Elist\_2Elist\ A\_27a). & ((p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT \\ & A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0h)\ V1t))) \Leftrightarrow ((\neg(p\ (ap\ (ap \\ & (c\_2Ebool\_2EIN\ A\_27a)\ V0h)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a) \\ & V1t)))) \wedge (p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT\ A\_27a)\ V1t)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0opt \in (ty\_2Eoption\_2Eoption \\ & A\_27a). ((V0opt = (c\_2Eoption\_2ENONE\ A\_27a)) \vee (\exists V1x \in A\_27a. \\ & (V0opt = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ (\forall V0v \in A\_27b. (\forall V1f \in (A\_27b^{A\_27a}). & ((ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE \\ & A\_27a\ A\_27b)\ (c\_2Eoption\_2ENONE\ A\_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\ & A\_27a. (\forall V3v \in A\_27b. (\forall V4f \in (A\_27b^{A\_27a}). ((ap\ (ap \\ & (ap\ (c\_2Eoption\_2Eoption\_CASE\ A\_27a\ A\_27b)\ (ap\ (c\_2Eoption\_2ESOME \\ & A\_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0x \in A\_27a. (\forall V1y \in \\ & A\_27a. (((ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0x) = (ap\ (c\_2Eoption\_2ESOME \\ & A\_27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0x \in (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b). & (\exists V1q \in A\_27a. \\ (\exists V2r \in A\_27b. (V0x = & (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b) \\ & V1q)\ V2r)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a. (\forall V1y \in A\_27b. & ((ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b) \\ & (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (48)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r))) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2.(((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (60)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0l \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ & \quad (\forall V1k \in A\_27a. ((p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT\ A\_27a) \\ & \quad (ap\ (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)\ A\_27a) \\ & \quad (c\_2Epair\_2EFST\ A\_27a\ A\_27b))\ V0l))) \Rightarrow ((ap\ (ap\ (c\_2Ealist\_2EALOOKUP \\ & \quad A\_27b\ A\_27a)\ (ap\ (c\_2Elist\_2EREVERSE\ (ty\_2Epair\_2Eprod\ A\_27a \\ & \quad A\_27b))\ V0l))\ V1k) = (ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27b\ A\_27a)\ V0l) \\ & \quad V1k)))))) \end{aligned}$$