

thm_2Ealist_2Efmap__to__alist__FEMPTY
(TMXmwQ5QiKb2RQD4oXy5MqN2pSWtWZ1gork)

October 26, 2020

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \tag{3}$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \tag{4}$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \tag{5}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ (\lambda V1P \in 2.V1P))\ (\lambda V2P \in 2.V2P)))$

Definition 4 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b)$

Definition 5 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 7 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EISL A_27a A_27b \in (2^{(ty_2Esum_2Esum A_27a A_27b)}) \quad (8)$$

Definition 8 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2E$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (9)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2EARB A_27a \in A_27a \quad (10)$$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Epred_set_2ECHOICE A_27a \in (A_27a^{(2^{A_27a})}) \quad (11)$$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 11 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a 2)^{A_27b})}) \quad (12)$$

Definition 13 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2$

Definition 14 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Definition 15 We define `c_2Epred__set_2EDIFF` to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 16 We define `c_2Epred__set_2EDELETE` to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (ap$

Definition 17 We define `c_2Epred__set_2EREST` to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (ap (c_2Epred__set_2E$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a)A_27a)A_27a) \quad (13)$$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (14)$$

Definition 18 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 19 We define `c_2Ebool_2ECOND` to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 20 We define `c_2Epred__set_2EFINITE` to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 (2$

Definition 21 We define `c_2Ecombin_2EK` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x$

Definition 22 We define `c_2Ecombin_2ES` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}$

Definition 23 We define `c_2Ecombin_2EI` to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A_27a$

Definition 24 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 25 We define `c_2Erelation_2EWF` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21$

Definition 26 We define `c_2Erelation_2ERESTRICT` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1M$

Definition 27 We define `c_2Erelation_2ETC` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b$

Definition 28 We define `c_2Erelation_2Eapprox` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 29 We define `c_2Erelation_2Ethe__fun` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 30 We define `c_2Erelation_2EWFREC` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 31 We define `c_2Elist_2ESET__TO__LIST` to be $\lambda A_27a : \iota.(ap (ap (c_2Erelation_2EWFREC (2^{A_27a}$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ & A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (15)$$

Definition 32 We define $c_2Ealist_2Efmmap_to_alist$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (ty_2Efinite_map$

Definition 33 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ & A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (16)$$

Definition 34 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS$

Let $c_2Efinite_map_2Efmmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmmap_ABS \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2Efmmap\ A_27a\ A_27b)^{(ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})} \end{aligned} \quad (17)$$

Definition 35 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap\ (c_2Efinite_map_2E$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\quad (19) \\ & p\ V0t)))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (c_2Efinite_map_2EFEMPTY \\ & A_27a\ A_27b)) = (c_2Epred_set_2EEMPTY\ A_27a)) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b) \\ & V0f)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27b))) \wedge (\forall V1f \in \\ & (A_27b^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist \\ & A_27a).((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ (ap\ V1f\ V2h)) \\ & (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ V3t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow ((ap\ (c_2Elist_2ESET_TO_LIST\ A_{27a})\ (c_2Epred_set_2EEMPTY\ A_{27a})) = (c_2Elist_2ENIL\ A_{27a})) \quad (22)$$

Theorem 1

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (ap\ (c_2Ealist_2Efmmap_to_alist\ A_{27a}\ A_{27b})\ (c_2Efinite_map_2EFEMPTY\ A_{27a}\ A_{27b})) = (c_2Elist_2ENIL\ (ty_2Epair_2Eprod\ A_{27a}\ A_{27b})))$$