

thm\_2Ealist\_2Efmap\_\_to\_\_alist\_\_to\_\_fmap  
(TMGutVDSiL-  
STjHKRDHm9fWxmbNd8jCRTzDD)

October 26, 2020

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efinite\_map\_2Efmap\ A0\ A1) \tag{3}$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP\ A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)}) \tag{4}$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \tag{5}$$

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E3D\ (2^{A\_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V0x \in 2.V0x)))$

**Definition 4** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (6)$$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Ebool\_2EARB\ A.27a \in A.27a \quad (7)$$

Let  $c\_2Epred\_set\_2ECHOICE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Epred\_set\_2ECHOICE\ A.27a \in (A.27a^{(2^{A.27a})}) \quad (8)$$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E.21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c\_2Ebool\_2EF)$ .

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A.27a}).(ap\ V1f\ V0x)))$

**Definition 8** We define  $c\_2Emin\_2E.3D.3D.3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E.5C.2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E.21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 10** We define  $c\_2Ebool\_2E.2F.5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E.21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (9)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2EABS\_prod\ A.27a\ A.27b \in ((ty\_2Epair\_2Eprod\ A.27a\ A.27b)^{(2^{A.27b})^{A.27a}}) \quad (10)$$

**Definition 11** We define  $c\_2Epair\_2E.2C$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap\ (c\_2Emin\_2E.3D.3D.3E\ V0t)\ (c\_2Ebool\_2E.7E\ V1t))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A.27a\ A.27b \in ((2^{A.27a})^{(ty\_2Epair\_2Eprod\ A.27a\ 2)^{A.27b}}) \quad (11)$$

**Definition 12** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A.27a}).(ap\ (c\_2Emin\_2E.3D.3D.3E\ V0t)\ (c\_2Ebool\_2E.7E\ V1s))$

**Definition 13** We define  $c\_2Ebool\_2E.7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E.3D.3D.3E\ V0t)\ c\_2Ebool\_2E.2F.5C\ V1t))$

**Definition 14** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1t \in (2^{A.27a}).(ap\ (c\_2Emin\_2E.3D.3D.3E\ V0s)\ (c\_2Ebool\_2E.7E\ V1t))$

**Definition 15** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1x \in A\_27a.(ap (ap$

**Definition 16** We define  $c\_2Epred\_set\_2EREST$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (ap (c\_2Epred\_set\_2E$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (12)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (13)$$

**Definition 17** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 19** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c\_2Ebool\_2E\_21 (2$

**Definition 20** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x)$

**Definition 21** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A-27b})^{A-27a})$

**Definition 22** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES\ A\_27a\ (A\_27a^{A-27a})\ A$

**Definition 23** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P (ap (c\_2Emin\_2E\_40$

**Definition 24** We define  $c\_2Erelation\_2EWF$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).(ap (c\_2Ebool\_2E\_21$

**Definition 25** We define  $c\_2Erelation\_2ERESTRICT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A-27a}).\lambda V1M$

**Definition 26** We define  $c\_2Erelation\_2ETC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1a \in A\_27a.\lambda V2b$

**Definition 27** We define  $c\_2Erelation\_2Eapprox$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

**Definition 28** We define  $c\_2Erelation\_2Ethe\_fun$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

**Definition 29** We define  $c\_2Erelation\_2EWFREC$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1M$

**Definition 30** We define  $c\_2Elist\_2ESET\_TO\_LIST$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Erelation\_2EWFREC (2^{A-27a})$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \quad (14)$$

**Definition 31** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2EFAPPLY)$ .  
Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP \\ & A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a})}) \end{aligned} \quad (15)$$

**Definition 32** We define  $c\_2Ealist\_2Efmmap\_to\_alist$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s \in (ty\_2Efinite\_map\_2EFMAP\_TO\_ALIST)$ .  
Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (16)$$

Let  $c\_2Ealist\_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Ealist\_2EALOOKUP \\ & A\_27a\ A\_27b \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b})^{(ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))}) \end{aligned} \quad (17)$$

**Definition 33** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone))\ (\lambda V0x \in ty\_2Eone\_2Eone)$ .

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ & A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (18)$$

**Definition 34** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\_sum))$ .

Let  $c\_2Efinite\_map\_2Efmmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmmap\_ABS \\ & A\_27a\ A\_27b \in ((ty\_2Efinite\_map\_2Efmmap\ A\_27a\ A\_27b)^{(ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a}}) \end{aligned} \quad (19)$$

**Definition 35** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(ap\ (c\_2Efinite\_map\_2EFEMPTY))$ .

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2EFUPDATE \\ & A\_27a\ A\_27b \in (((ty\_2Efinite\_map\_2Efmmap\ A\_27a\ A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_map\_2EFUPDATE)}) \end{aligned} \quad (20)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ & A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (21)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ & A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (22)$$

**Definition 36** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})$ .  
Let  $c\_2Elist\_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EFOLDR \\ & A\_27a\ A\_27b \in (((A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27b})^{((A\_27b)^{A\_27b})^{A\_27a}} \end{aligned} \quad (23)$$

**Definition 37** We define  $c\_2Ealist\_2Ealist\_to\_fmap$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s \in (ty\_2Elist\_2Elist\ A\_27a)$ .  
Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in \\ & ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \end{aligned} \quad (24)$$

**Definition 38** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (V0))$ .

**Definition 39** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\ A\_27a)\ (V0e))$ .

**Definition 40** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (V0x))$ .

**Definition 41** We define  $c\_2Efinite\_map\_2EFLOOKUP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2EFLOOKUP\ A\_27a\ A\_27b)$ .

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0al \in ( \\ & ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)).(\forall V1fm \in \\ & (ty\_2Efinite\_map\_2Efmap\ A\_27c\ A\_27d).(((ap\ (c\_2Efinite\_map\_2EFLOOKUP \\ & A\_27a\ A\_27b)\ (ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A\_27a\ A\_27b)\ V0al)) = \\ & (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27b\ A\_27a)\ V0al)) \wedge ((ap\ (c\_2Ealist\_2EALOOKUP \\ & A\_27d\ A\_27c)\ (ap\ (c\_2Ealist\_2Efmap\_to\_alist\ A\_27c\ A\_27d)\ V1fm)) = \\ & (ap\ (c\_2Efinite\_map\_2EFLOOKUP\ A\_27c\ A\_27d)\ V1fm)))))) \end{aligned} \quad (25)$$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \\ & True)) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0f1 \in (ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b).(\forall V1f2 \in \\ & (ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b).((V0f1 = V1f2) \Leftrightarrow ((ap\ (c\_2Efinite\_map\_2EFLOOKUP \\ & A\_27a\ A\_27b)\ V0f1) = (ap\ (c\_2Efinite\_map\_2EFLOOKUP\ A\_27a\ A\_27b) \\ & V1f2)))))) \end{aligned} \quad (28)$$

**Theorem 1**

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\forall V0fm \in (ty\_2Efinite\_map\_2E fmap\ A_{27a}\ A_{27b}). ((ap\ (c\_2Ealist\_2Ealist\_to\_fmap\ A_{27a}\ A_{27b})\ (ap\ (c\_2Ealist\_2Efmap\_to\_alist\ A_{27a}\ A_{27b})\ V0fm)) = V0fm))$$