

# thm\_2Earithmetic\_2EABS\_\_DIFF\_\_SUMS (TMPRNfaKXJZgsEBBpQ9EQ59t4Jrwvdf4jy8)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (2)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) a))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. inj\_o (V0t1 = V2t))))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (6)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 12** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 13** We define  $c\_2Earithmetic\_2EABS\_DIFF$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1m \in ty\_2Enum\_2Enum.$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 15** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (7)$$

**Definition 16** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP).$

Assume the following.

$$\begin{aligned} & ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\ & c\_2Enum\_2E0) V0n) = V0n)) \wedge (\forall V1m \in ty\_2Enum\_2Enum.(\forall V2n \in \\ & ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B (ap c\_2Enum\_2ESUC \\ & V1m)) V2n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V1m) \\ & V2n))))))) \end{aligned} \quad (8)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\ & c\_2Enum\_2E0) = V0m)) \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum. \\ & (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) = (ap \\ & (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC V1n)))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum. \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & V1n) V0m))) \end{aligned} \quad (11)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) (ap c\_2Enum\_2ESUC V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0n) V1m)))))) \quad (12)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Enum\_2E0) V0n))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) (ap c\_2Enum\_2ESUC V0m)))) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))) \quad (15)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V0m))) \quad (16)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2EABS\_DIFF V0n) V1m) = (ap (ap c\_2Earithmetic\_2EABS\_DIFF V1m) V0n)))) \quad (17)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2EABS\_DIFF V0n) c\_2Enum\_2E0) = V0n) \wedge ((ap (ap c\_2Earithmetic\_2EABS\_DIFF c\_2Enum\_2E0) V0n) = V0n))) \quad (18)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2EABS\_DIFF (ap c\_2Enum\_2ESUC V0n)) (ap c\_2Enum\_2ESUC V1m)) = (ap (ap c\_2Earithmetic\_2EABS\_DIFF V0n) V1m)))) \quad (19)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Enum\_2Enum. (\forall V1z \in ty\_2Enum\_2Enum. \\
 & \quad \forall V2y \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & \quad \quad (ap (ap c\_2Earithmetic\_2EABS\_DIFF V0x) (ap (ap c\_2Earithmetic\_2E\_2B \\
 & \quad \quad \quad V2y) V1z))) (ap (ap c\_2Earithmetic\_2E\_2B V2y) (ap (ap c\_2Earithmetic\_2EABS\_DIFF \\
 & \quad \quad \quad V0x) V1z))))))) \\
 \end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Enum\_2Enum. (\forall V1z \in ty\_2Enum\_2Enum. \\
 & \quad p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2EABS\_DIFF \\
 & \quad \quad V0x) V1z)) (ap (ap c\_2Earithmetic\_2E\_2B V0x) V1z)))) \\
 \end{aligned} \tag{21}$$

Assume the following.

$$True \tag{22}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \wedge (p V1t2)) \Leftrightarrow ((p V1t2) \wedge (p V0t1)))) \tag{23}$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{24}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
 & \quad (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \\
 \end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\
 & \quad ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \\
 \end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p (ap V0P c\_2Enum\_2E0)) \wedge \\
 & \quad (\forall V1n \in ty\_2Enum\_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC \\
 & \quad \quad V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p (ap V0P V2n)))))) \\
 \end{aligned} \tag{27}$$

### Theorem 1

$$\begin{aligned}
 & (\forall V0n1 \in ty\_2Enum\_2Enum. (\forall V1n2 \in ty\_2Enum\_2Enum. \\
 & \quad (\forall V2m1 \in ty\_2Enum\_2Enum. (\forall V3m2 \in ty\_2Enum\_2Enum. \\
 & \quad \quad (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2EABS\_DIFF \\
 & \quad \quad \quad (ap (ap c\_2Earithmetic\_2E\_2B V0n1) V1n2)) (ap (ap c\_2Earithmetic\_2E\_2B \\
 & \quad \quad \quad V2m1) V3m2)) (ap (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2EABS\_DIFF \\
 & \quad \quad \quad V0n1) V2m1)) (ap (ap c\_2Earithmetic\_2EABS\_DIFF V1n2) V3m2))))))) \\
 \end{aligned}$$