

thm\_2Earithmetric\_2EBOUNDED\_\_EXISTS\_\_THM  
 (TMFQLckqH-  
 LAMH8hqNFFAsGsfTMxvyvnuLks)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetric\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (c\_2Enum\_2ESUC\_REP\ m))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B V0n))$ .

**Definition 8** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21 2))$ .

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$ .

**Definition 13** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda P \in 2^A.(\lambda V0P \in 2.(ap V0P (ap (c\_2Emin\_2E\_40 P))))$ .

**Definition 15** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0m$ .

**Definition 16** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$ .

**Definition 17** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0m$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (7)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in ty\_2Enum\_2Enum.(V0m = (ap c\_2Enum\_2ESUC V1n)))))) \quad (8)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap c\_2Enum\_2ESUC V0m) = (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \quad (9)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0m)) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m)) \quad (10)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad V0m) V1n)) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1n) V2p))) \Rightarrow (p (ap (ap \\
& \quad \quad c\_2Eprim\_rec\_2E\_3C V0m) V2p))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1n) V0m)) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad V1n) (ap (ap c\_2Earithmetic\_2E\_2D V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad \quad (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad (V0m = V1n) \vee ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \vee (p (ap (ap \\
& \quad \quad c\_2Eprim\_rec\_2E\_3C V1n) V0m))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) \\
& \quad (ap (ap c\_2Earithmetic\_2E\_2D V1n) V2p))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad \quad (ap (ap c\_2Earithmetic\_2E\_2B V0m) V2p)) V1n))))))
\end{aligned} \tag{14}$$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& \quad V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& \quad True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& \quad \quad (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& \quad ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& \quad (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& \quad \quad p V0t))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_{27a}}). ((p \ V0P) \wedge (\forall V2x \in A_{27a}. (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\forall V3x \in A_{27a}. ((p \ V0P) \wedge (p \ (ap \ V1Q \ V3x)))))) \quad (20)$$

Assume the following.

$$(\forall V0n \in \text{ty\_2Enum\_2Enum}. (\neg (p \ (ap \ (ap \ c\_2Eprim\_rec\_2E\_3C \ V0n) \ V0n)))) \quad (21)$$

Assume the following.

$$(\forall V0m \in \text{ty\_2Enum\_2Enum}. (\forall V1n \in \text{ty\_2Enum\_2Enum}. (p \ (ap \ (ap \ c\_2Eprim\_rec\_2E\_3C \ (ap \ c\_2Enum\_2ESUC \ V0m)) \ V1n)) \Rightarrow (p \ (ap \ (ap \ c\_2Eprim\_rec\_2E\_3C \ V0m) \ V1n)))) \quad (22)$$

Assume the following.

$$(\forall V0n \in \text{ty\_2Enum\_2Enum}. (p \ (ap \ (ap \ c\_2Eprim\_rec\_2E\_3C \ V0n) \ (ap \ c\_2Enum\_2ESUC \ V0n)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. ((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow \text{False}))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \ V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \ V1B)) \Rightarrow \text{False})))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p \ V0A)) \vee (p \ V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow \text{False})))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p \ V0A)) \Rightarrow \text{False}) \Rightarrow (((p \ V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (p \ V1q) \Leftrightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))))))) \quad (29)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \\
& \tag{30}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \\
& \tag{31}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \\
& \tag{32}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \\
& \tag{33}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \\
& \tag{34}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \\
& \tag{35}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \\
& \tag{36}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \\
& \tag{37}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \\
& \tag{38}
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (\forall V1c \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V1c)) \Rightarrow ((\exists V2n \in \\
& ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V2n) V1c)) \wedge (p \\
& (ap V0P V2n)))) \Leftrightarrow ((p (ap V0P (ap (ap c\_2Earithmetic\_2E\_2D V1c) (ap \\
& c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \vee \\
& (\exists V3n \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V3n) (ap (ap c\_2Earithmetic\_2E\_2D V1c) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge (p (ap \\
& V0P V3n))))))))) \\
& \tag{Theorem 1}
\end{aligned}$$