

thm\_2Earithmetic\_2EEXP\_\_BASE\_\_LEQ\_\_MONO\_\_IMP  
 (TMJZdVPdyjxV2abfYNYPQSNnH7n9fpfsF8m)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (2)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (3)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (4)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

**Definition 4** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2EABS\_num (m))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (5)$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c_2$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT1 n) V)$

**Definition 8** We define  $c_2Earthmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 9** We define  $c_2$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c_2\text{Ebool\_2E\_3F}$  to be  $\lambda A.\lambda 27a:\iota.( \lambda V0P \in (2^{A \rightarrow 27a}).(ap\;V0P\;(ap\;(c_2\text{Emin\_2E\_40}))$

Let  $c_2Earithmetic_2E_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

**Definition 11** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 12** We define  $c_2 \in \text{min\_3D\_3D\_3E}$  to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o} (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 13** We define  $c\_Ebool\_E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_Emin\_E\_3D\_3D\_3E\ V0t)\ c\_Ebool\_E\_7E))$

**Definition 14** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 15** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 16** We define  $c_2.Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2.Ebool\_2E_21 2) (\lambda V2t \in$

**Definition 17** We define  $c\_2Earthmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c_2$  be given. Assume the following.

*c\_2Earithmetic\_2EEXP*  $\in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum} \dots$

**Definition 18** We define  $\text{c\_2Ebool\_2EBOUNDED}$  to be  $(\lambda V0v \in 2.\text{c\_2Ebool\_2ET})$ .

Assume the following.

(( $a_n \in 2\text{Farithmic } 2$

Assume the following

Assume the following.

$$(\forall \forall \text{on} \in \text{ty\_ZEnum\_ZEnum}. ((\neg(V \text{on} = \text{c\_ZEnum\_ZE0})) \Leftrightarrow (p (\text{ap} (\text{ap} \text{c\_2Eprim\_rec\_2E\_3C c\_2Enum\_ZE0}) V \text{on})))) \quad (10)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0m)) V1n)))))) \quad (11)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m)) \quad (12)$$

Assume the following.

$$(\forall V0p \in ty\_2Enum\_2Enum. (\forall V1q \in ty\_2Enum\_2Enum. (\forall V2n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2EXP V2n) (ap (ap c\_2Earithmetic\_2E\_2B V0p) V1q)) = (ap (ap c\_2Earithmetic\_2E\_2A (ap (ap c\_2Earithmetic\_2EXP V2n) V0p)) (ap (ap c\_2Earithmetic\_2EXP V2n) V1q))))))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \Rightarrow (\exists V2p \in ty\_2Enum\_2Enum. (V1n = (ap (ap c\_2Earithmetic\_2E\_2B V0m) V2p)))))) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2A V0m) V2p))) \Leftrightarrow ((V0m = c\_2Enum\_2E0) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))) \quad (15)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2EXP V0n) V1m)) = c\_2Enum\_2E0) \Leftrightarrow ((V0n = c\_2Enum\_2E0) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V1m)))))) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (21)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0v \in 2.((p (ap c\_2Ebool\_2EBOUNDED V0v)) \Leftrightarrow True)) \quad (24)$$

### Theorem 1

$$(\forall V0n \in ty\_2Enum\_2Enum.(\forall V1m \in ty\_2Enum\_2Enum.(\forall V2b \in ty\_2Enum\_2Enum.(((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V2b)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1m) V0n))) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2EEEXP V2b) V1m)) (ap (ap c\_2Earithmetic\_2EEEXP V2b) V0n))))))))$$