

thm_2Earithmetic_2EEXP__EQ__1
(TMHs6WdZqXgvEtTJcn6EXpdfCbMEkingmdX)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (c_2Enum_2ESUC_REP\ m))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p \Rightarrow Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 \ 2) (\lambda V2t \in 2.$

Definition 11 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 \ 2) (\lambda V0t \in 2.V0t))$.

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E \ V0t) c_2Ebool_2E_21 \ 2))$

Definition 13 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 \ 2) (\lambda V2t \in 2.$

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\ V0m) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) \wedge (\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in \\ & ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \ V1m) (ap c_2Enum_2ESUC \\ & V2n)) = (ap (ap c_2Earithmetic_2E_2A \ V1m) (ap (ap c_2Earithmetic_2EEXP \\ & V1m) \ V2n)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Enum_2Enum.(\forall V1y \in ty_2Enum_2Enum.(\\ & ((ap (ap c_2Earithmetic_2E_2A \ V0x) \ V1y) = (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) \Leftrightarrow ((V0x = \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) \wedge \\ & (V1y = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum.(((ap (ap c_2Earithmetic_2EEXP \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) \\ & V0n) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO))) \wedge ((ap (ap c_2Earithmetic_2EEXP \ V0n) \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) = \\ & V0n))) \end{aligned} \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (((p (ap V0P c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p (ap V0P V2n)))))) \quad (17)$$

Theorem 1

$$(\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. ((ap (ap c_2Earithmic_2EEXP V0n) V1m) = (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO))) \Leftrightarrow ((V0n = (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO))) \vee (V1m = c_2Enum_2E0))))))$$