

# thm\_2Earithmetic\_2EXP\_\_MOD (TMHms- FYefd5jfQo7Pb8nN2LrUQp5mMYMtCN)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \tag{3}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{5}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P (ap (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{6}$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{7}$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{8}$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{9}$$

**Definition 13** We define  $c\_2Earithmetic\_2EMODEQ$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1m1 \in ty\_2Enum$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.((\neg(p (ap (ap\ c\_2Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0) V0n))) \Leftrightarrow (V0n = c\_2Enum\_2E0))) \tag{10}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.((p (ap (ap\ c\_2Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0) V0n)) \Rightarrow (\forall V1k \in ty\_2Enum\_2Enum.((ap (ap\ c\_2Earithmetic\_2EMOD (ap (ap\ c\_2Earithmetic\_2EMOD\ V1k) V0n)) V0n) = (ap (ap\ c\_2Earithmetic\_2EMOD\ V1k) V0n)))))) \tag{11}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\forall V1m1 \in ty\_2Enum\_2Enum. (\forall V2m2 \in ty\_2Enum\_2Enum.((p (ap (ap (ap\ c\_2Earithmetic\_2EMODEQ\ V0n) V1m1) V2m2)) \Leftrightarrow (((V0n = c\_2Enum\_2E0) \wedge (V1m1 = V2m2)) \vee ((p (ap (ap\ c\_2Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0) V0n)) \wedge ((ap (ap\ c\_2Earithmetic\_2EMOD\ V1m1) V0n) = (ap (ap\ c\_2Earithmetic\_2EMOD\ V2m2) V0n)))))))))) \tag{12}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1x \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2y \in ty\_2Enum\_2Enum. (\forall V3e \in ty\_2Enum\_2Enum. ( ( \\
& \quad p (ap (ap (ap c\_2Earithmetic\_2EMODEQ V0n) V1x) V2y)) \Rightarrow (p (ap (ap ( \\
& \quad ap c\_2Earithmetic\_2EMODEQ V0n) (ap (ap c\_2Earithmetic\_2EEXP V1x) \\
& \quad V3e)) (ap (ap c\_2Earithmetic\_2EEXP V2y) V3e))))))))) \\
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \\
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\
& (p V0t)) \Leftrightarrow (p V0t)))))) \\
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \\
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True))) \\
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \\
& True)) \\
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \\
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg (p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg ( \\
& p V0t)))))) \\
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \\
\end{aligned} \tag{21}$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in 2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \Rightarrow \quad (22)$$

**Theorem 1**

$$(\forall V0n \in ty.2Enum.2Enum.(\forall V1x \in ty.2Enum.2Enum.(\forall V2e \in ty.2Enum.2Enum.((p (ap (ap c.2Eprim\_rec.2E\_3C c.2Enum.2E0) V0n)) \Rightarrow ((ap (ap c.2Earithmetic.2EMOD (ap (ap c.2Earithmetic.2EEXP (ap (ap c.2Earithmetic.2EMOD V1x) V0n)) V2e)) V0n) = (ap (ap c.2Earithmetic.2EMOD (ap (ap c.2Earithmetic.2EEXP V1x) V2e)) V0n))))))$$