

thm_2Earithmetic_2EEXP__SUB__NUMERAL
(TMKohG9CeTp7Md58Sh6VXjBGafSQ7gtiZtm)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (c_2Enum_2ESUC_REP\ m))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 6 We define $c_Earithmetic_EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_EBIT2 V0n) V0n)$.

Definition 7 We define $c_Earithmetic_EZERO$ to be c_Enum_E0 .

Definition 8 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_EBIT1 V0n) V0n)$.

Definition 9 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_Earithmetic_EDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (7)$$

Let $c_Earithmetic_E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (8)$$

Let $c_Earithmetic_EEXP : \iota$ be given. Assume the following.

$$c_Earithmetic_EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (9)$$

Definition 10 We define c_Ebool_EF to be $(ap (c_Ebool_E21 2) (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_Emin_E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 12 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap (ap c_Emin_E3D_3D_3E V0t) c_Ebool_E21 2) (\lambda V2t \in 2.V2t))$.

Definition 13 We define $c_Ebool_E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21 2) (\lambda V2t \in 2.V2t) V2t) V2t) V2t) V2t)$.

Definition 14 We define c_Emin_E40 to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 15 We define c_Ebool_E3F to be $\lambda A.^{27a} : \iota.(\lambda V0P \in (2^A)^{27a}).(ap V0P (ap (c_Emin_E40 V0P) V0P))$.

Definition 16 We define $c_Eprim_rec_E3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap (ap c_Eprim_rec_E3C V0m) V1n)$.

Definition 17 We define $c_Ebool_E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21 2) (\lambda V2t \in 2.V2t) V2t) V2t) V2t) V2t)$.

Definition 18 We define $c_Earithmetic_E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_E_3C_3D V0m) V1n)$.

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ & ((ap (ap c_Earithmetic_E_2B c_Enum_E0) V0m) = V0m) \wedge (((ap (\\ & ap c_Earithmetic_E_2B V0m) c_Enum_E0) = V0m) \wedge (((ap (ap c_Earithmetic_E_2B \\ & (ap c_Enum_ESUC V0m)) V1n) = (ap c_Enum_ESUC (ap (ap c_Earithmetic_E_2B \\ & V0m) V1n))) \wedge ((ap (ap c_Earithmetic_E_2B V0m) (ap c_Enum_ESUC \\ & V1n)) = (ap c_Enum_ESUC (ap (ap c_Earithmetic_E_2B V0m) V1n))))))))) \end{aligned} \quad (10)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\forall V1m \in ty_2Enum_2Enum.(p (ap (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC V0n)) (ap c_2Enum_2ESUC V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V0n) V1m)))))) \quad (11)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Earithmetic_2E_3C_3D c_2Enum_2E0) V0n))) \quad (12)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(((ap (ap c_2Earithmetic_2E_2D c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge ((ap (ap c_2Earithmetic_2E_2D V0m) c_2Enum_2E0) = V0m))) \quad (13)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\forall V1m \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2D (ap c_2Enum_2ESUC V0n)) (ap c_2Enum_2ESUC V1m)) = (ap (ap c_2Earithmetic_2E_2D V0n) V1m)))) \quad (14)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)) V0n) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) \wedge ((ap (ap c_2Earithmetic_2EEXP V0n) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0n))) \quad (15)$$

Assume the following.

$$(\forall V0p \in ty_2Enum_2Enum.(\forall V1q \in ty_2Enum_2Enum.(\forall V2n \in ty_2Enum_2Enum.(((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V2n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1q) V0p))) \Rightarrow ((ap (ap c_2Earithmetic_2EEXP V2n) (ap (ap c_2Earithmetic_2E_2D V0p) V1q)) = (ap (ap c_2Earithmetic_2EDIV (ap (ap c_2Earithmetic_2EEXP V2n) V0p)) (ap (ap c_2Earithmetic_2EEXP V2n) V1q))))))) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (21)$$

Theorem 1

$$(\forall V0n \in ty_2Enum_2Enum. (\forall V1x \in ty_2Enum_2Enum. (p\ (ap\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ V0n)) \Rightarrow (((ap\ (ap\ c_2Earithmetic_2EDIV\ (ap\ (ap\ c_2Earithmetic_2EEXP\ V0n)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V1x))))\ V0n) = (ap\ (ap\ c_2Earithmetic_2EEXP\ V0n)\ (ap\ (ap\ c_2Earithmetic_2E_2D\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V1x)))\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \wedge ((ap\ (ap\ c_2Earithmetic_2EDIV\ (ap\ (ap\ c_2Earithmetic_2EEXP\ V0n)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ V1x))))\ V0n) = (ap\ (ap\ c_2Earithmetic_2EEXP\ V0n)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V1x))))))))))$$