

thm\_2Earithmetic\_2EFUNPOW\_\_SUC  
(TMXQxxwV7Kd7GdvD15Ts6bZFbRiQNLr31Td)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2EFUNPOW : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Earithmetic\_2EFUNPOW\ A\_27a \in ((A\_27a^{A\_27a})^{ty\_2Enum\_2Enum})^{(A\_27a^{A\_27a})} \tag{2}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{3}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{5}$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

**Definition 4** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{6}$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & ((\forall V0f \in (A\_27a^{A\_27a}).(\forall V1x \in \\ & A\_27a.((ap (ap (ap (c\_2Earithmetic\_2EFUNPOW A\_27a) V0f) c\_2Enum\_2E0) \\ & V1x) = V1x))) \wedge (\forall V2f \in (A\_27a^{A\_27a}).(\forall V3n \in ty\_2Enum\_2Enum. \\ & (\forall V4x \in A\_27a.((ap (ap (ap (c\_2Earithmetic\_2EFUNPOW A\_27a) \\ & V2f) (ap c\_2Enum\_2ESUC V3n)) V4x) = (ap (ap (ap (c\_2Earithmetic\_2EFUNPOW \\ & A\_27a) V2f) V3n) (ap V2f V4x)))))))))) \end{aligned} \quad (7)$$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\begin{aligned} (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p (ap V0P c\_2Enum\_2E0)) \wedge \\ (\forall V1n \in ty\_2Enum\_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC \\ V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p (ap V0P V2n)))))) \end{aligned} \quad (11)$$

**Theorem 1**

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & ((\forall V0f \in (A\_27a^{A\_27a}).(\forall V1n \in \\ & ty\_2Enum\_2Enum.(\forall V2x \in A\_27a.((ap (ap (ap (c\_2Earithmetic\_2EFUNPOW \\ & A\_27a) V0f) (ap c\_2Enum\_2ESUC V1n)) V2x) = (ap V0f (ap (ap (ap (c\_2Earithmetic\_2EFUNPOW \\ & A\_27a) V0f) V1n) V2x)))))))))) \end{aligned}$$